

環評井 6 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	103 年 第 1 季	103 年 第 2 季	103 年 第 3 季	103 年 第 4 季	104 年 第 1 季	104 年 第 2 季	104 年 第 3 季
水溫	℃	*	*	22.6	23.7	29.9	26.4	24.7	29.2	31.9
pH 值	-	*	*	7.3	7.4	7	7.1	7.6	7.2	6.8
濁度	NTU	*	*	1.7	0.5	1.2	0.7	1.6	0.5	0.25
導電度	μmho/cm	*	*	2430	3130	749	2990	3020	3310	2390
總溶解固體	mg/L	1250	*	2560	3020	666	2900	3090	3090	1980
總硬度	mg/L	750	*	1600	1700	329	1570	1840	1690	1140
氯鹽	mg/L	625	*	91.1	119	29.3	113	112	124	114
總餘氯	mg/L	*	*	0.04	0.13	0.11	ND	ND	ND	ND
硫酸鹽	mg/L	625	*	1600	1630	309	1530	1820	2940	1110
硫化物	mg/L	*	*	ND	ND	<0.04(0.02)	ND	ND	ND	ND
氨氮	mg/L	0.25	*	<0.05(0.01)	<0.05(0.02)	0.25	0.05	0.05	0.04	0.13
亞硝酸鹽氮	mg/L	5	10	0.03	0.03	0.02	0.03	0.05	0.04	0.03
硝酸鹽氮	mg/L	50	100	3.88	7.04	1.57	4.54	3.09	3.66	1.7
無機氮含量	mg/L	*	*	3.92	7.09	1.84	4.62	3.19	3.74	1.86
總含氮量	mg/L	*	*	3.98	7.3	1.86	4.92	3.5	4.4	2.16
氯鹽	mg/L	4	8	0.19	0.22	0.56	0.52	0.44	0.5	0.76
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	ND	ND	ND	0.004
銅	mg/L	5	10	ND	<0.020(0.003)	ND	ND	ND	ND	ND
鎳	mg/L	0.5	1	0.028	<0.020(0.005)	ND	0.005	0.003	0.006	0.01
鉛	mg/L	0.05	0.1	ND	ND	ND	ND	ND	ND	0.009
鋅	mg/L	25	50	0.078	0.121	0.035	0.114	0.084	0.092	0.134
汞	mg/L	0.01	0.02	ND	ND	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0021	<0.0020(0.0017)	0.0055	0.0018	0.0009	0.0015	0.0029
鐵	mg/L	1.5	*	<0.100(0.096)	ND	<0.100(0.026)	0.028	0.037	0.035	0.031
錳	mg/L	0.25	*	0.155	0.223	<0.020(0.006)	0.328	0.06	0.05	0.009
油脂	mg/L	*	*	<1.0	<1.0	<1.0	1.5	2.5	4.1	1.7
總有機碳(TOC)	mg/L	10	*	1.4	1.7	1.8	3.3	1.8	3.4	3.4
總酚	mg/L	0.14	*	ND	ND	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	1.85	3.7	—	—	—	ND	ND	ND	ND
2,4,6-三氯酚	mg/L	0.05	0.1	—	—	—	ND	ND	ND	ND
五氯酚	mg/L	0.04	0.08	—	—	—	ND	ND	ND	ND
苯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
甲苯	mg/L	5	10	ND	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	50	100	ND	ND	ND	ND	ND	ND	ND
乙苯	mg/L	3.5	7	ND	ND	ND	ND	ND	ND	ND
氯苯	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	0.375	0.75	ND	ND	ND	ND	ND	ND	ND
萘	mg/L	0.2	0.4	ND	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	0.15	0.3	ND	ND	ND	ND	ND	ND	ND
二氯甲烷	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
氯仿	mg/L	0.5	1	0.00178	0.00151	0.00371	ND	ND	0.00417	0.00708
1,1-二氯乙烷	mg/L	4.25	8.5	ND	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	3	6	ND	ND	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
氯乙烯	mg/L	0.01	0.02	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	0.035	0.07	ND	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND	ND	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
三氯乙烯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
四氯乙烯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
四氯化碳	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	5	10	—	<0.500	<0.500	ND	ND	ND	ND
氟化物	mg/L	0.25	0.5	ND	<0.01(0.002)	<0.01(0.002)	ND	ND	ND	ND
甲基第三丁基醚	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	<1.00	<1.00	<1.00	0.00143	0.00134	0.062	ND
1,2-二氯苯	mg/L	0.025	0.05	—	ND	ND	ND	ND	ND	ND
3,3'-二氯聯苯胺	mg/L	0.05	0.1	—	—	—	ND	ND	ND	ND
1,1,1-三氯乙烷	mg/L	1	2	—	—	—	ND	ND	ND	ND
柴油總碳氫化合物	mg/L	*	*	<0.500	<0.500	<0.500	ND	ND	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 6 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	104 年 第 4 季	105 年 第 1 季	105 年 第 2 季	105 年 第 3 季	105 年 第 4 季	106 年 第 1 季	106 年 第 2 季
水溫	°C	*	*	29.7	22.8	25.5	30.5	30.2	23.1	26.8
pH 值	-	*	*	7	6.9	7	6.5	7.4	7.3	7.4
濁度	NTU	*	*	0.75	7	0.25	0.45	0.45	0.35	0.25
導電度	μmho/cm	*	*	2510	3050	2900	2990	1680	3120	3100
總溶解固體	mg/L	1250	*	1900	3220	2990	2740	1440	3080	3260
總硬度	mg/L	750	*	938	1630	1500	1420	736	1780	1900
氯鹽	mg/L	625	*	74.9	132	126	161	98.4	147	121
總餘氯	mg/L	*	*	ND<0.04	ND<0.04	ND<0.04	0.13	ND<0.04	ND<0.04	ND<0.04
硫酸鹽	mg/L	625	*	956	1830	2050	1740	729	1420	1810
硫化物	mg/L	*	*	ND<0.01	ND<0.01	ND<0.01	ND<0.007	ND<0.007	ND<0.01	ND<0.015
氨氮	mg/L	0.25	*	0.05	0.02	0.07	0.09	0.1	0.07	0.06
亞硝酸鹽氮	mg/L	5	10	ND<0.001	ND<0.001	0.03	0.03	0.03	0.04	0.05
硝酸鹽氮	mg/L	50	100	2.86	4.45	5.88	5.25	2.18	3.92	3.91
無機氯含量	mg/L	*	*	2.91	4.47	5.98	5.37	2.31	4.03	4.02
總含氯量	mg/L	*	*	3.49	4.94	6.37	5.92	2.75	4.46	4.45
氯鹽	mg/L	4	8	0.71	0.8	0.8	0.86	0.87	0.76	0.71
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.002	ND<0.002	ND<0.0003	ND<0.0003	ND<0.002	ND<0.002
鉻	mg/L	0.25	0.5	0.003	0.003	ND<0.002	ND<0.0027	ND<0.0027	0.007	ND<0.002
銅	mg/L	5	10	ND<0.005	ND<0.005	ND<0.005	<0.01	ND<0.0024	ND<0.005	ND<0.005
鎳	mg/L	0.5	1	0.008	0.005	0.006	ND<0.0027	0.004	0.007	0.004
鉛	mg/L	0.05	0.1	ND<0.006	ND<0.006	ND<0.005	<0.01	ND<0.0024	0.006	ND<0.006
鋅	mg/L	25	50	0.672	0.924	0.353	0.927	0.207	0.188	0.116
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0002	ND<0.0002	ND<0.0003	ND<0.0003
砷	mg/L	0.25	0.5	0.0091	0.0093	0.0056	0.0174	0.0097	0.0054	0.0061
鐵	mg/L	1.5	*	0.063	0.04	0.04	0.024	0.158	0.144	0.054
錳	mg/L	0.25	*	0.026	0.011	0.016	0.017	0.043	0.159	0.227
油脂	mg/L	*	*	1.2	0.1	<0.1(0.0)	ND<1.67	0.4	0.3	0.4
總有機碳(TOC)	mg/L	10	*	5.9	4.8	3.6	4.4	3.2	3.2	3.1
總酚	mg/L	0.14	*	0.0028	ND<0.0021	ND<0.0021	ND<0.0016	ND<0.0016	ND<0.0021	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00168	ND<0.00145	ND<0.00145	ND<0.00322	ND<0.00145	ND<0.00145	ND<0.00198
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00169	ND<0.00135	ND<0.00135	ND<0.00322	ND<0.00135	ND<0.00135	ND<0.00191
五氯酚	mg/L	0.04	0.08	ND<0.00187	ND<0.00144	ND<0.00144	ND<0.00317	ND<0.00144	ND<0.00144	ND<0.00173
苯	mg/L	0.025	0.05	ND<0.0016	ND<0.00160	ND<0.00037	ND<0.00041	ND<0.00050	ND<0.00050	ND<0.00014
甲苯	mg/L	5	10	ND<0.00141	ND<0.00141	ND<0.00017	ND<0.00035	ND<0.00014	ND<0.00014	ND<0.00014
二甲苯	mg/L	50	100	ND<0.002	ND<0.00200	ND<0.001	ND<0.00058	ND<0.00082	ND<0.00082	ND<0.00051
乙苯	mg/L	3.5	7	ND<0.00144	ND<0.00144	ND<0.00017	ND<0.00037	ND<0.00014	ND<0.00014	ND<0.00016
氯苯	mg/L	0.5	1	ND<0.00153	ND<0.001513	ND<0.00155	ND<0.00037	ND<0.00161	ND<0.00161	ND<0.00036
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00152	ND<0.00152	ND<0.00036	ND<0.00042	ND<0.00055	ND<0.00055	ND<0.00036
萘	mg/L	0.2	0.4	ND<0.00153	ND<0.00153	ND<0.00018	ND<0.00036	ND<0.00014	ND<0.00014	ND<0.00033
氯甲烷	mg/L	0.15	0.3	ND<0.00155	ND<0.00155	ND<0.00167	ND<0.00045	ND<0.00182	ND<0.00182	ND<0.00149
二氯甲烷	mg/L	0.025	0.05	ND<0.00169	ND<0.00169	ND<0.00037	ND<0.00045	ND<0.00065	ND<0.00065	ND<0.00044
氯仿	mg/L	0.5	1	ND<0.00153	ND<0.00153	0.00215	0.00596	0.00487	0.00094	0.00194
1,1,2-二氯乙烷	mg/L	4.25	8.5	ND<0.00152	ND<0.00152	ND<0.0004	ND<0.00045	ND<0.00062	ND<0.00062	ND<0.00036
1,2-二氯乙烷	mg/L	3	6	ND<0.00157	ND<0.00157	ND<0.00037	ND<0.0004	ND<0.00054	ND<0.00054	ND<0.00037
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00159	ND<0.00159	ND<0.00168	ND<0.00046	ND<0.00159	ND<0.00159	ND<0.00035
氯乙烯	mg/L	0.01	0.02	ND<0.00171	ND<0.00171	ND<0.00169	ND<0.00046	ND<0.00197	ND<0.00197	ND<0.00164
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00166	ND<0.00166	ND<0.00161	ND<0.00045	ND<0.00196	ND<0.00196	ND<0.00153
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00174	ND<0.00174	ND<0.00167	ND<0.0004	ND<0.00161	ND<0.00161	ND<0.00035
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00171	ND<0.00171	ND<0.00037	ND<0.00042	ND<0.00065	ND<0.00065	ND<0.00169
三氯乙烯	mg/L	0.025	0.05	ND<0.00147	ND<0.00147	ND<0.00036	ND<0.00038	ND<0.00059	ND<0.00059	ND<0.00175
四氯乙烯	mg/L	0.025	0.05	ND<0.00158	ND<0.00158	ND<0.00163	ND<0.00039	ND<0.00173	ND<0.00173	ND<0.00039
四氯化碳	mg/L	0.025	0.05	ND<0.00169	ND<0.00169	ND<0.00039	ND<0.00039	ND<0.00017	ND<0.00017	ND<0.00158
總石油碳氫化合物	mg/L	5	10	ND<0.171	ND<0.171	ND<0.186	0.06	ND<0.186	ND<0.186	ND<0.184
氟化物	mg/L	0.25	0.5	0.003	ND<0.002	ND<0.002	ND<0.001	ND<0.002	ND<0.002	ND<0.002
甲基第三丁基醚	mg/L	0.5	1	ND<0.00142	ND<0.00142	ND<0.0004	ND<0.00042	ND<0.00050	ND<0.00050	ND<0.00134
甲醛	mg/L	*	*	ND<0.00294	0.00731	0.00521	<0.00286	ND<0.00296	ND<0.00296	0.0199
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00165	ND<0.00165	ND<0.00017	ND<0.00047	ND<0.00016	ND<0.00016	ND<0.00035
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00213	ND<0.0014	ND<0.0014	ND<0.00314	ND<0.00140	ND<0.00140	ND<0.00137
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00147	ND<0.00147	ND<0.00037	ND<0.00039	ND<0.00020	ND<0.00020	ND<0.00161
柴油總碳氫化合物	mg/L	*	*	—	ND<0.142	ND<0.156	ND<0.122	ND<0.156	ND<0.122	ND<0.122

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 6 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	106 年第 3 季	106 年第 4 季	107 年第 1 季	107 年第 2 季	107 年第 3 季	107 年第 4 季	108 年第 1 季
水溫	℃	*	*	31.2	31.3	21.8	23.5	29.6	25.7	21
pH 值	-	*	*	7	6.8	7.1	7.5	7.4	6.8	7
濁度	NTU	*	*	0.35	0.45	0.4	19	1.3	13	0.5
導電度	μmho/cm	*	*	1890	2520	2890	3010	1610	2950	2890
總溶解固體	mg/L	1250	*	1890	2870	2750	2870	1450	3130	3180
總硬度	mg/L	750	*	874	1240	1600	1380	733	1890	1770
氯鹽	mg/L	625	*	108	410	146	146	71.8	627	92.3
總餘氯	mg/L	*	*	ND<0.04	0.05	ND<0.04	0.07	ND<0.04	0.3	ND<0.04
硫酸鹽	mg/L	625	*	881	1420	828	1680	807	795	904
硫化物	mg/L	*	*	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01
氯氣	mg/L	0.25	*	0.1	0.11	0.17	0.03	0.06	0.03	0.04
亞硝酸鹽氮	mg/L	5	10	0.02	0.03	0.04	0.05	0.06	0.03	0.04
硝酸鹽氮	mg/L	50	100	4.38	4.59	4.47	4.44	3.5	4.28	3.42
無機氮含量	mg/L	*	*	4.5	4.73	4.68	4.52	3.62	4.34	3.5
總含氮量	mg/L	*	*	5.47	5.47	5.13	5.04	4.26	4.7	4.05
氯鹽	mg/L	4	8	1.12	1	0.93	0.78	0.75	0.82	0.79
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
銅	mg/L	5	10	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005
鎳	mg/L	0.5	1	ND<0.003	0.007	ND<0.003	ND<0.003	ND<0.003	0.004	ND<0.003
鉛	mg/L	0.05	0.1	0.008	ND<0.006	ND<0.006	ND<0.006	ND<0.006	ND<0.006	ND<0.006
鋅	mg/L	25	50	0.324	0.396	0.185	0.107	0.1	0.288	0.174
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003
砷	mg/L	0.25	0.5	0.0164	0.0111	0.0072	0.0086	0.0124	0.008	0.009
鐵	mg/L	1.5	*	0.055	0.043	0.024	0.083	0.079	0.029	0.028
錳	mg/L	0.25	*	0.016	0.042	0.032	0.109	0.021	0.043	0.052
油脂	mg/L	*	*	1.8	4.1	0.5	0.6	0.4	1.8	0.6
總有機碳(TOC)	mg/L	10	*	4.8	6.1	3.3	3.7	3.7	3.1	3.8
總酚	mg/L	0.14	*	0.0024	0.0213	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00198	ND<0.00198	ND<0.00198	ND<0.00150	ND<0.00150	ND<0.00150	ND<0.00150
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00191	ND<0.00191	ND<0.00191	ND<0.00156	ND<0.00156	ND<0.00156	ND<0.00156
五氯酚	mg/L	0.04	0.08	ND<0.00173	ND<0.00173	ND<0.00173	ND<0.00162	ND<0.00162	ND<0.00162	ND<0.00162
苯	mg/L	0.025	0.05	ND<0.00055	ND<0.00014	ND<0.00014	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00013
甲苯	mg/L	5	10	ND<0.00014	ND<0.00014	ND<0.00014	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00013
二甲苯	mg/L	50	100	ND<0.00082	ND<0.00051	ND<0.00051	ND<0.00049	ND<0.00049	ND<0.00049	ND<0.00049
乙苯	mg/L	3.5	7	ND<0.00013	ND<0.00016	ND<0.00016	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00013
氯苯	mg/L	0.5	1	ND<0.00135	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00049	ND<0.00036	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
苯	mg/L	0.2	0.4	ND<0.00019	ND<0.00033	ND<0.00033	ND<0.00035	ND<0.00035	ND<0.00035	ND<0.00035
氯甲烷	mg/L	0.15	0.3	ND<0.00152	ND<0.00149	ND<0.00149	ND<0.00134	ND<0.00134	ND<0.00134	ND<0.00134
二氯甲烷	mg/L	0.025	0.05	ND<0.00065	ND<0.00044	ND<0.00044	ND<0.00049	ND<0.00049	ND<0.00049	ND<0.00049
氯仿	mg/L	0.5	1	0.00184	0.0897	0.0568	0.00813	0.0121	0.00631	0.00403
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00059	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036
1,2-二氯乙烷	mg/L	3	6	ND<0.00015	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00037
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00144	ND<0.00035	ND<0.00035	ND<0.00034	ND<0.00034	ND<0.00034	ND<0.00034
氯乙烷	mg/L	0.01	0.02	ND<0.00157	ND<0.00164	ND<0.00164	ND<0.00130	ND<0.00130	ND<0.00130	ND<0.00130
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00169	ND<0.00153	ND<0.00153	ND<0.00130	ND<0.00130	ND<0.00130	ND<0.00130
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00135	ND<0.00035	ND<0.00035	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00065	ND<0.00169	ND<0.00169	ND<0.00130	ND<0.00130	ND<0.00130	ND<0.00130
三氯乙烷	mg/L	0.025	0.05	ND<0.00055	ND<0.00175	ND<0.00175	ND<0.00172	ND<0.00172	ND<0.00172	ND<0.00172
四氯乙烷	mg/L	0.025	0.05	ND<0.00139	ND<0.00039	ND<0.00039	ND<0.00040	ND<0.00040	ND<0.00040	ND<0.00040
四氯化碳	mg/L	0.025	0.05	ND<0.00015	ND<0.00158	ND<0.00158	ND<0.00118	ND<0.00118	ND<0.00118	ND<0.00118
柴油總碳氫化合物	mg/L	*	*	ND<0.122	ND<0.132	ND<0.132	ND<0.132	ND<0.132	ND<0.132	ND<0.132
總石油碳氫化合物	mg/L	5	10	ND<0.184	0.185	ND<0.184	ND<0.198	ND<0.198	ND<0.198	ND<0.198
氯化物	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
甲基第三丁基醚	mg/L	0.5	1	ND<0.00049	ND<0.00134	ND<0.00134	ND<0.00087	ND<0.00087	ND<0.00087	ND<0.00087
甲醛	mg/L	*	*	0.0067	0.00272	ND<0.00266	ND<0.00484	ND<0.00484	ND<0.00484	ND<0.00484
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00051	ND<0.00035	ND<0.00035	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00137	ND<0.00137	ND<0.00137	ND<0.00158	ND<0.00158	ND<0.00158	ND<0.00158
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00017	ND<0.00161	ND<0.00161	ND<0.00127	ND<0.00127	ND<0.00127	ND<0.00127

註：1.「*」表示法規尚未規定，“-”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 6 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	108 年第 2 季	108 年第 3 季	108 年第 4 季	109 年第 1 季	109 年第 2 季	109 年第 3 季	109 年第 4 季
水溫	℃	*	*	26.1	29.1	29	22.5	26.5	30.8	29
pH 值	-	*	*	7.2	6.7	6.6	7.3	7.2	7.6	6.9
濁度	NTU	*	*	1.8	2	0.6	4.1	1.6	3.1	0.8
導電度	umho/cm	*	*	2900	2760	3370	3780	3270	2910	3090
總溶解固體	mg/L	1250	*	1290	2640	2830	3120	3260	2360	3000
總硬度	mg/L	750	*	1620	1420	1810	1730	1740	1090	1550
氯鹽	mg/L	625	*	129	146	138	120	138	127	143
總餘氯	mg/L	*	*	ND<0.04	ND<0.019	ND<0.019	ND<0.019	0.03	0.06	0.05
硫酸鹽	mg/L	625	*	285	1480	1830	2080	1840	1160	1600
硫化物	mg/L	*	*	ND<0.01	ND<0.0048	ND<0.0048	ND<0.0048	<0.02(0.01)	<0.02(0.02)	ND<0.0036
氨氣	mg/L	0.25	*	0.04	ND<0.0059	ND<0.0059	<0.02(0.0059)	ND<0.0068	<0.02(0.0073)	<0.02(0.0178)
亞硝酸鹽氮	mg/L	5	10	0.03	<0.01(0.002)	<0.01(0.001)	0.04	0.09	0.06	<0.01(0.001)
硝酸鹽氮	mg/L	50	100	5.16	7.36	7.19	5.71	4.86	3.74	7.22
無機氮含量	mg/L	*	*	5.23	7.36	7.19	5.76	4.95	3.81	7.24
總含氮量	mg/L	*	*	5.57	7.8	7.88	6.12	5.21	4.1	7.8
氯鹽	mg/L	4	8	0.81	0.83	0.89	0.71	0.99	0.94	0.84
鎘	mg/L	0.025	0.05	ND<0.002	<0.002(0.001)	<0.002(0.001)	ND<0.00041	<0.001 (0.0003)	<0.001 (0.0002)	<0.001 (0.0004)
鉻	mg/L	0.25	0.5	ND<0.002	<0.005(0.001)	<0.005(0.002)	ND<0.00048	ND<0.00037	<0.0025 (0.0007)	<0.0025 (0.002)
銅	mg/L	5	10	ND<0.005	ND<0.00090	ND<0.00090	<0.005(0.003)	<0.0025 (0.002)	<0.0025 (0.002)	0.003
鎳	mg/L	0.5	1	<0.009(0.004)	<0.01(0.007)	0.012	<0.01(0.004)	0.008	<0.005(0.004)	0.006
鉛	mg/L	0.05	0.1	ND<0.006	ND<0.0030	ND<0.0030	ND<0.003	<0.005(0.003)	ND<0.0024	ND<0.0024
鋅	mg/L	25	50	0.157	0.704	1.56	0.622	0.304	0.242	1.43
汞	mg/L	0.01	0.02	ND<0.0003	<0.0004 (0.0003)	ND<0.000081	ND<0.000081	ND<0.000084	<0.0004 (0.0002)	ND<0.000084
砷	mg/L	0.25	0.5	0.0126	0.0132	0.014	0.0181	0.0248	0.0312	0.0134
鐵	mg/L	1.5	*	0.183	0.062	0.05	0.029	0.141	0.109	0.055
錳	mg/L	0.25	*	0.135	0.052	0.013	0.12	0.159	0.141	0.037
油脂	mg/L	*	*	0.9	ND<2.0	ND<2.0	ND<2.0	2.9	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	3.9	5.6	5.4	4.8	4.5	5.4	1.4
總酚	mg/L	0.14	*	ND<0.0021	ND<0.0039	ND<0.0042	<0.02 (0.006310)	<0.02(0.0147)	ND<0.0038	0.0421
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00197	ND<0.00039	ND<0.00039	ND<0.00039	ND<0.00051	ND<0.00051	ND<0.00051
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00205	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
五氯酚	mg/L	0.04	0.08	ND<0.00152	ND<0.00042	ND<0.00042	ND<0.00042	ND<0.00073	ND<0.00073	ND<0.00073
苯	mg/L	0.025	0.05	ND<0.00044	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00028	ND<0.00028	ND<0.00028
甲苯	mg/L	5	10	ND<0.00015	ND<0.00022	<0.001 (0.00027)	ND<0.00022	ND<0.00031	ND<0.00031	ND<0.00031
二甲苯	mg/L	50	100	ND<0.00107	ND<0.00016	ND<0.00016	ND<0.00016	ND<0.00038	ND<0.00038	ND<0.00038
乙苯	mg/L	3.5	7	ND<0.00015	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
氯苯	mg/L	0.5	1	ND<0.00177	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.00025	ND<0.00025	ND<0.00025
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00034	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
萘	mg/L	0.2	0.4	ND<0.00014	ND<0.00020	ND<0.00020	ND<0.00020	ND<0.00027	ND<0.00027	ND<0.00027
氯甲烷	mg/L	0.15	0.3	ND<0.00184	ND<0.000080	ND<0.000080	ND<0.000080	ND<0.00038	ND<0.00038	ND<0.00038
二氯甲烷	mg/L	0.025	0.05	ND<0.00044	<0.0005 (0.00025)	<0.001 (0.00020)	<0.001 (0.00039)	ND<0.00041	ND<0.00041	ND<0.00041
氯仿	mg/L	0.5	1	0.00254	0.00314	0.00214	0.00648	0.00265	0.00207	ND<0.00025
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00037	ND<0.000070	ND<0.000070	ND<0.000070	ND<0.00027	ND<0.00027	ND<0.00027
1,2-二氯乙烷	mg/L	3	6	ND<0.00019	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00196	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00025	ND<0.00025	ND<0.00025
氯乙烯	mg/L	0.01	0.02	ND<0.00201	ND<0.000078	ND<0.000078	ND<0.000078	ND<0.00029	ND<0.00029	ND<0.00029
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00192	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00029	ND<0.00029	ND<0.00029
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00218	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00027	ND<0.00027	ND<0.00027
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00035	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00025	ND<0.00025	ND<0.00025
三氯乙烯	mg/L	0.025	0.05	ND<0.00036	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.00026	ND<0.00026	ND<0.00026
四氯乙烯	mg/L	0.025	0.05	ND<0.00202	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00027	ND<0.00027	ND<0.00027
四氯化碳	mg/L	0.025	0.05	ND<0.00016	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00025	ND<0.00025	ND<0.00025
柴油總碳氫化合物	mg/L	*	*	ND<0.149	<0.050(0.010)	<0.050(0.017)	<0.050(0.024)	<0.050(0.023)	<0.050(0.016)	<0.050(0.034)
總石油碳氫化合物	mg/L	5	10	ND<0.205	<0.055(0.021)	<0.055(0.033)	<0.055(0.039)	0.037	<0.055(0.027)	0.037
氯化物	mg/L	0.25	0.5	ND<0.002	ND<0.00045	ND<0.00045	ND<0.00045	ND<0.00048	ND<0.00048	ND<0.00048
甲基第三丁基醚	mg/L	0.5	1	ND<0.00035	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.0003	ND<0.0003	ND<0.0003
甲醛	mg/L	*	*	ND<0.00414	ND<0.00782	<0.0286 (0.00950)	ND<0.00782	<0.0286 (0.00659)	<0.0286 (0.0118)	<0.0286 (0.00932)
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00039	ND<0.00014	ND<0.00014	ND<0.00014	ND<0.00027	ND<0.00027	ND<0.00027
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00196	ND<0.00290	ND<0.00290	ND<0.00290	ND<0.00053	ND<0.00053	ND<0.00053
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00017	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00025	ND<0.00025	ND<0.00025

註：1. 「*」表示法規尚未規定，“-”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 6 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	110 年第 1 季	110 年第 2 季	110 年第 3 季	110 年第 4 季	111 年第 1 季	111 年第 2 季	111 年第 3 季
水溫	℃	*	*	20.9	25.4	31.2	28.5	20.7	25.9	30.9
pH 值	-	*	*	7.2	6.9	6.8	6.5	7.2	6.7	6.7
濁度	NTU	*	*	0.75	0.6	1	0.45	0.55	2.6	0.5
導電度	umho/cm	*	*	3140	2940	2520	3020	3450	3250	2310
總溶解固體	mg/L	1250	*	2840	3130	2180	2830	3290	3180	2090
總硬度	mg/L	750	*	1660	1680	1230	1530	1870	1750	1010
氯鹽	mg/L	625	*	116	110	119	145	144	110	137
總餘氯	mg/L	*	*	0.04	ND<0.018	ND<0.018	ND<0.018	ND<0.018	ND<0.020	ND<0.020
硫酸鹽	mg/L	625	*	1750	1760	1130	1590	2140	1820	1020
硫化物	mg/L	*	*	<0.02(0.01)	<0.02(0.01)	<0.02(0.01)	0.02	<0.02(0.004)	<0.02(0.0062)	ND<0.0025
氨氣	mg/L	0.25	*	<0.02(0.0119)	<0.02(0.0150)	<0.02(0.0164)	ND<0.0022	<0.02(0.0129)	0.02	<0.02(0.0196)
亞硝酸鹽氮	mg/L	5	10	0.02	0.05	<0.01(0.001)	0.05	0.04	<0.01(0.006)	<0.01(0.005)
硝酸鹽氮	mg/L	50	100	6.01	5.28	6.63	6.51	4.79	6.02	4.21
無機氮含量	mg/L	*	*	6.04	5.34	6.65	6.56	4.84	6.05	4.23
總含氮量	mg/L	*	*	6.41	5.73	7.37	6.97	5.2	6.32	4.64
氯鹽	mg/L	4	8	0.81	0.7	0.72	0.65	0.74	0.74	0.71
鎘	mg/L	0.025	0.05	ND<0.00019	<0.001 (0.0003)	<0.001 (0.0005)	ND<0.00037	<0.002 (0.0015)	<0.002(0.001)	<0.002(0.001)
鉻	mg/L	0.25	0.5	ND<0.00037	ND<0.00054	<0.0025 (0.001)	ND<0.00054	<0.005 (0.0014)	<0.005(0.001)	<0.005(0.001)
銅	mg/L	5	10	<0.0025 (0.001)	0.003	0.003	ND<0.0011	<0.005 (0.0017)	<0.005(0.003)	<0.005(0.003)
鎳	mg/L	0.5	1	<0.005(0.005)	<0.005(0.004)	<0.005(0.005)	<0.01	0.01	<0.01(0.006)	<0.01(0.005)
鉛	mg/L	0.05	0.1	ND<0.0024	ND<0.0032	ND<0.0032	ND<0.0032	ND<0.0032	ND<0.0031	ND<0.0031
鋅	mg/L	25	50	0.359	0.32	0.698	0.467	0.475	0.95	0.848
汞	mg/L	0.01	0.02	ND<0.000084	ND<0.000094	0.0004	<0.0004 (0.0001)	ND<0.000094	<0.0004 (0.0002)	ND<0.00011
砷	mg/L	0.25	0.5	0.018	0.0152	0.014	0.0167	0.0148	0.016	0.0164
鐵	mg/L	1.5	*	0.053	0.019	0.054	0.015	0.028	0.02	0.037
錳	mg/L	0.25	*	0.103	0.096	0.026	0.073	0.17	0.078	0.026
油脂	mg/L	*	*	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	3.3	4.6	7.5	5.1	4.1	6.6	7.5
總酚	mg/L	0.14	*	ND<0.0038	ND<0.0029	ND<0.0029	ND<0.0029	ND<0.0029	ND<0.0021	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00037	ND<0.00037
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00038	ND<0.00056	ND<0.00056	ND<0.00056	ND<0.00056	ND<0.00057	ND<0.00057
五氯酚	mg/L	0.04	0.08	ND<0.00073	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00041	ND<0.00041
苯	mg/L	0.025	0.05	ND<0.00028	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00023	ND<0.00023
甲苯	mg/L	5	10	ND<0.00031	ND<0.00029	ND<0.00029	<0.001 (0.00039)	ND<0.00029	<0.001 (0.00043)	<0.001 (0.00025)
二甲苯	mg/L	50	100	ND<0.00038	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00036	<0.00300 (0.00092)
乙苯	mg/L	3.5	7	ND<0.00027	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00023	ND<0.00023
氯苯	mg/L	0.5	1	ND<0.00025	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00027	ND<0.00027
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00027	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00041	ND<0.00041
萘	mg/L	0.2	0.4	ND<0.00027	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00039	ND<0.00039
氯甲烷	mg/L	0.15	0.3	ND<0.00038	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00027	ND<0.00027
二氯甲烷	mg/L	0.025	0.05	ND<0.00041	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
氯仿	mg/L	0.5	1	0.00225	0.0038	0.00447	0.00242	0.00198	0.00269	0.00222
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00027	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00022	ND<0.00022
1,2-二氯乙烷	mg/L	3	6	ND<0.00027	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00027	ND<0.00027
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00025	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033
氯乙烷	mg/L	0.01	0.02	ND<0.00029	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00022	ND<0.00022
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00029	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00021	ND<0.00021
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00027	ND<0.00026	ND<0.00026	ND<0.00026	ND<0.00026	ND<0.00020	ND<0.00020
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00025	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00028	ND<0.00028
三氯乙烷	mg/L	0.025	0.05	ND<0.00026	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021	ND<0.00021
四氯乙烷	mg/L	0.025	0.05	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00020	ND<0.00020
四氯化碳	mg/L	0.025	0.05	ND<0.00025	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00022	ND<0.00022
柴油總碳氫化合物	mg/L	*	*	<0.050(0.020)	<0.050(0.023)	<0.050(0.026)	<0.050(0.036)	<0.050(0.041)	<0.050(0.038)	<0.050(0.040)
總石油碳氫化合物	mg/L	5	10	<0.055(0.026)	0.043	0.053	0.049	0.054	<0.070(0.051)	<0.068(0.050)
氟化物	mg/L	0.25	0.5	<0.004 (0.0011)	ND<0.00053	ND<0.00053	ND<0.00053	ND<0.00053	ND<0.00052	ND<0.00052
甲基第三丁基醚	mg/L	0.5	1	ND<0.0003	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00021	ND<0.00021
甲醛	mg/L	*	*	<0.0286 (0.00778)	<0.0286 (0.0128)	ND<0.00625	<0.0286 (0.00793)	<0.0286 (0.00685)	ND<0.00628	<0.0286 (0.00686)
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00027	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00046	ND<0.00046
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00053	ND<0.00055	ND<0.00055	ND<0.00055	ND<0.00055	ND<0.00060	ND<0.00060
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021	ND<0.00021

註：1.「*」表示法規尚未規定，“-”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 6 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	111 年第 4 季	112 年第 1 季	112 年第 2 季	112 年第 3 季	112 年第 4 季	113 年第 1 季	113 年第 2 季
水溫	℃	*	*	30.7	22.6	23.9	31	29.1	22.6	25.2
pH 值	-	*	*	7.2	6.9	7	7	7.2	7	6.9
濁度	NTU	*	*	0.25	1.4	0.7	0.35	1.1	0.25	0.65
導電度	umho/cm	*	*	2290	3380	3230	2110	3040	3390	3260
總溶解固體	mg/L	1250	*	3350	3330	3020	2010	2480	3380	3320
總硬度	mg/L	750	*	1780	1850	1720	1020	1510	866	1870
氯鹽	mg/L	625	*	143	130	130	85.1	121	102	105
總餘氯	mg/L	*	*	ND<0.020	ND<0.020	ND<0.023	ND<0.023	ND<0.023	0.06	ND<0.024
硫酸鹽	mg/L	625	*	2100	1860	1680	1030	1470	2070	1880
硫化物	mg/L	*	*	ND<0.0025	ND<0.0025	ND<0.0038	ND<0.0038	ND<0.0038	ND<0.0038	ND<0.0056
氨氣	mg/L	0.25	*	ND(<0.0031)	ND<0.0031	<0.02(0.0035)	ND<0.0070	ND<0.0070	ND<0.0070	<0.02(0.0106)
亞硝酸鹽氮	mg/L	5	10	0.03	0.02	<0.01(0.0002)	0.08	0.02	0.02	0.02
硝酸鹽氮	mg/L	50	100	7.13	5.42	6.38	3.77	4.77	5.12	5.13
無機氮含量	mg/L	*	*	7.17	5.44	6.38	3.85	4.79	5.14	5.16
總含氮量	mg/L	*	*	7.62	5.71	6.78	4.16	5.08	5.45	5.61
氯鹽	mg/L	4	8	0.84	0.67	0.62	0.63	0.58	0.61	0.64
鎘	mg/L	0.025	0.05	<0.002(0.001)	<0.002(0.001)	ND<0.00024	ND<0.00053	<0.001(0.001)	<0.001(0.0004)	<0.001(0.0005)
鉻	mg/L	0.25	0.5	ND<0.00056	ND<0.00056	<0.005(0.001)	ND<0.00048	<0.002(0.001)	<0.002(0.0004)	<0.002(0.001)
銅	mg/L	5	10	<0.005(0.002)	<0.005(0.002)	ND<0.00039	<0.005(0.001)	<0.002(0.002)	<0.002(0.001)	0.004
鎳	mg/L	0.5	1	<0.01(0.002)	<0.010(0.007)	<0.010(0.006)	<0.010(0.004)	<0.005(0.004)	0.005	0.006
鉛	mg/L	0.05	0.1	ND<0.0031	ND<0.0031	ND<0.0027	ND<0.0025	ND<0.0025	<0.005(0.003)	<0.005(0.003)
鋅	mg/L	25	50	0.805	0.61	0.266	0.38	0.69	1.1	0.818
汞	mg/L	0.01	0.02	ND<0.00011	ND<0.00011	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00013	<0.0004(0.0002)
砷	mg/L	0.25	0.5	0.0226	0.0124	0.0155	0.0135	0.0122	0.0135	0.015
鐵	mg/L	1.5	*	0.03	<0.010(0.009)	0.03	0.011	0.041	0.036	0.051
錳	mg/L	0.25	*	0.054	0.059	0.155	0.128	0.104	0.086	0.074
油脂	mg/L	*	*	ND<2.0	2.8	ND<2.0	2.7	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	5.9	5.3	4.4	3.9	3.9	5.8	5.2
總酚	mg/L	0.14	*	ND<0.021	ND(<0.0021)	ND<0.0015	ND<0.0048	ND<0.0048	ND<0.0046	ND<0.0068
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00037	ND<0.00037	ND<0.00079	ND<0.00065	ND<0.00065	ND<0.00079	ND<0.00059
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00057	ND<0.00057	ND<0.00075	ND<0.00053	ND<0.00053	ND<0.00075	ND<0.00057
五氯酚	mg/L	0.04	0.08	ND<0.00041	ND<0.00041	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00036	ND<0.00043
苯	mg/L	0.025	0.05	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00022
甲苯	mg/L	5	10	ND<0.00025	ND<0.00025	ND<0.00022	ND<0.00022	0.00271	<0.00100(0.00069)	<0.00100(0.00062)
二甲苯	mg/L	50	100	ND<0.00036	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00032
乙苯	mg/L	3.5	7	ND<0.00023	ND<0.00023	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00022
氯苯	mg/L	0.5	1	ND<0.00027	ND<0.00027	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00041	ND<0.00041	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021
萘	mg/L	0.2	0.4	ND<0.00039	ND<0.00039	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00023
氯甲烷	mg/L	0.15	0.3	ND<0.00027	ND<0.00027	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00025
二氯甲烷	mg/L	0.025	0.05	ND<0.00038	ND<0.00038	ND<0.00045	ND<0.00045	ND<0.00045	ND<0.00045	ND<0.00044
氯仿	mg/L	0.5	1	0.00395	0.00372	0.00256	0.00198	0.00292	0.0128	0.00307
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00022	ND<0.00022	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
1,2-二氯乙烷	mg/L	3	6	ND<0.00027	ND<0.00027	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00033	ND<0.00033	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00023
氯乙烯	mg/L	0.01	0.02	ND<0.00022	ND<0.00022	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00028
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00021	ND<0.00021	ND<0.00022	ND<0.00022	ND<0.00022	ND<0.00022	ND<0.00025
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00020	ND<0.00020	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00022
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00028	ND<0.00028	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00020
三氯乙烯	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00020
四氯乙烯	mg/L	0.025	0.05	ND<0.00020	ND<0.00020	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00018
四氯化碳	mg/L	0.025	0.05	ND<0.00022	ND<0.00022	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021
柴油總碳氫化合物	mg/L	*	*	<0.050(0.012)	<0.050(0.045)	<0.050(0.019)	<0.050(0.024)	<0.050(0.030)	<0.050(0.036)	<0.050(0.046)
總石油碳氫化合物	mg/L	5	10	<0.061(0.042)	0.063	<0.039(0.031)	<0.039(0.038)	0.041	<0.066(0.051)	0.071
氰化物	mg/L	0.25	0.5	ND<0.00052	ND<0.00052	<0.004(0.0039)	ND<0.00048	ND<0.00048	ND<0.00048	<0.004(0.0007)
甲基第三丁基醚	mg/L	0.5	1	ND<0.00021	ND<0.00021	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
甲醛	mg/L	*	*	ND<0.00628	ND<0.00628	<0.0286(0.00571)	<0.0286(0.00570)	<0.0286(0.00483)	ND<0.00415	<0.0286(0.00412)
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00046	ND<0.00046	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00060	ND<0.00060	ND<0.00082	ND<0.00057	ND<0.00057	ND<0.00082	ND<0.00052
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00021	ND<0.00021	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 6 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	113 年第 3 季	113 年第 4 季	114 年第 1 季			
水溫	℃	*	*	31.1	28.3	22.7			
pH 值	-	*	*	7	7	7.3			
濁度	NTU	*	*	0.3	0.45	2.70			
導電度	μmho/cm	*	*	3100	1670	2540			
總溶解固體	mg/L	1250	*	3040	1720	2450			
總硬度	mg/L	750	*	1700	880	1430			
氯鹽	mg/L	625	*	111	65.1	95.2			
總餘氯	mg/L	*	*	ND<0.024	0.06	0.15			
硫酸鹽	mg/L	625	*	1760	905	1420			
硫化物	mg/L	*	*	ND<0.0056	ND<0.0056	ND<0.0056			
氯氣	mg/L	0.25	*	0.04	ND<0.0055	<0.02(0.0152)			
亞硝酸鹽氮	mg/L	5	10	0.07	0.09	<0.01(0.001)			
硝酸鹽氮	mg/L	50	100	4.76	2.47	1.8			
無機氮含量	mg/L	*	*	4.87	2.56	1.82			
總含氮量	mg/L	*	*	5.22	7.07	2.12			
氯鹽	mg/L	4	8	0.69	0.97	0.64			
鎘	mg/L	0.025	0.05	<0.001 (0.0004)	<0.001 (0.0003)	ND<0.00026			
鉻	mg/L	0.25	0.5	<0.002(0.001)	ND<0.00039	ND<0.00039			
銅	mg/L	5	10	0.003	<0.002(0.001)	0.005			
鎳	mg/L	0.5	1	0.006	<0.005(0.002)	<0.005(0.003)			
鉛	mg/L	0.05	0.1	ND<0.0030	ND<0.0030	ND<0.0030			
鋅	mg/L	25	50	0.462	0.22	0.218			
汞	mg/L	0.01	0.02	ND<0.000071	ND<0.000071	ND<0.000071			
砷	mg/L	0.25	0.5	0.0174	0.0146	0.0120			
鐵	mg/L	1.5	*	0.111	0.035	0.088			
錳	mg/L	0.25	*	0.228	0.131	0.249			
油脂	mg/L	*	*	ND<2.0	ND<2.0	ND<2.0			
總有機碳(TOC)	mg/L	10	*	4.9	4.2	2.6			
總酚	mg/L	0.14	*	ND<0.0068	ND<0.0068	ND<0.0068			
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00059	ND<0.00059	ND<0.00059			
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00057	ND<0.00057	ND<0.00057			
五氯酚	mg/L	0.04	0.08	ND<0.00043	ND<0.00043	ND<0.00043			
苯	mg/L	0.025	0.05	ND<0.00022	ND<0.00022	ND<0.00022			
甲苯	mg/L	5	10	<0.00100 (0.00078)	ND<0.00020	<0.00100 (0.00024)			
二甲苯	mg/L	50	100	ND<0.00032	ND<0.00032	ND<0.00032			
乙苯	mg/L	3.5	7	ND<0.00022	ND<0.00022	ND<0.00022			
氯苯	mg/L	0.5	1	ND<0.00022	ND<0.00022	ND<0.00022			
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00021	ND<0.00021	ND<0.00021			
苯	mg/L	0.2	0.4	ND<0.00023	ND<0.00023	ND<0.00023			
氯甲烷	mg/L	0.15	0.3	ND<0.00025	ND<0.00025	ND<0.00025			
二氯甲烷	mg/L	0.025	0.05	ND<0.00044	ND<0.00044	ND<0.00044			
氯仿	mg/L	0.5	1	0.00155	0.0023	<0.00100(0.0093)			
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00022	ND<0.00022	ND<0.00022			
1,2-二氯乙烷	mg/L	3	6	ND<0.00025	ND<0.00025	ND<0.00025			
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00023	ND<0.00023	ND<0.00023			
氯乙烯	mg/L	0.01	0.02	ND<0.00028	ND<0.00028	ND<0.00028			
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00025	ND<0.00025	ND<0.00025			
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00022	ND<0.00022	ND<0.00022			
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00020	ND<0.00020	ND<0.00020			
三氯乙烯	mg/L	0.025	0.05	ND<0.00020	ND<0.00020	ND<0.00020			
四氯乙烯	mg/L	0.025	0.05	ND<0.00018	ND<0.00018	ND<0.00018			
四氯化碳	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00021			
柴油總碳氫化合物	mg/L	*	*	<0.050(0.027)	<0.050(0.020)	<0.050(0.030)			
總石油碳氫化合物	mg/L	5	10	<0.038(0.035)	<0.038(0.034)	0.043			
氯化物	mg/L	0.25	0.5	ND<0.0022	ND<0.0022	ND<0.0022			
甲基第三丁基醚	mg/L	0.5	1	ND<0.00022	ND<0.00022	ND<0.00022			
甲醛	mg/L	*	*	ND<0.00338	ND<0.00338	ND<0.00338			
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00021			
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00052	ND<0.00052	ND<0.00052			
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00021	ND<0.00021	ND<0.00021			

註：1.「*」表示法規尚未規定，“-”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 7 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	86 年 第 4 季	87 年 第 1 季	87 年 第 2 季	87 年 第 3 季	87 年 第 4 季	88 年 第 2 季	88 年 第 3 季	88 年 第 4 季	89 年 第 1 季
水溫	℃	*	*	26.2	25.6	26.7	26.4	26.6	27.2	27	24.4	24.1
pH 值	-	*	*	7.58	7.72	7.4	7.5	7.48	7.49	7.57	7.72	8.1
濁度	NTU	*	*	47.5	16	32	35	19	9	14	18	1
導電度	umho/cm	*	*	19180	37300	39600	53100	16990	49200	36940	43000	34800
總溶解固體	mg/L	*	*	15180	32440	36200	48125	13880	34780	21680	27040	21800
總硬度	mg/L	*	*	2050	4100	4900	6600	2000	4900	2850	3450	390
氯鹽	mg/L	*	*	5854	12568	13184	19636	5336	17455	7300	11560	9425
總餘氯	mg/L	*	*	ND	ND	<0.2	ND	ND	ND	ND	<0.002	<0.2
硫酸鹽	mg/L	*	*	1192	2006	2079	2906	915	1554	1459	2332	636
硫化物	mg/L	*	*	0.05	0.16	0.03	0.26	0.75	0.69	ND	0.14	0.03
氨氮	mg/L	*	*	0.16	0.61	1.24	1.64	0.28	1.98	1.34	2.57	0.07
亞硝酸鹽氮	mg/L	*	*	0.00158	0.00134	0.0006	ND	0.002	0.006	0.023	0.001	<0.0003
硝酸鹽氮	mg/L	*	*	0.17	0.00023	0.08	0.7	0.19	ND	0.16	0.25	0.33
無機氮含量	mg/L	*	*	0.33	0.84	1.32	2.34	0.47	1.98	1.52	2.82	0.33
總含氮量	mg/L	*	*	0.76	2.97	1.47	3.56	0.84	2.49	3.83	3.19	0.79
氯鹽	mg/L	*	*	0.81	0.83	0.58	0.83	0.53	0.76	0.76	0.78	0.49
鎘	mg/L	*	*	ND	ND	<0.00572	ND	ND	ND	ND	<0.00572	<0.00572
鉻	mg/L	*	*	0.0064	ND	<0.00406	ND	ND	ND	ND	<0.00406	<0.00406
銅	mg/L	*	*	0.0203	ND	<0.00149	0.0076	0.0062	0.0173	0.0071	0.0071	0.0079
鎳	mg/L	*	*	0.0362	ND	<0.00154	0.0102	ND	0.0134	0.0059	0.0163	0.0059
鉛	mg/L	*	*	0.0263	ND	<0.00343	ND	0.0078	0.0255	0.0403	0.0164	0.0255
鋅	mg/L	*	*	0.1262	0.0626	0.0825	0.1593	0.0558	0.0951	0.0383	0.103	0.2721
汞	mg/L	*	*	ND	ND	<0.00062	ND	ND	0.0023	ND	<0.00062	<0.00062
砷	mg/L	*	*	0.00405	0.00976	0.00692	0.00727	0.00784	0.00731	0.01291	0.0091	0.0027
鐵	mg/L	*	*	0.37	ND	0.07	ND	0.09	0.29	ND	1.07	0.63
錳	mg/L	*	*	0.96	2.01	2.29	0.95	0.94	2.27	0.97	1.86	0.14
油脂	mg/L	*	*	ND	ND	<2.5	ND	ND	ND	ND	2.5	2.5
總有機碳(TOC)	mg/L	*	*	0.94	ND	<0.55	ND	0.56	ND	0.55	0.15	0.77
總酚	mg/L	*	*	ND	ND	<0.007	ND	ND	ND	ND	<0.007	<0.007
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
苯	mg/L	*	*	ND	ND	<0.002	ND	ND	ND	ND	<0.002	<0.002
甲苯	mg/L	*	*	ND	ND	<0.0006	ND	ND	ND	ND	<0.0006	<0.0006
二甲苯	mg/L	*	*	ND	ND	<0.0006	ND	ND	ND	ND	<0.0006	<0.0006
乙苯	mg/L	*	*	ND	ND	<0.0006	ND	ND	ND	ND	<0.0006	<0.0006
氯苯	mg/L	*	*	—	—	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—	—
萘	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯仿	mg/L	*	*	—	—	—	—	—	—	—	—	—
1,1-二氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
1,2-二氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯乙烯	mg/L	*	*	ND	ND	<0.004	ND	ND	ND	ND	<0.004	<0.004
1,1-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—	—	—
順-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	*	—	—	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	*	—	—	—	—	—	—	—	—	—
四氯化碳	mg/L	*	*	—	—	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯化物	mg/L	*	*	—	—	—	—	—	0.03	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—

註：1. 「*」表示法規尚未規定，“—”表示並無監測

2. 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

環評井 7 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	89 年 第 2 季	89 年 第 3 季	89 年 第 4 季	90 年 第 1 季	90 年 第 2 季	90 年 第 3 季	90 年 第 4 季
水溫	℃	*	*	26.5	26.4	26	26.4	26.5	25.3	27.5
pH 值	-	*	*	8.04	7.43	7.71	7.54	7.6	8.21	7.95
濁度	NTU	*	*	1.6	7.4	7.1	2.1	8.1	3.2	3.6
導電度	μmho/cm	*	*	23600	31200	28300	25700	29400	32160	28200
總溶解固體	mg/L	*	*	15340	22000	22600	17890	21680	19200	19900
總硬度	mg/L	*	*	615	3750	3150	1800	3300	2400	1480
氯鹽	mg/L	*	*	5660	9203	9230	7195	7195	7024	5354
總餘氯	mg/L	*	*	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
硫酸鹽	mg/L	*	*	739	3295	3175	1551	1730	1652	1066
硫化物	mg/L	*	*	0.01	0.01	0.01	0.01	0.01	0.05	0.05
氨氮	mg/L	*	*	0.31	1.92	2.14	1.69	1.64	1.5	0.88
亞硝酸鹽氮	mg/L	*	*	-	0.0003	ND	<0.003	<0.003	0.098	<0.001
硝酸鹽氮	mg/L	*	*	0.54	0.35	0.23	0.26	0.27	1.72	3.69
無機氮含量	mg/L	*	*	0.6	2.27	2.37	1.95	1.91	2.82	4.57
總含氮量	mg/L	*	*	0.4	2.41	2.53	2.17	2.07	3.54	4.81
氯鹽	mg/L	*	*	1.2	0.99	1.07	1.14	1.03	1.18	1.22
鎘	mg/L	*	*	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572
鉻	mg/L	*	*	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406
銅	mg/L	*	*	0.0155	0.0307	0.002	0.0071	0.00149	0.0036	0.0211
鎳	mg/L	*	*	0.0227	0.0105	ND	<0.00154	<0.00154	<0.00154	0.00916
鉛	mg/L	*	*	0.0336	0.0103	0.0096	0.0154	<0.00343	<0.00343	<0.00343
鋅	mg/L	*	*	0.2364	0.0043	0.0096	0.0189	0.036	0.0583	0.0113
汞	mg/L	*	*	<0.00062	0.00088	<0.00062	0.00062	<0.00003	<0.00003	<0.0006
砷	mg/L	*	*	0.00423	0.0253	0.01907	0.00905	0.0168	0.0167	0.01565
鐵	mg/L	*	*	0.84	0.3	0.66	0.1	0.84	0.3	0.66
錳	mg/L	*	*	0.28	0.03	1.54	1.53	1.78	0.95	1.13
油脂	mg/L	*	*	2.5	2.5	2.5	2.5	2.5	2.5	2.5
總有機碳(TOC)	mg/L	*	*	1.99	0.55	0.55	0.55	0.55	0.55	5.85
總酚	mg/L	*	*	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—
苯	mg/L	*	*	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
甲苯	mg/L	*	*	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
二甲苯	mg/L	*	*	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
乙苯	mg/L	*	*	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
氯苯	mg/L	*	*	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	*	—	—	—	—	—	—	—
苯	mg/L	*	*	—	—	—	—	—	—	—
氯甲烷	mg/L	*	*	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—
氯仿	mg/L	*	*	—	—	—	—	—	—	—
1,1-二氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
1,2-二氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
氯乙烯	mg/L	*	*	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
1,1-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
順-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
四氯化碳	mg/L	*	*	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—
氰化物	mg/L	*	*	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

環評井 7 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	91 年 第 2 季	91 年 第 3 季	91 年 第 4 季	92 年 第 1 季	92 年 第 2 季	92 年 第 3 季	92 年 第 4 季	93 年 第 1 季
水溫	℃	*	*	25.9	26.8	26.2	26.3	26.7	27.2	26.3	24.6
pH 值	-	*	*	7.42	7.49	7.48	7.58	7.31	7.3	7.75	7.7
濁度	NTU	*	*	2.5	2.3	2	4	4.5	8.6	5.8	7.1
導電度	μmho/cm	*	*	33700	31240	30500	28800	28560	27100	32500	21800
總溶解固體	mg/L	1250	*	16375	13940	15320	14460	12580	13700	16340	14760
總硬度	mg/L	750	*	3040	3400	2750	2750	2550	2600	2600	2750
氯鹽	mg/L	625	*	8496	10145	9074	8421	7419	6966	8254	6475
總餘氯	mg/L	*	*	ND	ND	ND	<0.2	<0.2	<0.2	<0.2	<0.2
硫酸鹽	mg/L	625	*	1643	2348	1419	1246	1737	1660	1553	1474
硫化物	mg/L	*	*	ND	0.13	0.1	0.1	0.1	0.1	0.1	0.01
氨氮	mg/L	0.25	*	1.3	1.45	1.18	1.54	1.33	1.76	0.11	5.92
亞硝酸鹽氮	mg/L	*	10	ND	0.004	0.052	0.003	0.003	0.011	0.006	0
硝酸鹽氮	mg/L	25	100	0.1	0.21	0.31	0.45	0.25	0.68	0.75	0.53
無機氮含量	mg/L	*	*	1.4	1.66	1.54	1.99	1.58	2.45	0.87	6.45
總含氮量	mg/L	*	*	1.68	2.08	2.05	3.92	11.59	4.52	2.06	9.01
氯鹽	mg/L	*	*	1.17	1.26	1.38	0.99	1.3	1.24	1.34	0.54
鎘	mg/L	0.025	0.05	ND	ND	ND	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572
鉻	mg/L	0.25	0.5	ND	ND	ND	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406
銅	mg/L	5	10	ND	0.00215	ND	0.00149	0.00206	0.00462	0.00303	0.00575
鎳	mg/L	*	1	ND	0.0024	ND	<0.00154	0.004	0.01004	<0.00154	<0.00154
鉛	mg/L	0.25	0.5	ND	ND	ND	<0.00343	0.0064	<0.00343	<0.00343	<0.00343
鋅	mg/L	25	50	0.00425	0.0878	0.0375	0.0415	0.0288	0.00263	0.0168	0.0236
汞	mg/L	*	0.02	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
砷	mg/L	0.25	0.5	0.01037	0.01352	0.01452	0.01166	0.01835	0.00633	0.0126	0.0194
鐵	mg/L	1.5	*	0.1	0.07	0.72	0.23	0.34	0.39	0.73	0.42
錳	mg/L	0.25	*	1.38	1.28	1.36	1.13	1.06	1.33	1.44	1.62
油脂	mg/L	*	*	ND	ND	ND	2.5	2.5	2.5	2.5	2.5
總有機碳(TOC)	mg/L	10	*	1.6	1.55	ND	0.55	2.02	0.56	0.55	1.25
總酚	mg/L	*	0.14	ND	ND	ND	<0.007	<0.007	<0.007	<0.007	<0.007
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	<0.002	<0.002	<0.002	<0.002	<0.002
甲苯	mg/L	*	10	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
二甲苯	mg/L	*	*	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
乙苯	mg/L	*	*	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
氯苯	mg/L	*	1	—	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	—	—	—	—
苯	mg/L	*	0.4	—	—	—	—	—	—	—	—
氯甲烷	mg/L	*	0.3	—	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—
氯仿	mg/L	*	1	—	—	—	—	—	—	—	—
1,1-二氯乙烷	mg/L	*	8.5	—	—	—	—	—	—	—	—
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—
氯乙烯	mg/L	*	0.02	ND	ND	ND	<0.004	<0.004	<0.004	<0.004	<0.004
1,1-二氯乙烯	mg/L	*	0.07	—	—	—	—	—	—	—	—
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—
四氯化碳	mg/L	*	0.05	—	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—
氰化物	mg/L	*	*	—	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：90.11.21 環署水字第 0073680 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 7 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	93 年 第 2 季	93 年 第 3 季	93 年 第 4 季	94 年 第 1 季	94 年 第 2 季	94 年 第 3 季	94 年 第 4 季	95 年 第 1 季	95 年 第 2 季	95 年 第 3 季
水溫	℃	*	*	26.2	25.7	28.3	21.7	20.6	26.1	25.9	20.8	27.6	22.1
pH 值	-	*	*	7.02	7.4	7.4	7.5	7.8	7.6	7.9	7.6	7.6	7.5
濁度	NTU	*	*	7.9	5	7.8	22	28	7.2	7.6	11	12	11.8
導電度	μmho/cm	*	*	26640	3430	3100	1900	812	5560	3514	13400	5460	3730
總溶解固體	mg/L	1250	*	13460	6520	24100	3700	5550	3570	2890	3270	3420	3990
總硬度	mg/L	750	*	2900	3380	3560	544	1230	907	721	846	817	670
氯鹽	mg/L	625	*	6665	3080	12000	1730	2300	1690	1280	1620	1530	1570
總餘氯	mg/L	*	*	<0.2	<0.2	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036
硫酸鹽	mg/L	625	*	1389	478	1790	67.1	338	212	137	284	370	333
硫化物	mg/L	*	*	0.01	0.005	0.005	0.01	0.03	0.01	0.01	0.01	0.01	0.01
氨氮	mg/L	0.25	*	0.16	1.22	1.5	0.47	6.23	2.04	1.98	0.08	0.47	1.26
亞硝酸鹽氮	mg/L	*	10	<0.001	0.09	0.01	0.01	0.3	1.3	0.037	0.03	0.012	0.005
硝酸鹽氮	mg/L	25	100	1.18	0.18	0.81	0.15	6.98	0.15	0.19	0.28	0.41	0.2
無機氮含量	mg/L	*	*	1.34	1.49	2.31	0.62	13.51	3.49	2.207	0.39	0.89	1.47
總含氮量	mg/L	*	*	2.78	3.29	3.57	0.71	13.7	2.26	2.44	0.85	1.27	1.76
氯鹽	mg/L	*	*	1.03	0.28	0.55	0.2	0.48	0.19	1	0.82	1.06	1.19
鎘	mg/L	0.025	0.05	<0.00572	<0.031	<0.031	<0.031	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
鉻	mg/L	0.25	0.5	<0.00406	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	ND
銅	mg/L	5	10	0.00397	<0.00149	<0.0042	<0.0042	<0.0042	<0.0042	<0.03	0.1	<0.019	0.026
鎳	mg/L	*	1	0.00538	0.087	<0.041	<0.041	<0.041	<0.041	0.046	<0.041	<0.041	<0.018
鉛	mg/L	0.25	0.5	<0.00343	<0.041	<0.041	<0.041	<0.041	<0.019	<0.019	<0.019	<0.019	ND
鋅	mg/L	25	50	0.03312	<0.045	<0.045	<0.045	<0.045	<0.032	0.044	0.081	0.02	<0.032
汞	mg/L	*	0.02	<0.0006	0.0015	<0.001	<0.001	0.0008	0.0037	0.0007	0.001	0.0005	0.0008
砷	mg/L	0.25	0.5	0.00444	0.022	0.0046	0.0369	0.0197	0.025	0.0189	0.0068	0.0153	0.0183
鐵	mg/L	1.5	*	<0.04	3.93	0.892	2.1	0.041	1.72	0.861	1.56	1.02	1.05
錳	mg/L	0.25	*	0.21	0.922	1.59	0.524	0.359	0.5	0.293	1.51	0.461	0.429
油脂	mg/L	*	*	2.5	0.8	0.7	1.5	6.5	0.5	2.1	2	3.4	0.1
總有機碳(TOC)	mg/L	10	*	1.48	4.44	1.46	4.58	1.37	6.06	41.8	1.65	1.88	2
總酚	mg/L	*	0.14	<0.007	<0.0006	<0.0006	0.0276	0.0083	0.0008	0.0011	<0.001	0.0076	0.0024
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
苯	mg/L	*	0.05	<0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
甲苯	mg/L	*	10	<0.0006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
二甲苯	mg/L	*	*	<0.0006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
乙苯	mg/L	*	*	<0.0006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
氯苯	mg/L	*	1	—	—	—	—	—	—	—	—	-	—
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	—	—	—	—	-	—
萘	mg/L	*	0.4	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
氯甲烷	mg/L	*	0.3	—	—	—	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
氯仿	mg/L	*	1	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
1,1-二氯乙烷	mg/L	*	8.5	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
氯乙烯	mg/L	*	0.02	<0.004	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
1,1-二氯乙烯	mg/L	*	0.07	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
四氯化碳	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
氰化物	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，「—」表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：90.11.21 環署水字第 0073680 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 7 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	95 年 第 4 季	96 年 第 1 季	96 年 第 2 季	96 年 第 3 季	96 年 第 4 季	97 年 第 1 季	97 年 第 2 季	97 年 第 3 季	97 年 第 4 季
水溫	℃	*	*	23.3	24.3	23.4	24.3	24.1	24.3	25.4	25.4	26.7
pH 值	-	*	*	7.1	7.3	7.4	7.2	7.5	7.1	7	7	7.9
濁度	NTU	*	*	6	5.8	3.4	9.7	10	6.3	9.4	9.4	39
導電度	μmho/cm	*	*	4420	4540	4140	2930	3090	2490	1480	1480	4690
總溶解固體	mg/L	1250	*	753	722	1260	4680	1620	1420	680	680	926
總硬度	mg/L	750	*	520	468	460	1070	440	582	437	437	665
氯鹽	mg/L	625	*	105	49.8	334	1400	675	884	44.4	44.4	621
總餘氯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	ND
硫酸鹽	mg/L	625	*	213	154	193	146	93	81.2	175	175	278
硫化物	mg/L	*	*	0.02	0.02	0.02	ND	0.18	0.02	0.02	0.02	ND
氨氮	mg/L	0.25	*	0.11	0.14	0.12	2.23	0.29	0.58	0.18	0.18	0.21
亞硝酸鹽氮	mg/L	*	10	0.032	0.018	<0.001	1.11	0.99	0.03	0.02	0.02	<0.001
硝酸鹽氮	mg/L	25	100	3.27	1.86	0.31	3.04	0.34	2.36	1.8	1.8	0.01
無機氮含量	mg/L	*	*	3.41	2.02	0.43	6.38	1.62	2.97	2	2	0.22
總含氮量	mg/L	*	*	3.66	2.5	0.74	9.41	1.66	3.23	2.55	2.55	0.93
氯鹽	mg/L	*	*	0.43	0.27	0.66	0.27	0.75	0.2	0.13	0.13	1.29
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	<0.007	<0.007	ND	ND	ND	ND	ND
銅	mg/L	5	10	<0.018	ND	ND	<0.01	0.012	ND	<0.015	<0.015	ND
鎳	mg/L	*	1	0.032	ND	0.009	ND	0.016	ND	0.011	0.011	ND
鉛	mg/L	0.25	0.5	ND	ND	<0.01	<0.01	<0.0127	ND	ND	ND	0.012
鋅	mg/L	25	50	0.042	ND	0.017	0.029	0.018	0.007	0.038	0.038	ND
汞	mg/L	*	0.02	0.0021	0.001	<0.00045	<0.0009	0.0011	0.0012	ND	ND	ND
砷	mg/L	0.25	0.5	0.0115	0.0073	0.0014	0.0152	0.0078	0.0052	0.0078	0.0078	0.0688
鐵	mg/L	1.5	*	0.811	0.873	0.086	2.4	0.6	0.573	1.01	1.01	0.077
錳	mg/L	0.25	*	0.924	0.821	0.175	0.403	0.26	0.752	0.929	0.929	0.128
油脂	mg/L	*	*	0.1	0.1	0.1	0.6	0.6	0.6	0.9	0.9	<1.0
總有機碳(TOC)	mg/L	10	*	1.48	1.65	1.87	1.93	1.27	1.27	1.5	1.5	0.7
總酚	mg/L	*	0.14	0.0022	ND	ND	ND	0.0093	0.008	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	ND
乙苯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	—	—	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	—	—	—	—	—
萘	mg/L	*	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	—	—	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯仿	mg/L	*	1	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
四氯化碳	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯化物	mg/L	*	*	—	—	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—	—	0.0059
甲醛	mg/L	*	*	—	—	—	—	—	—	—	—	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：90.11.21 環署水字第 0073680 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 7 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	98 年 第 1 季	98 年 第 2 季	98 年 第 3 季	98 年 第 4 季	99 年 第 1 季	99 年 第 2 季
水溫	℃	*	*	25.5	26.1	27.1	27.2	26.1	27.6
pH 值	-	*	*	7.8	7.9	7.9	8	8	7.9
濁度	NTU	*	*	6.1	13	9.5	31	50	180
導電度	μmho/cm	*	*	7460	2910	4860	3480	4370	4390
總溶解固體	mg/L	1250	*	912	1720	2820	1960	2290	2530
總硬度	mg/L	750	*	720	298	428	730	395	425
氯鹽	mg/L	625	*	193	496	623	620	724	858
總餘氯	mg/L	*	*	ND	<0.02	<0.02	0.02	0.15	0.12
硫酸鹽	mg/L	625	*	67.9	295	570	357	433	441
硫化物	mg/L	*	*	ND	ND	ND	ND	ND	ND
氨氮	mg/L	0.25	*	0.2	0.23	0.17	0.75	1.16	0.56
亞硝酸鹽氮	mg/L	*	10	<0.001	<0.01	ND	ND	<0.01	ND
硝酸鹽氮	mg/L	25	100	ND	0.02	0.36	ND	0.02	0.02
無機氮含量	mg/L	*	*	0.2	0.19	0.53	0.75	1.18	0.58
總含氮量	mg/L	*	*	1	0.67	1.44	0.76	1.52	1.16
氯鹽	mg/L	*	*	1.32	1.19	1.24	1.26	1.18	1.46
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	0.013	ND	ND	ND	ND
銅	mg/L	5	10	ND	ND	0.015	ND	ND	ND
鎳	mg/L	*	1	ND	ND	0.151	<0.020(0.004)	<0.020(0.008)	0.01
鉛	mg/L	0.25	0.5	ND	ND	ND	ND	ND	ND
鋅	mg/L	25	50	0.02	0.018	0.033	<0.020(0.016)	<0.020(0.014)	0.044
汞	mg/L	*	0.02	ND	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0232	0.0158	0.015	0.0217	0.0224	0.0204
鐵	mg/L	1.5	*	0.096	0.073	0.071	<0.100(0.028)	0.152	0.447
錳	mg/L	0.25	*	0.236	0.102	0.174	0.096	0.148	0.156
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	0.4	0.8	0.5	1	3.1	2.7
總酚	mg/L	*	0.14	ND	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	—	—	—	—	ND	ND
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	—	—	—	—	ND	ND
二氯甲烷	mg/L	*	0.05	—	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	—	—	—	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	ND	ND
三氯乙烯	mg/L	*	0.05	—	—	—	—	ND	ND
四氯乙烯	mg/L	*	0.05	—	—	—	—	ND	ND
四氯化碳	mg/L	*	0.05	—	—	—	—	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—
氯化物	mg/L	*	0.5	—	—	—	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	0.00772	ND	0.001	ND	ND	ND
甲醛	mg/L	*	*	ND<3.0	ND	ND	ND	ND	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	—	<0.5	<0.50	<0.50	<0.50	<0.50

註：1. 「*」表示法規尚未規定，“—”表示並無監測

2. 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3. 第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4. 第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 7 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	99 年 第 3 季	99 年 第 4 季	100 年 第 1 季	100 年 第 2 季	100 年 第 3 季
水溫	℃	*	*	28.2	26.1	25.4	25.2	29.2
pH 值	-	*	*	7.8	7.9	7.8	7.9	7.9
濁度	NTU	*	*	70	40	120	60	17
導電度	μmho/cm	*	*	3160	3300	4480	3120	3840
總溶解固體	mg/L	1250	*	1950	2810	2610	2680	2250
總硬度	mg/L	750	*	641	428	546	467	465
氯鹽	mg/L	625	*	519	789	887	792	753
總餘氯	mg/L	*	*	0.03	0.08	0.09	0.06	0.06
硫酸鹽	mg/L	625	*	447	397	418	496	487
硫化物	mg/L	*	*	ND	0.02	0.1	<0.04(0.01)	<0.04(0.02)
氨氮	mg/L	0.25	*	0.43	0.74	0.92	1.37	1.02
亞硝酸鹽氮	mg/L	*	10	0	ND	<0.01(0.002)	<0.01(0.002)	<0.01(0.001)
硝酸鹽氮	mg/L	25	100	0	0.02	ND	<0.05(0.03)	0.06
無機氯含量	mg/L	*	*	0.43	0.76	0.92	1.402	1.08
總含氮量	mg/L	*	*	0.58	1.3	1.32	2.18	1.21
氯鹽	mg/L	*	*	0.64	1.23	1.13	1.16	1.31
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	<0.020(0.003)	ND
銅	mg/L	5	10	ND	ND	ND	<0.020(0.003)	ND
鎳	mg/L	*	1	ND	0.009	<0.02(0.005)	<0.020(0.008)	<0.020(0.011)
鉛	mg/L	0.25	0.5	ND	ND	<0.02(0.005)	ND	ND
鋅	mg/L	25	50	ND	0.021	<0.02(0.011)	0.02	ND
汞	mg/L	*	0.02	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0215	0.0386	0.0244	0.0251	0.0232
鐵	mg/L	1.5	*	0.118	0.195	0.242	0.148	<0.100(0.091)
錳	mg/L	0.25	*	0.102	0.121	0.153	0.19	0.159
油脂	mg/L	*	*	1.1	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	1	4.1	0.8	1	1.1
總酚	mg/L	*	0.14	0.0051	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—
氯化物	mg/L	*	0.5	ND	0.003	ND	<0.01(0.001)	<0.01(0.002)
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	ND	ND	ND	ND	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.50	<0.5	<0.50	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 7 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	100 年 第 4 季	101 年 第 1 季	101 年 第 2 季	101 年 第 3 季	101 年 第 4 季
水溫	℃	*	*	26.9	27.2	27.8	29	28
pH 值	-	*	*	7.8	7.8	7.7	7.6	7.8
濁度	NTU	*	*	13	45	15	18	9
導電度	μmho/cm	*	*	3870	3550	7950	2300	2600
總溶解固體	mg/L	1250	*	2380	2210	4590	1750	1580
總硬度	mg/L	750	*	529	441	897	640	349
氯鹽	mg/L	625	*	769	625	1280	335	419
總餘氯	mg/L	*	*	0.03	0.16	0.09	0.03	0.12
硫酸鹽	mg/L	625	*	489	430	826	361	270
硫化物	mg/L	*	*	<0.04(0.02)	ND	ND	ND	ND
氨氮	mg/L	0.25	*	1.48	1.47	1.1	0.63	1.05
亞硝酸鹽氮	mg/L	*	10	<0.01(0.002)	<0.01(0.004)	ND	<0.01(0.004)	ND
硝酸鹽氮	mg/L	25	100	ND	ND	<0.05(0.01)	ND	ND
無機氯含量	mg/L	*	*	1.48	1.47	1.11	0.63	1.05
總含氮量	mg/L	*	*	1.56	1.66	1.51	0.75	1.11
氯鹽	mg/L	*	*	1.24	1.21	1.3	0.79	1.44
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND<0.003	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND	ND
鎳	mg/L	*	1	<0.020(0.006)	<0.020(0.005)	ND	ND	ND
鉛	mg/L	0.25	0.5	ND	ND	ND	<0.020(0.006)	<0.020(0.005)
鋅	mg/L	25	50	ND	ND	ND	<0.020(0.013)	ND
汞	mg/L	*	0.02	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0206	0.0249	0.0189	0.0444	0.0401
鐵	mg/L	1.5	*	<0.100(0.066)	<0.100(0.066)	<0.100(0.038)	0.141	0.138
錳	mg/L	0.25	*	0.202	0.126	0.343	0.049	0.025
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	0.6	1.1	0.4	0.6	0.6
總酚	mg/L	*	0.14	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	0.00114
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—
氯化物	mg/L	*	0.5	<0.01(0.001)	<0.01(0.002)	ND	ND	<0.01(0.002)
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	ND	<1.00	<1.00	<1.00	<1.00
1,2-二氯苯	mg/L	*	*	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.500	<0.500	<0.500	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 7 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	102 年 第 1 季	102 年 第 2 季	102 年 第 3 季	102 年 第 4 季
水溫	℃	*	*	25.2	25.7	27.8	26.9
pH 值	-	*	*	7.7	7.5	7.7	7.9
濁度	NTU	*	*	16	22	6.9	19
導電度	μmho/cm	*	*	4520	2820	2510	2730
總溶解固體	mg/L	1250	*	2500	1730	1410	1640
總硬度	mg/L	750	*	629	479	372	317
氯鹽	mg/L	625	*	905	551	392	399
總餘氯	mg/L	*	*	0.06	0.05	0.12	0.08
硫酸鹽	mg/L	625	*	521	316	274	262
硫化物	mg/L	*	*	ND	<0.04(0.02)	ND	<0.04(0.01)
氨氮	mg/L	0.25	*	0.9	0.95	1.17	1.24
亞硝酸鹽氮	mg/L	*	10	ND	<0.01(0.001)	ND	<0.01(0.002)
硝酸鹽氮	mg/L	25	100	ND	<0.05(0.01)	ND	0.05
無機氯含量	mg/L	*	*	0.91	0.96	1.18	2.88
總含氮量	mg/L	*	*	0.98	1.03	1.41	1.33
氯鹽	mg/L	*	*	1.1	0.9	1.16	1.56
鎘	mg/L	0.025	0.05	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND
鎳	mg/L	*	1	ND	ND	<0.020(0.005)	<0.020(0.003)
鉛	mg/L	0.25	0.5	ND	ND	ND	ND
鋅	mg/L	25	50	ND	<0.020(0.010)	<0.020(0.014)	ND
汞	mg/L	*	0.02	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0434	0.0374	0.0275	0.0184
鐵	mg/L	1.5	*	0.186	0.262	<0.100(0.070)	<0.100(0.067)
錳	mg/L	0.25	*	0.084	0.051	0.047	0.033
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	0.4	0.7	0.8	0.8
總酚	mg/L	*	0.14	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND
苯	mg/L	*	0.4	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—
氯化物	mg/L	*	0.5	ND	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND
甲醛	mg/L	*	*	<1.00	<1.00	<1.00	<1.00
1,2-二氯苯	mg/L	*	*	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.500	<0.500	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 7 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	103 年 第 1 季	103 年 第 2 季	103 年 第 3 季	103 年 第 4 季	104 年 第 1 季	104 年 第 2 季	104 年 第 3 季
水溫	℃	*	*	25.6	24.1	29.9	26.1	24.6	27	30
pH 值	-	*	*	7.9	8	7.7	8.1	8.1	8.1	7.8
濁度	NTU	*	*	20	11	8.6	1.2	2.8	0.55	16
導電度	μmho/cm	*	*	2590	2100	2920	1920	5280	1900	2560
總溶解固體	mg/L	1250	*	1560	1320	1930	1110	3440	1200	1440
總硬度	mg/L	750	*	280	236	393	184	668	169	265
氯鹽	mg/L	625	*	469	340	581	290	1630	376	534
總餘氯	mg/L	*	*	0.08	0.09	0.04	0.07	ND	0.05	0.14
硫酸鹽	mg/L	625	*	290	224	307	160	446	217	252
硫化物	mg/L	*	*	<0.04(0.01)	ND	<0.04(0.02)	0.02	ND	ND	ND
氨氮	mg/L	0.25	*	1.79	1.02	1.08	0.98	1.6	1.09	1.15
亞硝酸鹽氮	mg/L	5	10	<0.01(0.003)	<0.01(0.002)	<0.01(0.002)	0.46	0.02	1.18	0.04
硝酸鹽氮	mg/L	50	100	<0.05(0.02)	ND	<0.05(0.02)	0.12	0.01	0.25	0.01
無機氮含量	mg/L	*	*	1.81	1.03	1.1	1.56	1.63	2.52	1.2
總含氮量	mg/L	*	*	1.96	1.71	1.28	1.84	1.85	2.65	1.44
氯鹽	mg/L	4	8	1.23	1.51	1.41	1.51	1.29	1.63	1.71
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	ND	ND	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND	ND	0.011	ND
鎳	mg/L	0.5	1	0.031	<0.020(0.004)	ND	ND	ND	ND	ND
鉛	mg/L	0.05	0.1	ND	ND	ND	ND	ND	ND	ND
鋅	mg/L	25	50	ND	<0.020(0.011)	ND	0.023	0.005	0.004	0.011
汞	mg/L	0.01	0.02	ND	ND	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0331	0.0384	0.0235	0.0338	0.0166	0.0196	0.0308
鐵	mg/L	1.5	*	0.109	0.255	<0.100(0.048)	0.027	0.039	0.057	0.025
錳	mg/L	0.25	*	0.038	0.046	0.036	0.024	0.103	0.053	0.047
油脂	mg/L	*	*	<1.0	<1.0	<1.0	1.4	1.4	3.8	10.4
總有機碳(TOC)	mg/L	10	*	0.6	0.7	0.8	5	4.5	2.8	3.3
總酚	mg/L	0.14	*	ND	ND	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	1.85	3.7	—	—	—	ND	ND	ND	ND
2,4,6-三氯酚	mg/L	0.05	0.1	—	—	—	ND	ND	ND	ND
五氯酚	mg/L	0.04	0.08	—	—	—	ND	ND	ND	ND
苯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
甲苯	mg/L	5	10	ND	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	50	100	ND	ND	ND	ND	ND	ND	ND
乙苯	mg/L	3.5	7	ND	ND	ND	ND	ND	ND	ND
氯苯	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	0.375	0.75	ND	ND	ND	ND	ND	ND	ND
萘	mg/L	0.2	0.4	ND	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	0.15	0.3	ND	ND	ND	ND	ND	ND	ND
二氯甲烷	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
氯仿	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	4.25	8.5	ND	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	3	6	ND	ND	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
氯乙烯	mg/L	0.01	0.02	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	0.035	0.07	ND	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND	ND	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
三氯乙烯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
四氯乙烯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
四氯化碳	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	5	10	—	<0.500	<0.500	ND	ND	ND	ND
氯化物	mg/L	0.25	0.5	ND	ND	<0.01(0.002)	ND	ND	ND	ND
甲基第三丁基醚	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	<1.00	<1.00	<1.00	0.00159	0.00996	0.0154	0.017
1,2-二氯苯	mg/L	0.025	0.05	—	ND	ND	ND	ND	ND	ND
3,3'-二氯聯苯胺	mg/L	0.05	0.1	—	—	—	ND	ND	ND	ND
1,1,1-三氯乙烷	mg/L	1	2	—	—	—	ND	ND	ND	ND
柴油總碳氫化合物	mg/L	*	*	<0.500	<0.500	<0.500	ND	ND	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 7 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	104 年第 4 季	105 年第 1 季	105 年第 2 季	105 年第 3 季	105 年第 4 季	106 年第 1 季	106 年第 2 季
水溫	℃	*	*	26.7	24.1	26.2	29.8	31.1	24.2	26.6
pH 值	-	*	*	7.9	7.9	7.3	7.7	7.8	7.9	8
濁度	NTU	*	*	3.3	0.6	3.3	1.1	6.6	3.9	2.9
導電度	μmho/cm	*	*	2620	3010	2880	2700	2070	2350	1680
總溶解固體	mg/L	1250	*	1620	1780	1640	1530	1260	1350	1320
總硬度	mg/L	750	*	387	385	323	298	45.8	345	301
氯鹽	mg/L	625	*	688	581	549	493	328	406	408
總餘氯	mg/L	*	*	0.12	ND<0.04	ND<0.04	ND<0.04	ND<0.04	ND<0.04	ND<0.04
硫酸鹽	mg/L	625	*	505	389	482	445	284	393	288
硫化物	mg/L	*	*	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.007	ND<0.01	ND<0.015
氨氮	mg/L	0.25	*	5.74	2.65	1.65	2.92	2.6	1.87	0.55
亞硝酸鹽氮	mg/L	5	10	0.06	0.01	0.02	0.06	0.01	0.01	0.01
硝酸鹽氮	mg/L	50	100	4.38	0.23	0.22	0.19	2.78	0.29	0.03
無機氯含量	mg/L	*	*	10.2	2.89	1.89	3.17	5.39	2.17	0.59
總含氯量	mg/L	*	*	10.3	3.8	2.42	3.57	5.81	2.77	0.76
氯鹽	mg/L	4	8	1	1	1.02	1.04	1.02	1.19	1.19
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.0003	ND<0.002	ND<0.002
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.0027	ND<0.002	ND<0.002
銅	mg/L	5	10	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.0024	ND<0.005	ND<0.005
鎳	mg/L	0.5	1	ND<0.002	ND<0.002	ND<0.003	ND<0.003	ND<0.0027	ND<0.003	ND<0.003
鉛	mg/L	0.05	0.1	ND<0.006	ND<0.006	ND<0.005	ND<0.005	ND<0.0024	0.008	ND<0.006
鋅	mg/L	25	50	0.034	0.025	0.008	0.011	0.017	0.007	0.006
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.0003	0.0004	ND<0.0003	ND<0.0002	ND<0.0003	ND<0.0003
砷	mg/L	0.25	0.5	0.0187	0.024	0.0165	0.0216	0.0195	0.0204	0.0262
鐵	mg/L	1.5	*	0.247	0.288	0.027	0.1	0.046	0.049	0.051
錳	mg/L	0.25	*	0.062	0.067	0.047	0.045	0.041	0.041	0.041
油脂	mg/L	*	*	1	0.5	0.9	0.4	0.6	0.4	0.3
總有機碳(TOC)	mg/L	10	*	3.1	2.3	6	4	3.5	3.6	2
總酚	mg/L	0.14	*	0.0037	ND<0.0021	0.003	ND<0.0021	ND<0.0016	ND<0.0021	0.004
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00168	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00198
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00169	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00191
五氯酚	mg/L	0.04	0.08	ND<0.00187	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00173
苯	mg/L	0.025	0.05	ND<0.0016	ND<0.00160	ND<0.00037	ND<0.00037	ND<0.00050	ND<0.00050	ND<0.00014
甲苯	mg/L	5	10	ND<0.00141	ND<0.00141	ND<0.00017	ND<0.00017	ND<0.00014	ND<0.00014	0.0282
二甲苯	mg/L	50	100	ND<0.002	ND<0.00200	ND<0.001	ND<0.001	ND<0.00082	ND<0.00082	ND<0.00051
乙苯	mg/L	3.5	7	ND<0.00144	ND<0.00144	ND<0.00017	ND<0.00017	ND<0.00014	ND<0.00014	ND<0.00016
氯苯	mg/L	0.5	1	ND<0.00153	ND<0.001513	ND<0.00155	ND<0.00155	ND<0.00161	ND<0.00161	ND<0.00036
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00152	ND<0.00152	ND<0.00036	ND<0.00036	ND<0.00055	ND<0.00055	ND<0.00036
苯	mg/L	0.2	0.4	ND<0.00153	ND<0.00153	ND<0.00018	ND<0.00018	ND<0.00014	ND<0.00014	ND<0.00033
氯甲烷	mg/L	0.15	0.3	ND<0.00155	ND<0.00155	ND<0.00167	ND<0.00167	ND<0.00182	ND<0.00182	ND<0.00149
二氯甲烷	mg/L	0.025	0.05	ND<0.00169	ND<0.00169	ND<0.00037	ND<0.00037	ND<0.00065	ND<0.00065	ND<0.00044
氯仿	mg/L	0.5	1	ND<0.00153	ND<0.00153	ND<0.00039	ND<0.00039	ND<0.00063	ND<0.00063	ND<0.00040
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00152	ND<0.00152	ND<0.0004	ND<0.0004	ND<0.00062	ND<0.00062	ND<0.00036
1,2-二氯乙烷	mg/L	3	6	ND<0.00157	ND<0.00157	ND<0.00037	ND<0.00037	ND<0.00054	ND<0.00054	ND<0.00037
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00159	ND<0.00159	ND<0.00168	ND<0.00168	ND<0.00159	ND<0.00159	ND<0.00035
氯乙烯	mg/L	0.01	0.02	ND<0.00171	ND<0.00171	ND<0.00169	ND<0.00169	ND<0.00197	ND<0.00197	ND<0.00164
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00166	ND<0.00166	ND<0.00161	ND<0.00161	ND<0.00196	ND<0.00196	ND<0.00153
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00174	ND<0.00174	ND<0.00167	ND<0.00167	ND<0.00161	ND<0.00161	ND<0.00035
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00171	ND<0.00171	ND<0.00037	ND<0.00037	ND<0.00065	ND<0.00065	ND<0.00169
三氯乙烯	mg/L	0.025	0.05	ND<0.00147	ND<0.00147	ND<0.00036	ND<0.00036	ND<0.00059	ND<0.00059	ND<0.00175
四氯乙烯	mg/L	0.025	0.05	ND<0.00158	ND<0.00158	ND<0.00163	ND<0.00163	ND<0.00173	ND<0.00173	ND<0.00039
四氯化碳	mg/L	0.025	0.05	ND<0.00169	ND<0.00169	ND<0.00039	ND<0.00039	ND<0.00017	ND<0.00017	ND<0.00158
總石油碳氫化合物	mg/L	5	10	ND<0.171	ND<0.171	ND<0.186	ND<0.152	ND<0.186	ND<0.186	0.186
氯化物	mg/L	0.25	0.5	0.004	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
甲基第三丁基醚	mg/L	0.5	1	ND<0.00142	ND<0.00142	ND<0.0004	ND<0.0004	ND<0.00050	ND<0.00050	ND<0.00134
甲醛	mg/L	*	*	0.0556	0.00527	0.0123	ND<0.00296	ND<0.00296	ND<0.00296	ND<0.00266
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00165	ND<0.00165	ND<0.00017	ND<0.00017	ND<0.00016	ND<0.00016	ND<0.00035
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00213	ND<0.0014	ND<0.0014	ND<0.0014	ND<0.00140	ND<0.00140	ND<0.00137
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00147	ND<0.00147	ND<0.00037	ND<0.00037	ND<0.00020	ND<0.00020	ND<0.00161
柴油總碳氫化合物	mg/L	*	*	—	ND<0.142	ND<0.156	ND<0.122	ND<0.156	ND<0.122	ND<0.122

註：1.「*」表示法規尚未規定，「—」表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 7 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	106 年第 3 季	106 年第 4 季	107 年第 1 季	107 年第 2 季	107 年第 3 季	107 年第 4 季	108 年第 1 季
水溫	℃	*	*	28.3	29.3	24.1	25.1	28.4	26.4	21.5
pH 值	-	*	*	7.9	7.9	7.9	8.1	8.2	8.1	7.7
濁度	NTU	*	*	3.8	4.2	4.4	3	2.6	2.8	1.7
導電度	μmho/cm	*	*	2080	1850	2020	1760	1760	1630	2240
總溶解固體	mg/L	1250	*	1240	1100	1270	1400	1070	1190	1430
總硬度	mg/L	750	*	185	320	284	268	258	215	319
氯鹽	mg/L	625	*	330	380	554	501	224	14.9	926
總餘氯	mg/L	*	*	ND<0.04	ND<0.04	0.05	ND<0.04	ND<0.04	ND<0.04	ND<0.04
硫酸鹽	mg/L	625	*	310	222	264	202	317	365	242
硫化物	mg/L	*	*	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01
氨氮	mg/L	0.25	*	4.37	1.05	0.5	0.62	1.47	3.39	0.74
亞硝酸鹽氮	mg/L	5	10	0.02	0.02	0.03	ND<0.001	0.01	0.02	0.01
硝酸鹽氮	mg/L	50	100	0.5	0.04	0.09	0.01	0.02	0.62	0.07
無機氮含量	mg/L	*	*	4.89	1.11	0.62	0.63	1.5	4.03	0.82
總含氮量	mg/L	*	*	4.88	1.46	0.89	0.98	1.55	4.36	0.92
氯鹽	mg/L	4	8	1	1.09	1.21	1.18	1.11	1.21	1.13
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
銅	mg/L	5	10	0.006	ND<0.005	ND<0.005	ND<0.005	ND<0.005	0.04	ND<0.005
鎳	mg/L	0.5	1	ND<0.003	ND<0.003	ND<0.003	ND<0.003	ND<0.003	0.008	ND<0.003
鉛	mg/L	0.05	0.1	ND<0.006	ND<0.006	ND<0.006	ND<0.006	ND<0.006	ND<0.006	ND<0.006
鋅	mg/L	25	50	0.004	0.018	ND<0.003	0.007	ND<0.003	0.017	0.006
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003
砷	mg/L	0.25	0.5	0.0211	0.0245	0.0271	0.0286	0.029	0.0795	0.0237
鐵	mg/L	1.5	*	0.051	0.095	0.028	0.095	0.053	1.48	0.031
錳	mg/L	0.25	*	0.036	0.041	0.037	0.04	0.044	0.053	0.056
油脂	mg/L	*	*	0.1	0.9	0.9	3	2.2	<0.1	0.6
總有機碳(TOC)	mg/L	10	*	3.9	3.8	1.1	1.3	2.1	3.2	1
總酚	mg/L	0.14	*	0.0032	0.0024	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00198	ND<0.00198	ND<0.00198	ND<0.00150	ND<0.00150	ND<0.00150	ND<0.00150
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00191	ND<0.00191	ND<0.00191	ND<0.00156	ND<0.00156	ND<0.00156	ND<0.00156
五氯酚	mg/L	0.04	0.08	ND<0.00173	ND<0.00173	ND<0.00173	ND<0.00162	ND<0.00162	ND<0.00162	ND<0.00162
苯	mg/L	0.025	0.05	ND<0.00055	ND<0.00014	ND<0.00014	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00052
甲苯	mg/L	5	10	ND<0.00014	ND<0.00014	ND<0.00014	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00015
二甲苯	mg/L	50	100	ND<0.00082	ND<0.00051	ND<0.00051	ND<0.00049	ND<0.00049	ND<0.00049	ND<0.00081
乙苯	mg/L	3.5	7	ND<0.00013	ND<0.00016	ND<0.00016	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00014
氯苯	mg/L	0.5	1	ND<0.00135	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00140
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00049	ND<0.00036	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
苯	mg/L	0.2	0.4	ND<0.00019	ND<0.00033	ND<0.00033	ND<0.00035	ND<0.00035	ND<0.00035	ND<0.00018
氯甲烷	mg/L	0.15	0.3	ND<0.00152	ND<0.00149	ND<0.00149	ND<0.00134	ND<0.00134	ND<0.00134	ND<0.00157
二氯甲烷	mg/L	0.025	0.05	ND<0.00065	ND<0.00044	ND<0.00044	ND<0.00049	ND<0.00049	ND<0.00049	ND<0.00052
氯仿	mg/L	0.5	1	ND<0.00063	ND<0.00040	ND<0.00040	ND<0.00039	ND<0.00039	ND<0.00039	ND<0.00046
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00059	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00042
1,2-二氯乙烷	mg/L	3	6	ND<0.00015	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00016
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00144	ND<0.00035	ND<0.00035	ND<0.00034	ND<0.00034	ND<0.00034	ND<0.00165
氯乙烷	mg/L	0.01	0.02	ND<0.00157	ND<0.00164	ND<0.00164	ND<0.00130	ND<0.00130	ND<0.00130	ND<0.00155
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00169	ND<0.00153	ND<0.00153	ND<0.00130	ND<0.00130	ND<0.00130	ND<0.00138
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00135	ND<0.00035	ND<0.00035	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00156
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00065	ND<0.00169	ND<0.00169	ND<0.00130	ND<0.00130	ND<0.00130	ND<0.00046
三氯乙烷	mg/L	0.025	0.05	ND<0.00055	ND<0.00175	ND<0.00175	ND<0.00172	ND<0.00172	ND<0.00172	ND<0.00037
四氯乙烷	mg/L	0.025	0.05	ND<0.00139	ND<0.00039	ND<0.00039	ND<0.00040	ND<0.00040	ND<0.00040	ND<0.00164
四氯化碳	mg/L	0.025	0.05	ND<0.00015	ND<0.00158	ND<0.00158	ND<0.00118	ND<0.00118	ND<0.00118	ND<0.00016
柴油總碳氫化合物	mg/L	*	*	ND<0.122	ND<0.132	ND<0.132	ND<0.132	ND<0.132	ND<0.132	ND<0.132
總石油碳氫化合物	mg/L	5	10	ND<0.184	ND<0.184	ND<0.184	ND<0.198	ND<0.198	ND<0.198	ND<0.198
氯化物	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
甲基第三基醚	mg/L	0.5	1	ND<0.00049	ND<0.00134	ND<0.00134	ND<0.00087	ND<0.00087	ND<0.00087	ND<0.00036
甲醛	mg/L	*	*	0.00301	0.00314	0.00272	ND<0.00484	ND<0.00484	0.0107	ND<0.00484
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00051	ND<0.00035	ND<0.00035	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00045
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00137	ND<0.00137	ND<0.00137	ND<0.00158	ND<0.00158	ND<0.00158	ND<0.00158
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00017	ND<0.00161	ND<0.00161	ND<0.00127	ND<0.00127	ND<0.00127	ND<0.00015

註：1. 「*」表示法規尚未規定，“-”表示並無監測

- 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 7 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	108 年第 2 季	108 年第 3 季	108 年第 4 季	109 年第 1 季	109 年第 2 季	109 年第 3 季	109 年第 4 季
水溫	℃	*	*	27.4	26.1	28.3	23.6	24.3	27.5	26.9
pH 值	-	*	*	7.8	8.1	8	8	8	8	8.1
濁度	NTU	*	*	1	2.8	2.7	0.85	1.7	1.2	0.8
導電度	μmho/cm	*	*	2560	2050	1760	1430	1660	2130	3740
總溶解固體	mg/L	1250	*	1610	1310	1320	1070	1500	1240	2230
總硬度	mg/L	750	*	284	184	280	296	337	204	280
氯鹽	mg/L	625	*	1500	317	318	370	492	505	1030
總餘氯	mg/L	*	*	ND<0.04	ND<0.019	ND<0.019	ND<0.019	ND<0.019	0.04	ND<0.021
硫酸鹽	mg/L	625	*	235	301	172	197	229	245	281
硫化物	mg/L	*	*	ND<0.01	ND<0.0048	<0.02(0.01)	ND<0.0048	<0.02(0.01)	<0.02(0.01)	<0.02(0.01)
氨氣	mg/L	0.25	*	0.55	2.94	1.52	1.43	1.55	1.59	<0.02(0.0183)
亞硝酸鹽氮	mg/L	5	10	ND<0.001	0.03	<0.01(0.002)	<0.01(0.005)	<0.01(0.008)	<0.01(0.002)	<0.01(0.002)
硝酸鹽氮	mg/L	50	100	<0.012(0.01)	2.02	0.04	0.1	0.05	0.2	0.04
無機氮含量	mg/L	*	*	0.56	4.99	1.56	1.54	1.61	1.79	0.06
總含氮量	mg/L	*	*	0.78	5.73	1.82	1.64	1.85	1.54	0.84
氯鹽	mg/L	4	8	1.54	1.34	1.1	1.1	1.19	1.07	1.02
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.00041	ND<0.00041	ND<0.00041	ND<0.00019	<0.001 (0.0003)	ND<0.00019
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.00048	ND<0.00048	ND<0.00048	<0.0025 (0.0009)	ND<0.00037	ND<0.00037
銅	mg/L	5	10	ND<0.005	ND<0.00090	ND<0.00090	<0.005(0.001)	ND<0.00053	ND<0.00053	0.003
鎳	mg/L	0.5	1	ND<0.003	<0.01(0.002)	<0.01(0.003)	<0.01(0.002)	<0.005 (0.0028)	<0.005(0.002)	<0.005(0.002)
鉛	mg/L	0.05	0.1	ND<0.006	ND<0.0030	ND<0.0030	ND<0.003	ND<0.0024	<0.005(0.003)	ND<0.0024
鋅	mg/L	25	50	<0.009(0.007)	0.006	<0.005(0.003)	0.007	0.01	0.003	0.004
汞	mg/L	0.01	0.02	ND<0.0003	<0.0004 (0.0001)	ND<0.000081	ND<0.000081	ND<0.000084	<0.0004 (0.0002)	ND<0.000084
砷	mg/L	0.25	0.5	0.0359	0.0335	0.0301	0.0444	0.0424	0.036	0.0476
鐵	mg/L	1.5	*	0.306	0.213	0.134	0.277	0.394	0.326	0.408
錳	mg/L	0.25	*	0.053	0.044	0.047	0.059	0.072	0.056	0.059
油脂	mg/L	*	*	2.4	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	1.2	2.8	1.7	0.9	0.9	2.1	0.9
總酚	mg/L	0.14	*	ND<0.0021	<0.02(0.0095)	ND<0.0042	ND<0.0039	ND<0.0038	ND<0.0038	ND<0.0038
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00197	ND<0.00039	ND<0.00039	ND<0.00039	ND<0.00051	ND<0.00051	ND<0.00051
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00205	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
五氯酚	mg/L	0.04	0.08	ND<0.00152	ND<0.00042	ND<0.00042	ND<0.00042	ND<0.00073	ND<0.00073	ND<0.00073
苯	mg/L	0.025	0.05	ND<0.00044	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00028	ND<0.00028	ND<0.00028
甲苯	mg/L	5	10	ND<0.00015	ND<0.00022	<0.001 (0.00053)	ND<0.00022	ND<0.00031	ND<0.00031	ND<0.00031
二甲苯	mg/L	50	100	ND<0.00107	ND<0.00016	ND<0.00016	ND<0.00016	ND<0.00038	ND<0.00038	ND<0.00038
乙苯	mg/L	3.5	7	ND<0.00015	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
氯苯	mg/L	0.5	1	ND<0.00177	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.00025	ND<0.00025	ND<0.00025
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00034	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
苯	mg/L	0.2	0.4	ND<0.00014	ND<0.00020	ND<0.00020	ND<0.00020	ND<0.00027	ND<0.00027	ND<0.00027
氯甲烷	mg/L	0.15	0.3	ND<0.00184	ND<0.000080	ND<0.000080	ND<0.000080	ND<0.00038	ND<0.00038	ND<0.00038
二氯甲烷	mg/L	0.025	0.05	ND<0.00044	<0.0005 (0.00020)	<0.001 (0.00037)	<0.001 (0.00019)	ND<0.00041	ND<0.00041	ND<0.00041
氯仿	mg/L	0.5	1	ND<0.00041	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00025	ND<0.00025	ND<0.00025
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00037	ND<0.00070	ND<0.00070	ND<0.00070	ND<0.00027	ND<0.00027	ND<0.00027
1,2-二氯乙烷	mg/L	3	6	ND<0.00019	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00196	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00025	ND<0.00025	ND<0.00025
氯乙烯	mg/L	0.01	0.02	ND<0.00201	<0.0005 (0.00008)	ND<0.000078	ND<0.000078	ND<0.00029	ND<0.00029	ND<0.00029
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00192	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00029	ND<0.00029	ND<0.00029
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00218	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00027	ND<0.00027	ND<0.00027
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00035	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00025	ND<0.00025	ND<0.00025
三氯乙烯	mg/L	0.025	0.05	ND<0.00036	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.00026	ND<0.00026	ND<0.00026
四氯乙烯	mg/L	0.025	0.05	ND<0.00202	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00027	ND<0.00027	ND<0.00027
四氯化碳	mg/L	0.025	0.05	ND<0.00016	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00025	ND<0.00025	ND<0.00025
柴油總碳氫化合物	mg/L	*	*	ND<0.149	<0.050(0.012)	0.052	<0.050(0.027)	<0.050(0.041)	<0.050(0.015)	0.093
總石油碳氫化合物	mg/L	5	10	ND<0.205	<0.055(0.030)	<0.098(0.077)	<0.064(0.047)	0.055	<0.034(0.027)	0.113
氯化物	mg/L	0.25	0.5	ND<0.002	<0.004(0.001)	ND<0.00045	<0.004 (0.0005)	<0.004 (0.0007)	<0.004 (0.0008)	<0.004 (0.0017)
甲基第三丁基醚	mg/L	0.5	1	ND<0.00035	ND<0.00010	<0.001 (0.0002)	<0.001(0.00045)	<0.001 (0.00044)	ND<0.0003	ND<0.0003
甲醛	mg/L	*	*	ND<0.00414	ND<0.00782	ND<0.00782	<0.0286 (0.0125)	<0.0286 (0.00981)	<0.0286 (0.00944)	ND<0.00515
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00039	ND<0.00014	ND<0.00014	ND<0.00014	ND<0.00027	ND<0.00027	ND<0.00027
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00196	ND<0.00290	ND<0.00290	ND<0.00290	ND<0.00053	ND<0.00053	ND<0.00053
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00017	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00025	ND<0.00025	ND<0.00025

註：1.「*」表示法規尚未規定，「-」表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 7 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	110 年第 1 季	110 年第 2 季	110 年第 3 季	110 年第 4 季	111 年第 1 季	111 年第 2 季	111 年第 3 季
水溫	℃	*	*	24.7	25.8	28.6	27	24	25.5	26.8
pH 值	-	*	*	7.8	7.7	7.9	7.7	8	7.9	7.9
濁度	NTU	*	*	5.7	0.65	1.3	1.1	2.1	3.5	1.8
導電度	μmho/cm	*	*	1372	1280	1670	2270	1370	1360	2090
總溶解固體	mg/L	1250	*	800	736	1240	1300	1030	1290	1380
總硬度	mg/L	750	*	297	332	267	339	295	281	224
氯鹽	mg/L	625	*	233	176	363	444	236	664	326
總餘氯	mg/L	*	*	0.02	0.06	0.12	0.05	0.09	0.04	ND<0.020
硫酸鹽	mg/L	625	*	131	135	188	215	168	261	336
硫化物	mg/L	*	*	<0.02(0.01)	ND<0.0032	<0.02(0.01)	<0.02(0.01)	<0.02(0.01)	<0.02(0.0052)	ND<0.0025
氯氣	mg/L	0.25	*	0.33	0.56	1.83	1.08	0.32	0.77	3.02
亞硝酸鹽氮	mg/L	5	10	0.01	<0.01(0.009)	<0.01(0.005)	<0.01(0.006)	0.02	0.18	0.02
硝酸鹽氮	mg/L	50	100	0.61	0.47	0.06	0.06	0.57	0.27	3.01
無機氮含量	mg/L	*	*	0.95	1.04	1.9	1.15	0.91	1.22	6.05
總含氮量	mg/L	*	*	1	1.06	2.3	1.29	1.01	1.31	6.09
氯鹽	mg/L	4	8	0.9	0.79	1.03	0.84	0.77	0.96	1.2
鎘	mg/L	0.025	0.05	ND<0.00019	<0.001 (0.0003)	<0.001 (0.0005)	ND<0.00037	ND<0.0009	ND<0.00037	<0.002(0.001)
鉻	mg/L	0.25	0.5	ND<0.00037	ND<0.00054	ND<0.00054	ND<0.00054	ND<0.00054	<0.005(0.001)	<0.005(0.001)
銅	mg/L	5	10	<0.0025 (0.001)	ND<0.0011	ND<0.0011	<0.005	<0.005 (0.0045)	ND<0.0011	<0.005(0.005)
鎳	mg/L	0.5	1	<0.005(0.002)	<0.005(0.001)	ND<0.0014	ND<0.0014	<0.01(0.0028)	ND<0.0017	ND<0.0017
鉛	mg/L	0.05	0.1	ND<0.0024	ND<0.0032	<0.005(0.002)	ND<0.0032	ND<0.0032	ND<0.0031	ND<0.0031
鋅	mg/L	25	50	0.005	0.006	0.003	0.01	0.127	<0.005(0.002)	0.01
汞	mg/L	0.01	0.02	ND<0.000084	ND<0.000094	<0.0004 (0.0004)	ND<0.000094	ND<0.000094	ND<0.00011	ND<0.00011
砷	mg/L	0.25	0.5	0.0412	0.046	0.0362	0.0367	0.0354	0.0338	0.0439
鐵	mg/L	1.5	*	0.15	0.244	0.357	0.174	0.223	<0.01(0.002)	0.961
錳	mg/L	0.25	*	0.041	0.085	0.067	0.093	0.058	0.036	0.07
油脂	mg/L	*	*	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	0.7	0.7	1.5	0.8	1.1	0.8	2.2
總酚	mg/L	0.14	*	ND<0.0038	ND<0.0029	ND<0.0029	ND<0.0029	ND<0.0029	ND<0.0021	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00037	ND<0.00037
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00038	ND<0.00056	ND<0.00056	ND<0.00056	ND<0.00056	ND<0.00057	ND<0.00057
五氯酚	mg/L	0.04	0.08	ND<0.00073	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00041	ND<0.00041
苯	mg/L	0.025	0.05	ND<0.00028	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00023	ND<0.00023
甲苯	mg/L	5	10	ND<0.00031	<0.001 (0.0003)	ND<0.00029	<0.001 (0.00099)	ND<0.00029	<0.001 (0.00032)	ND<0.00025
二甲苯	mg/L	50	100	ND<0.00038	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00036	ND<0.00036
乙苯	mg/L	3.5	7	ND<0.00027	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00023	ND<0.00023
氯苯	mg/L	0.5	1	ND<0.00025	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00027	ND<0.00027
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00027	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00041	ND<0.00041
苯	mg/L	0.2	0.4	ND<0.00027	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00039	ND<0.00039
氯甲烷	mg/L	0.15	0.3	ND<0.00038	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00027	ND<0.00027
二氯甲烷	mg/L	0.025	0.05	ND<0.00041	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
氯仿	mg/L	0.5	1	ND<0.00025	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00025	ND<0.00025
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00027	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00022	ND<0.00022
1,2-二氯乙烷	mg/L	3	6	ND<0.00027	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00027	ND<0.00027
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00025	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033
氯乙烯	mg/L	0.01	0.02	ND<0.00029	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00022	ND<0.00022
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00029	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00021	ND<0.00021
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00027	ND<0.00026	ND<0.00026	ND<0.00026	ND<0.00026	ND<0.00020	ND<0.00020
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00025	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00028	ND<0.00028
三氯乙烯	mg/L	0.025	0.05	ND<0.00026	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021	ND<0.00021
四氯乙烯	mg/L	0.025	0.05	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00020	ND<0.00020
四氯化碳	mg/L	0.025	0.05	ND<0.00025	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00022	ND<0.00022
柴油總碳氫化合物	mg/L	*	*	<0.050(0.026)	<0.050(0.020)	<0.050(0.018)	<0.050(0.024)	0.063	<0.050(0.017)	<0.050(0.049)
總石油碳氫化合物	mg/L	5	10	<0.057(0.039)	<0.055(0.041)	<0.055(0.035)	<0.038(0.036)	0.073	<0.044(0.024)	<0.068(0.049)
氯化物	mg/L	0.25	0.5	<0.004 (0.0015)	ND<0.00053	ND<0.00053	ND<0.00053	ND<0.00053	ND<0.00052	ND<0.00052
甲基第三丁基醚	mg/L	0.5	1	<0.001 (0.00044)	<0.001 (0.00059)	ND<0.00024	<0.001 (0.00036)	ND<0.00024	<0.001 (0.00025)	ND<0.00021
甲醛	mg/L	*	*	<0.0286 (0.00714)	ND<0.00625	ND<0.00625	<0.0286 (0.00746)	ND<0.00625	<0.0286 (0.00669)	<0.0286 (0.00629)
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00027	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00046	ND<0.00046
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00053	ND<0.00055	ND<0.00055	ND<0.00055	ND<0.00055	ND<0.00060	ND<0.00060
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021	ND<0.00021

註：1.「*」表示法規尚未規定，「-」表示並無監測

- 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 7 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	111 年第 4 季	112 年第 1 季	112 年第 2 季	112 年第 3 季	112 年第 4 季	113 年第 1 季	113 年第 2 季
水溫	℃	*	*	26.4	24.8	24.8	27	26.9	21.1	26.5
pH 值	-	*	*	7.9	8	7.9	8.1	8	8	8
濁度	NTU	*	*	3.3	5	1.8	4	5.6	2	12
導電度	μmho/cm	*	*	1550	3890	2570	1940	1660	1810	3750
總溶解固體	mg/L	1250	*	962	2490	1260	1070	926	1120	2070
總硬度	mg/L	750	*	294	448	326	154	207	174	404
氯鹽	mg/L	625	*	249	1070	389	271	226	290	916
總餘氯	mg/L	*	*	ND<0.020	ND<0.020	ND<0.023	ND<0.023	ND<0.023	ND<0.023	ND<0.024
硫酸鹽	mg/L	625	*	137	283	168	285	238	278	247
硫化物	mg/L	*	*	ND<0.0025	ND<0.0025	ND<0.0038	ND<0.0038	ND<0.0038	<0.02(0.0077)	ND<0.0056
氯氣	mg/L	0.25	*	0.72	1.13	0.66	3.81	1.08	1.89	0.72
亞硝酸鹽氮	mg/L	5	10	0.09	<0.01(0.007)	<0.01(0.005)	0.01	<0.01(0.001)	0.022	<0.01(0.001)
硝酸鹽氮	mg/L	50	100	0.1	0.02	0.11	0.78	0.09	0.13	0.01
無機氮含量	mg/L	*	*	0.91	1.16	0.78	4.6	1.17	2.04	0.73
總含氮量	mg/L	*	*	0.91	1.23	0.8	4.62	1.17	2.06	0.77
氯鹽	mg/L	4	8	0.9	0.94	0.77	1.7	1	1.44	1.35
鎘	mg/L	0.025	0.05	ND<0.00037	ND<0.00037	ND<0.00024	ND<0.00053	ND<0.00053	<0.001 (0.00045)	ND<0.00049
鉻	mg/L	0.25	0.5	ND<0.00056	ND<0.00056	ND<0.00028	ND<0.00048	ND<0.00048	<0.002(0.001)	ND<0.00049
銅	mg/L	5	10	ND<0.0011	<0.005(0.002)	ND<0.00039	<0.005(0.001)	<0.002(0.001)	0.004	ND<0.00054
鎳	mg/L	0.5	1	ND<0.0017	ND<0.0017	<0.010(0.002)	<0.010(0.002)	<0.005(0.001)	<0.005(0.002)	ND<0.00018
鉛	mg/L	0.05	0.1	ND<0.0031	ND<0.0031	ND<0.0027	ND<0.0025	ND<0.0025	ND<0.0027	ND<0.0027
鋅	mg/L	25	50	0.008	<0.005(0.005)	0.008	<0.005(0.004)	0.003	0.025	0.006
汞	mg/L	0.01	0.02	ND<0.00011	ND<0.00011	ND<0.00013	ND<0.00013	ND<0.00013	<0.0004 (0.0001)	<0.0004 (0.0001)
砷	mg/L	0.25	0.5	0.039	0.0335	0.0298	0.0363	0.0341	0.0681	0.0551
鎘	mg/L	1.5	*	0.13	0.045	0.017	0.413	0.222	1.49	0.979
錳	mg/L	0.25	*	0.092	0.169	0.068	0.051	0.057	0.099	0.153
油脂	mg/L	*	*	ND<2.0	ND(<2.0)	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	0.8	0.7	0.7	1.9	1.8	2	0.6
總酚	mg/L	0.14	*	<0.02(0.0030)	ND(<0.0021)	ND<0.0015	ND<0.0048	ND<0.0048	ND<0.0046	ND<0.0068
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00037	ND<0.00037	ND<0.00079	ND<0.00065	ND<0.00065	ND<0.00079	ND<0.00059
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00057	ND<0.00057	ND<0.00075	ND<0.00053	ND<0.00053	ND<0.00075	ND<0.00057
五氯酚	mg/L	0.04	0.08	ND<0.00041	ND<0.00041	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00036	ND<0.00043
苯	mg/L	0.025	0.05	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00022
甲苯	mg/L	5	10	ND<0.00025	ND<0.00025	ND<0.00022	ND<0.00022	0.00289	ND<0.00022	<0.00100 (0.00020)
二甲苯	mg/L	50	100	ND<0.00036	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00032
乙苯	mg/L	3.5	7	ND<0.00023	ND<0.00023	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00022
氯苯	mg/L	0.5	1	ND<0.00027	ND<0.00027	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00041	ND<0.00041	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021
萘	mg/L	0.2	0.4	ND<0.00039	ND<0.00039	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029
氯甲烷	mg/L	0.15	0.3	ND<0.00027	ND<0.00027	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00025
二氯甲烷	mg/L	0.025	0.05	ND<0.00038	<0.00100 (0.00039)	ND<0.00045	ND<0.00045	ND<0.00045	ND<0.00045	ND<0.00044
氯仿	mg/L	0.5	1	ND<0.00025	ND<0.00025	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00030
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00022	ND<0.00022	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
1,2-二氯乙烷	mg/L	3	6	ND<0.00027	ND<0.00027	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00033	ND<0.00033	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00023
氯乙烯	mg/L	0.01	0.02	ND<0.00022	ND<0.00022	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00028
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00021	ND<0.00021	ND<0.00022	ND<0.00022	ND<0.00022	ND<0.00022	ND<0.00025
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00020	ND<0.00020	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00022
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00028	ND<0.00028	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00020
三氯乙烯	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00020
四氯乙烯	mg/L	0.025	0.05	ND<0.00020	ND<0.00020	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00018
四氯化碳	mg/L	0.025	0.05	ND<0.00022	ND<0.00022	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021
柴油總碳氫化合物	mg/L	*	*	<0.050(0.019)	<0.050(0.021)	<0.050(0.016)	<0.050(0.011)	0.062	<0.050(0.017)	<0.050(0.030)
總石油碳氫化合物	mg/L	5	10	<0.055(0.031)	0.061	ND<0.0276	<0.039(0.031)	<0.086(0.071)	ND<0.0276	0.042
氯化物	mg/L	0.25	0.5	ND<0.00052	ND<0.00052	ND<0.00048	ND<0.00048	ND<0.00048	ND<0.00048	<0.004 (0.0016)
甲基第三丁基醚	mg/L	0.5	1	<0.00100 (0.00033)	ND<0.00021	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
甲醛	mg/L	*	*	<0.0286 (0.0254)	ND<0.00628	<0.0286 (0.00503)	ND<0.00415	<0.0286 (0.00480)	<0.0286 (0.00564)	ND<0.00338
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00046	ND<0.00046	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00060	ND<0.00060	ND<0.00082	ND<0.00057	ND<0.00057	ND<0.00082	ND<0.00052
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00021	ND<0.00021	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021

註：1.「*」表示法規尚未規定，「—」表示並無監測

- 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 7 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	113 年第 3 季	113 年第 4 季	114 年第 1 季			
水溫	℃	*	*	28.8	27.8	23.8			
pH 值	-	*	*	8	8	7.8			
濁度	NTU	*	*	11	5.20	4.40			
導電度	μmho/cm	*	*	1280	2130	1230			
總溶解固體	mg/L	1250	*	706	1220	854			
總硬度	mg/L	750	*	268	255	298			
氯鹽	mg/L	625	*	235	334	211			
總餘氯	mg/L	*	*	ND<0.024	ND<0.024	ND<0.024			
硫酸鹽	mg/L	625	*	189	341	169			
硫化物	mg/L	*	*	ND<0.0056	ND<0.0056	ND<0.0056			
氯氣	mg/L	0.25	*	1.21	1.81	0.35			
亞硝酸鹽氮	mg/L	5	10	<0.01(0.003)	<0.01(0.002)	0.01			
硝酸鹽氮	mg/L	50	100	0.15	3.57	0.24			
無機氯含量	mg/L	*	*	1.36	5.38	0.6			
總含氮量	mg/L	*	*	1.36	5.95	0.7			
氯鹽	mg/L	4	8	1.13	1.42	0.89			
鎘	mg/L	0.025	0.05	ND<0.00026	<0.001 (0.00030)	ND<0.00026			
鉻	mg/L	0.25	0.5	ND<0.00039	ND<0.00039	ND<0.00039			
銅	mg/L	5	10	<0.002(0.001)	<0.002(0.001)	<0.002(0.001)			
鎳	mg/L	0.5	1	<0.005(0.001)	ND<0.00094	ND<0.00094			
鉛	mg/L	0.05	0.1	ND<0.0030	ND<0.0030	ND<0.0030			
鋅	mg/L	25	50	0.01	0.007	0.014			
汞	mg/L	0.01	0.02	ND<0.000071	ND<0.000071	ND<0.000071			
砷	mg/L	0.25	0.5	0.0284	0.0378	0.0362			
鐵	mg/L	1.5	*	0.929	0.663	0.648			
錳	mg/L	0.25	*	0.085	0.058	0.064			
油脂	mg/L	*	*	ND<2.0	2.1	ND<2.0			
總有機碳(TOC)	mg/L	10	*	1.3	2.2	0.9			
總酚	mg/L	0.14	*	ND<0.0068	ND<0.0068	ND<0.0068			
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00059	ND<0.00059	ND<0.00059			
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00057	ND<0.00057	ND<0.00057			
五氯酚	mg/L	0.04	0.08	ND<0.00043	ND<0.00043	ND<0.00043			
苯	mg/L	0.025	0.05	ND<0.00022	ND<0.00022	ND<0.00022			
甲苯	mg/L	5	10	<0.00100 (0.00056)	<0.00100 (0.00023)	ND<0.00020			
二甲苯	mg/L	50	100	ND<0.00032	ND<0.00032	ND<0.00032			
乙苯	mg/L	3.5	7	ND<0.00022	ND<0.00022	ND<0.00022			
氯苯	mg/L	0.5	1	ND<0.00022	ND<0.00022	ND<0.00022			
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00021	ND<0.00021	ND<0.00021			
苯	mg/L	0.2	0.4	ND<0.00023	ND<0.00023	ND<0.00023			
氯甲烷	mg/L	0.15	0.3	ND<0.00025	ND<0.00025	ND<0.00025			
二氯甲烷	mg/L	0.025	0.05	ND<0.00044	ND<0.00044	ND<0.00044			
氯仿	mg/L	0.5	1	ND<0.00030	ND<0.00030	ND<0.00030			
1,1,2-二氯乙烷	mg/L	4.25	8.5	ND<0.00022	ND<0.00022	ND<0.00022			
1,2-二氯乙烷	mg/L	3	6	ND<0.00025	ND<0.00025	ND<0.00025			
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00023	ND<0.00023	ND<0.00023			
氯乙烯	mg/L	0.01	0.02	ND<0.00028	ND<0.00028	ND<0.00028			
1,1,1-二氯乙烷	mg/L	0.035	0.07	ND<0.00025	ND<0.00025	ND<0.00025			
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00022	ND<0.00022	ND<0.00022			
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00020	ND<0.00020	ND<0.00020			
三氯乙烯	mg/L	0.025	0.05	ND<0.00020	ND<0.00020	ND<0.00020			
四氯乙烯	mg/L	0.025	0.05	ND<0.00018	ND<0.00018	ND<0.00018			
四氯化碳	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00021			
柴油總碳氫化合物	mg/L	*	*	<0.050(0.026)	<0.050(0.032)	<0.050(0.024)			
總石油碳氫化合物	mg/L	5	10	<0.038(0.033)	0.055	0.044			
氯化物	mg/L	0.25	0.5	ND<0.0022	ND<0.0022	ND<0.0022			
甲基第三丁基醚	mg/L	0.5	1	ND<0.00022	ND<0.00022	<0.00100 (0.00025)			
甲醛	mg/L	*	*	<0.0286 (0.00500)	<0.0286 (0.00408)	<0.0286 (0.00454)			
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00021			
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00052	ND<0.00052	ND<0.00052			
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00021	ND<0.00021	ND<0.00021			

註：1.「*」表示法規尚未規定，“-”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 8 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	98 年 第 2 季	98 年 第 3 季	98 年 第 4 季	99 年 第 1 季	99 年 第 2 季
水溫	°C	*	*	28.5	27.9	27.6	27	26.5
pH 值	-	*	*	8.7	7.2	7.3	7.3	7.4
濁度	NTU	*	*	7.2	17	3.3	26	33
導電度	μmho/cm	*	*	457	11800	14200	18800	36000
總溶解固體	mg/L	1250	*	288	6550	9030	13000	10500
總硬度	mg/L	750	*	88	712	2160	2360	2280
氯鹽	mg/L	625	*	48.8	618	3890	5770	5540
總餘氯	mg/L	*	*	<0.02	0.03	0.02	0.07	0.07
硫酸鹽	mg/L	625	*	69.9	587	1480	1370	1270
硫化物	mg/L	*	*	ND	ND	ND	ND	ND
氨氮	mg/L	0.25	*	0.17	0.21	4.32	4.33	2.85
亞硝酸鹽氮	mg/L	*	10	<0.01	0.02	0.04	<0.01	0.02
硝酸鹽氮	mg/L	25	100	0.02	0.02	0.04	0.02	0.05
無機氮含量	mg/L	*	*	—	0.25	4.4	4.35	2.92
總含氮量	mg/L	*	*	0.67	5.99	4.57	4.72	3.06
氯鹽	mg/L	*	*	1.74	0.81	0.92	0.77	1
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	0.013	0.013	ND	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND	ND
鎳	mg/L	*	1	ND	0.004	ND	<0.020(0.004)	0.004
鉛	mg/L	0.25	0.5	ND	ND	ND	ND	0.006
鋅	mg/L	25	50	0.018	0.021	<0.020(0.009)	<0.020(0.019)	0.02
汞	mg/L	*	0.02	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0317	0.0144	0.0059	0.0027	0.0025
鐵	mg/L	1.5	*	0.022	0.127	ND	<0.100(0.061)	0.27
錳	mg/L	0.25	*	0.061	0.894	0.893	0.659	0.432
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	4.4	0.4	0.5	0.8	2.2
總酚	mg/L	*	0.14	0.0322	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	—	—	—	ND	ND
1,4-二氯苯	mg/L	*	0.75	—	—	—	ND	ND
萘	mg/L	*	0.4	—	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	—	—	—	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	—	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	—	—	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	—	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	ND	ND
三氯乙烯	mg/L	*	0.05	—	—	—	ND	ND
四氯乙烯	mg/L	*	0.05	—	—	—	ND	ND
四氯化碳	mg/L	*	0.05	—	—	—	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—
氰化物	mg/L	*	0.5	—	—	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	0.00101	ND	0.00082	ND	ND
甲醛	mg/L	*	*	—	ND	ND	ND	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.5	<0.50	<0.50	<0.50	<0.50

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 8 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	99 年 第 3 季	99 年 第 4 季	100 年 第 1 季	100 年 第 2 季	100 年 第 3 季
水溫	°C	*	*	28.1	26	24.9	25.7	26.7
pH 值	-	*	*	7.2	7.4	7.5	7.6	7.5
濁度	NTU	*	*	24	28	110	9	5.2
導電度	μmho/cm	*	*	1400	12500	13800	13700	17000
總溶解固體	mg/L	1250	*	9070	8260	8120	9120	10900
總硬度	mg/L	750	*	2140	1760	1260	1310	1990
氯鹽	mg/L	625	*	3610	3290	3720	3700	5200
總餘氯	mg/L	*	*	0.03	0.18	0.06	0.85	0.11
硫酸鹽	mg/L	625	*	1340	1160	1280	1330	1350
硫化物	mg/L	*	*	ND	ND	0.08	<0.04(0.02)	<0.04(0.02)
氨氮	mg/L	0.25	*	4.63	5.7	3.74	4.37	4.25
亞硝酸鹽氮	mg/L	*	10	0	0.04	0.02	<0.01(0.004)	0.01
硝酸鹽氮	mg/L	25	100	0.08	0.05	0.06	<0.05(0.04)	<0.05(0.03)
無機氮含量	mg/L	*	*	4.71	5.79	3.82	4.414	4.26
總含氮量	mg/L	*	*	5.5	6.69	4.36	5.04	4.54
氯鹽	mg/L	*	*	0.98	1.12	1.42	1.36	1.27
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	0.003	ND	<0.020(0.004)	ND
銅	mg/L	5	10	ND	ND	ND	ND	ND
鎳	mg/L	*	1	ND	0.006	ND	ND	<0.020(0.006)
鉛	mg/L	0.25	0.5	ND	ND	<0.02(0.005)	ND	ND
鋅	mg/L	25	50	<0.020(0.017)	0.018	<0.02(0.011)	ND	<0.020(0.020)
汞	mg/L	*	0.02	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0018	0.0029	0.0033	0.0035	0.0024
鐵	mg/L	1.5	*	<0.1(0.053)	0.08	<0.1(0.087)	<0.100(0.047)	<0.100(0.036)
錳	mg/L	0.25	*	0.655	0.457	0.24	0.242	0.487
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	1
總有機碳(TOC)	mg/L	10	*	0.6	0.7	0.3	2.5	0.6
總酚	mg/L	*	0.14	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—
氰化物	mg/L	*	0.5	ND	0.004	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	0.00078	0.00127	ND	ND	0.00068
甲醛	mg/L	*	*	ND	ND	ND	ND	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.50	<0.5	<0.50	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 8 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	100 年 第 4 季	101 年 第 1 季	101 年 第 2 季	101 年 第 3 季	101 年 第 4 季
水溫	°C	*	*	26.4	26	27.9	28	27.7
pH 值	-	*	*	7.3	7.7	7.6	7.4	7.5
濁度	NTU	*	*	50	12	1.4	2.2	0.3
導電度	μmho/cm	*	*	13900	12200	13600	10400	10800
總溶解固體	mg/L	1250	*	9570	8020	9270	6960	6240
總硬度	mg/L	750	*	1840	1180	1400	986	1470
氯鹽	mg/L	625	*	4000	3080	4000	2470	2530
總餘氯	mg/L	*	*	0.39	0.24	0.1	0.18	0.03
硫酸鹽	mg/L	625	*	1240	1150	1330	1100	1060
硫化物	mg/L	*	*	<0.04(0.02)	ND	ND	ND	ND
氨氮	mg/L	0.25	*	5.35	3.85	3.74	2.53	5.25
亞硝酸鹽氮	mg/L	*	10	ND	<0.01(0.005)	ND	0.03	ND
硝酸鹽氮	mg/L	25	100	<0.05(0.01)	0.05	<0.05(0.01)	0.76	<0.05(0.01)
無機氯含量	mg/L	*	*	5.35	3.9	3.75	3.32	5.25
總含氮量	mg/L	*	*	5.68	3.91	3.77	3.36	5.66
氯鹽	mg/L	*	*	1.18	1.43	1.36	1.5	1.42
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	<0.020(0.003)	ND	ND
銅	mg/L	5	10	<0.020(0.007)	ND	ND	ND	ND
鎳	mg/L	*	1	ND	ND	<0.020(0.004)	ND	ND
鉛	mg/L	0.25	0.5	ND	ND	ND	<0.020(0.005)	ND
鋅	mg/L	25	50	<0.020(0.014)	<0.020(0.012)	ND	<0.020(0.014)	ND
汞	mg/L	*	0.02	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0056	0.004	0.0049	0.0026	0.0029
鐵	mg/L	1.5	*	<0.100(0.021)	<0.100(0.047)	<0.100(0.022)	<0.100(0.030)	ND
錳	mg/L	0.25	*	0.598	0.172	0.384	0.055	0.815
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	0.4	0.7	0.3	0.3	0.5
總酚	mg/L	*	0.14	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—
氯化物	mg/L	*	0.5	ND	ND	ND	ND	<0.01(0.001)
甲基第三丁基醚	mg/L	*	*	0.00124	ND	ND	ND	0.00128
甲醛	mg/L	*	*	ND	<1.00	<1.00	<1.00	<1.00
1,2-二氯苯	mg/L	*	*	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.500	<0.500	<0.500	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 8 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	102 年 第 1 季	102 年 第 2 季	102 年 第 3 季	102 年 第 4 季
水溫	℃	*	*	25.5	26.7	27.5	26.9
pH 值	-	*	*	7.6	7.4	7.7	7.7
濁度	NTU	*	*	0.85	0.5	1	1.7
導電度	μmho/cm	*	*	9190	9110	8790	6040
總溶解固體	mg/L	1250	*	5160	5440	4970	3610
總硬度	mg/L	750	*	986	933	1080	815
氯鹽	mg/L	625	*	2240	2070	1840	1190
總餘氯	mg/L	*	*	<0.02	0.04	0.37	0.62
硫酸鹽	mg/L	625	*	1020	1030	888	760
硫化物	mg/L	*	*	ND	ND	ND	ND
氨氮	mg/L	0.25	*	4.22	4.02	3.46	1.66
亞硝酸鹽氮	mg/L	*	10	ND	ND	0.04	0.16
硝酸鹽氮	mg/L	25	100	0.06	<0.05(0.02)	<0.05(0.02)	1.3
無機氯含量	mg/L	*	*	4.28	4.04	3.52	3.12
總含氮量	mg/L	*	*	4.56	4.18	3.62	3.15
氯鹽	mg/L	*	*	1.53	1.37	1.38	0.69
鎘	mg/L	0.025	0.05	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	ND
銅	mg/L	5	10	ND	<0.020(0.008)	<0.020(0.004)	ND
鎳	mg/L	*	1	ND	<0.020(0.003)	ND	ND
鉛	mg/L	0.25	0.5	ND	ND	ND	ND
鋅	mg/L	25	50	ND	ND	<0.020(0.012)	<0.020(0.014)
汞	mg/L	*	0.02	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.003	0.0034	0.0039	<0.0020(0.0016)
鐵	mg/L	1.5	*	<0.100(0.025)	<0.100(0.028)	ND	ND
錳	mg/L	0.25	*	0.47	0.259	0.629	ND
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	0.3	0.3	0.6	0.4
總酚	mg/L	*	0.14	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND
苯	mg/L	*	0.4	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—
氯化物	mg/L	*	0.5	ND	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND
甲醛	mg/L	*	*	<1.00	<1.00	<1.00	<1.00
1,2-二氯苯	mg/L	*	*	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.500	<0.500	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 8 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	103 年 第 1 季	103 年 第 2 季	103 年 第 3 季	103 年 第 4 季	104 年 第 1 季	104 年 第 2 季	104 年 第 3 季
水溫	℃	*	*	25.7	25.4	27.5	25.8	24.7	26.9	26.3
pH 值	-	*	*	7.7	7.4	7.6	7.4	8.4	7.6	7.5
濁度	NTU	*	*	0.15	3.8	0.7	0.3	0.6	0.25	0.5
導電度	μmho/cm	*	*	6450	6860	6930	8930	5360	9690	8010
總溶解固體	mg/L	1250	*	3720	4530	5600	5970	3640	6330	5540
總硬度	mg/L	750	*	725	921	833	1600	676	1310	942
氯鹽	mg/L	625	*	1510	1510	1380	2340	1250	2880	2210
總餘氯	mg/L	*	*	0.11	0.33	0.05	0.13	ND	0.09	0.05
硫酸鹽	mg/L	625	*	931	823	835	1090	795	1120	932
硫化物	mg/L	*	*	<0.04(0.01)	ND	<0.04(0.01)	ND	ND	0.07	ND
氨氮	mg/L	0.25	*	3.41	3.42	3.22	5.12	3.39	4.58	4.05
亞硝酸鹽氮	mg/L	5	10	ND	0.03	0.01	0.05	ND	0.24	ND
硝酸鹽氮	mg/L	50	100	ND	<0.05(0.03)	<0.05(0.02)	0.36	ND	0.31	ND
無機氮含量	mg/L	*	*	3.42	3.48	3.25	5.53	3.39	5.13	4.05
總含氮量	mg/L	*	*	3.56	3.5	3.35	5.88	3.5	5.62	4.54
氯鹽	mg/L	4	8	1.28	1.3	1.44	1.06	1.42	1.24	1.41
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	ND	ND	ND	ND
銅	mg/L	5	10	ND	<0.020(0.003)	ND	ND	ND	ND	ND
鎳	mg/L	0.5	1	<0.020(0.003)	<0.020(0.004)	ND	0.004	ND	ND	0.003
鉛	mg/L	0.05	0.1	ND	ND	ND	ND	ND	ND	0.007
鋅	mg/L	25	50	ND	ND	0.114	0.017	0.008	0.004	0.009
汞	mg/L	0.01	0.02	ND	ND	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0032	0.0035	0.003	0.0023	0.0028	0.003	0.0043
鐵	mg/L	1.5	*	ND	ND	<0.100(0.036)	0.034	0.02	0.086	0.044
錳	mg/L	0.25	*	0.42	0.322	0.413	0.548	0.219	0.849	0.44
油脂	mg/L	*	*	2.3	<1.0	<1.0	1.2	3.5	4.5	6
總有機碳(TOC)	mg/L	10	*	0.4	0.6	0.6	4.7	4.4	4.3	3.6
總酚	mg/L	0.14	*	ND	ND	ND	ND	ND	0.0024	ND
2,4,5-三氯酚	mg/L	1.85	3.7	—	—	—	ND	ND	ND	ND
2,4,6-三氯酚	mg/L	0.05	0.1	—	—	—	ND	ND	ND	ND
五氯酚	mg/L	0.04	0.08	—	—	—	ND	ND	ND	ND
苯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
甲苯	mg/L	5	10	ND	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	50	100	ND	ND	ND	ND	ND	ND	ND
乙苯	mg/L	3.5	7	ND	ND	ND	ND	ND	ND	ND
氯苯	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	0.375	0.75	ND	ND	ND	ND	ND	ND	ND
萘	mg/L	0.2	0.4	ND	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	0.15	0.3	ND	ND	ND	ND	ND	ND	ND
二氯甲烷	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
氯仿	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	4.25	8.5	ND	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	3	6	ND	ND	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
氯乙烯	mg/L	0.01	0.02	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	0.035	0.07	ND	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND	ND	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
三氯乙烯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
四氯乙烯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
四氯化碳	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	5	10	—	<0.500	<0.500	ND	ND	ND	ND
氟化物	mg/L	0.25	0.5	ND	ND	ND	ND	ND	ND	ND
甲基第三丁基醚	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	<1.00	<1.00	<1.00	0.00108	0.00246	0.0105	ND
1,2-二氯苯	mg/L	0.025	0.05	—	ND	ND	ND	ND	ND	ND
3,3'-二氯聯苯胺	mg/L	0.05	0.1	—	—	—	ND	ND	ND	ND
1,1,1-三氯乙烷	mg/L	1	2	—	—	—	ND	ND	ND	ND
柴油總碳氫化合物	mg/L	*	*	<0.500	<0.500	<0.500	ND	ND	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 8 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	104 年第 4 季	105 年第 1 季	105 年第 2 季	105 年第 3 季	105 年第 4 季	106 年第 1 季	106 年第 2 季
水溫	°C	*	*	27.5	25.7	26.9	28.5	27.5	24.4	26.7
pH 值	-	*	*	7.6	7.8	7.8	7.8	8.2	7.9	7.8
濁度	NTU	*	*	0.3	3.2	0.5	0.85	0.3	1.6	0.8
導電度	μmho/cm	*	*	6100	4710	4620	3670	4710	3180	3450
總溶解固體	mg/L	1250	*	3790	2950	2940	2510	2480	2100	2180
總硬度	mg/L	750	*	690	537	581	460	545	430	401
氯鹽	mg/L	625	*	1360	932	973	770	748	582	623
總餘氯	mg/L	*	*	0.11	0.12	ND<0.04	0.17	0.21	ND<0.04	ND<0.04
硫酸鹽	mg/L	625	*	990	675	1040	761	497	491	838
硫化物	mg/L	*	*	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.007	ND<0.01	ND<0.015
氨氮	mg/L	0.25	*	2.39	2.44	2.45	2.35	2.59	1.84	2.57
亞硝酸鹽氮	mg/L	5	10	0.46	0.01	ND<0.001	0.02	ND<0.001	ND<0.001	ND<0.001
硝酸鹽氮	mg/L	50	100	0.15	0.03	0.01	0.01	ND<0.01	0.02	ND<0.004
無機氯含量	mg/L	*	*	3	2.48	2.46	2.38	2.59	1.86	2.57
總含氯量	mg/L	*	*	3.19	2.4	2.69	2.87	2.84	2.16	2.62
氯鹽	mg/L	4	8	1.38	1.31	1.31	1.46	0.67	1.52	1.46
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.0003	ND<0.002	ND<0.002
鉻	mg/L	0.25	0.5	0.006	ND<0.002	ND<0.002	ND<0.002	ND<0.0027	ND<0.002	ND<0.002
銅	mg/L	5	10	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.0024	ND<0.005	ND<0.005
鎳	mg/L	0.5	1	0.014	ND<0.002	ND<0.003	ND<0.003	ND<0.0027	ND<0.003	ND<0.003
鉛	mg/L	0.05	0.1	ND<0.006	ND<0.006	ND<0.005	ND<0.005	ND<0.0024	0.007	ND<0.006
鋅	mg/L	25	50	0.035	0.005	0.009	0.006	0.012	ND<0.003	0.004
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0002	ND<0.0003	ND<0.0003
砷	mg/L	0.25	0.5	0.0027	0.0034	0.0043	0.0078	0.0078	0.0118	0.0149
鐵	mg/L	1.5	*	0.174	0.023	0.055	0.049	0.079	0.065	0.253
錳	mg/L	0.25	*	0.015	0.138	0.154	0.122	0.166	0.105	0.104
油脂	mg/L	*	*	0.9	1.4	2.2	0.4	2	0.4	0.4
總有機碳(TOC)	mg/L	10	*	2.2	3.1	2.7	3.5	3.5	2.6	2.8
總酚	mg/L	0.14	*	ND<0.0021	ND<0.0021	0.0055	ND<0.0021	ND<0.0016	ND<0.0021	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00168	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00198
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00169	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00191
五氯酚	mg/L	0.04	0.08	ND<0.00187	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00173
苯	mg/L	0.025	0.05	ND<0.0016	ND<0.00160	ND<0.00037	ND<0.00037	ND<0.00050	ND<0.00050	ND<0.00014
甲苯	mg/L	5	10	ND<0.00141	ND<0.00141	ND<0.00017	ND<0.00017	ND<0.00014	ND<0.00014	ND<0.00014
二甲苯	mg/L	50	100	ND<0.002	ND<0.00200	ND<0.001	ND<0.001	ND<0.00082	ND<0.00082	ND<0.00051
乙苯	mg/L	3.5	7	ND<0.00144	ND<0.00144	ND<0.00017	ND<0.00017	ND<0.00014	ND<0.00014	ND<0.00016
氯苯	mg/L	0.5	1	ND<0.00153	ND<0.001513	ND<0.00155	ND<0.00155	ND<0.00161	ND<0.00161	ND<0.00036
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00152	ND<0.00152	ND<0.00036	ND<0.00036	ND<0.00055	ND<0.00055	ND<0.00036
苯	mg/L	0.2	0.4	ND<0.00153	ND<0.00153	ND<0.00018	ND<0.00018	ND<0.00014	ND<0.00014	ND<0.00033
氯甲烷	mg/L	0.15	0.3	ND<0.00155	ND<0.00155	ND<0.00167	ND<0.00167	ND<0.00182	ND<0.00182	ND<0.00149
二氯甲烷	mg/L	0.025	0.05	ND<0.00169	ND<0.00169	ND<0.00037	ND<0.00037	ND<0.00065	ND<0.00065	ND<0.00044
氯仿	mg/L	0.5	1	ND<0.00153	ND<0.00153	ND<0.00039	ND<0.00039	ND<0.00063	ND<0.00063	ND<0.00040
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00152	ND<0.00152	ND<0.0004	ND<0.0004	ND<0.00062	ND<0.00062	ND<0.00036
1,2-二氯乙烷	mg/L	3	6	ND<0.00157	ND<0.00157	ND<0.00037	ND<0.00037	ND<0.00054	ND<0.00054	ND<0.00037
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00159	ND<0.00159	ND<0.00168	ND<0.00168	ND<0.00159	ND<0.00159	ND<0.00035
氯乙烯	mg/L	0.01	0.02	ND<0.00171	ND<0.00171	ND<0.00169	ND<0.00169	ND<0.00197	ND<0.00197	ND<0.00164
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00166	ND<0.00166	ND<0.00161	ND<0.00161	ND<0.00196	ND<0.00196	ND<0.00153
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00174	ND<0.00174	ND<0.00167	ND<0.00167	ND<0.00161	ND<0.00161	ND<0.00035
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00171	ND<0.00171	ND<0.00037	ND<0.00037	ND<0.00065	ND<0.00065	ND<0.00169
三氯乙烯	mg/L	0.025	0.05	ND<0.00147	ND<0.00147	ND<0.00036	ND<0.00036	ND<0.00059	ND<0.00059	ND<0.00175
四氯乙烯	mg/L	0.025	0.05	ND<0.00158	ND<0.00158	ND<0.00163	ND<0.00163	ND<0.00173	ND<0.00173	ND<0.00039
四氯化碳	mg/L	0.025	0.05	ND<0.00169	ND<0.00169	ND<0.00039	ND<0.00039	ND<0.00017	ND<0.00017	ND<0.00158
總石油碳氫化合物	mg/L	5	10	ND<0.171	ND<0.171	ND<0.186	ND<0.152	ND<0.186	ND<0.186	ND<0.184
氟化物	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
甲基第三丁基醚	mg/L	0.5	1	ND<0.00142	ND<0.00142	ND<0.0004	ND<0.0004	ND<0.00050	ND<0.00050	ND<0.00134
甲醛	mg/L	*	*	ND<0.00294	0.00669	ND<0.00296	0.00943	0.0252	0.00869	ND<0.00266
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00165	ND<0.00165	ND<0.00017	ND<0.00017	ND<0.00016	ND<0.00016	ND<0.00035
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00213	ND<0.0014	ND<0.0014	ND<0.0014	ND<0.00140	ND<0.00140	ND<0.00137
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00147	ND<0.00147	ND<0.00037	ND<0.00037	ND<0.00020	ND<0.00020	ND<0.00161
柴油總碳氫化合物	mg/L	*	*	—	ND<0.142	ND<0.156	ND<0.122	ND<0.156	ND<0.122	ND<0.122

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 8 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	106 年第 3 季	106 年第 4 季	107 年第 1 季	107 年第 2 季	107 年第 3 季	107 年第 4 季	108 年第 1 季
水溫	℃	*	*	27.5	30	26.2	26.7	27.7	29.5	25.3
pH 值	-	*	*	7.1	7.6	7.7	7.7	7.6	7.6	7.7
濁度	NTU	*	*	7.3	10	1.6	0.55	0.25	3	0.7
導電度	μmho/cm	*	*	7380	2080	3210	4510	2560	5480	4170
總溶解固體	mg/L	1250	*	5850	2100	1960	2240	702	3110	2330
總硬度	mg/L	750	*	1670	426	892	579	409	792	598
氯鹽	mg/L	625	*	1610	757	833	936	65	1550	1110
總餘氯	mg/L	*	*	ND<0.04	0.26	0.06	ND<0.04	ND<0.04	ND<0.04	ND<0.04
硫酸鹽	mg/L	625	*	1200	469	572	603	248	776	651
硫化物	mg/L	*	*	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01
氯氣	mg/L	0.25	*	1.19	2.43	3.06	2.78	1.56	2.53	2.52
亞硝酸鹽氮	mg/L	5	10	0.49	0.16	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
硝酸鹽氮	mg/L	50	100	7.82	0.02	0.02	ND<0.004	0.01	0.01	0.01
無機氮含量	mg/L	*	*	9.5	2.61	3.08	2.78	1.57	2.54	2.53
總含氮量	mg/L	*	*	9.73	3.42	2.83	2.84	1.69	2.76	2.61
氯鹽	mg/L	4	8	1.04	1.38	1.39	1.37	0.52	1.32	1.34
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	0.017	ND<0.002	ND<0.002
銅	mg/L	5	10	ND<0.005	0.014	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005
鎳	mg/L	0.5	1	ND<0.003	ND<0.003	ND<0.003	0.004	ND<0.003	ND<0.003	ND<0.003
鉛	mg/L	0.05	0.1	0.007	ND<0.006	ND<0.006	ND<0.006	ND<0.006	ND<0.006	ND<0.006
鋅	mg/L	25	50	0.005	ND<0.003	0.005	0.023	0.012	0.005	0.007
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003
砷	mg/L	0.25	0.5	0.0023	0.0184	0.0194	0.0153	0.0014	0.0151	0.02
鐵	mg/L	1.5	*	0.394	1.45	1.1	0.219	0.147	0.264	0.425
錳	mg/L	0.25	*	0.674	0.161	0.169	0.156	0.215	0.213	0.143
油脂	mg/L	*	*	8.2	0.8	0.6	1.1	1.2	2.1	0.2
總有機碳(TOC)	mg/L	10	*	2.6	3.2	1.2	1.4	1.2	1.9	1
總酚	mg/L	0.14	*	0.0031	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00198	ND<0.00198	ND<0.00198	ND<0.00150	ND<0.00150	ND<0.00150	ND<0.00150
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00191	ND<0.00191	ND<0.00191	ND<0.00156	ND<0.00156	ND<0.00156	ND<0.00156
五氯酚	mg/L	0.04	0.08	ND<0.00173	ND<0.00173	ND<0.00173	ND<0.00162	ND<0.00162	ND<0.00162	ND<0.00162
苯	mg/L	0.025	0.05	ND<0.00055	ND<0.00055	ND<0.00014	ND<0.00052	ND<0.00013	ND<0.00013	ND<0.00052
甲苯	mg/L	5	10	ND<0.00014	ND<0.00014	ND<0.00014	ND<0.00015	ND<0.00013	ND<0.00013	ND<0.00015
二甲苯	mg/L	50	100	ND<0.00082	ND<0.00082	ND<0.00051	ND<0.00081	ND<0.00049	ND<0.00049	ND<0.00081
乙苯	mg/L	3.5	7	ND<0.00013	ND<0.00013	ND<0.00016	ND<0.00014	ND<0.00013	ND<0.00013	ND<0.00014
氯苯	mg/L	0.5	1	ND<0.00135	ND<0.00135	ND<0.00036	ND<0.00140	ND<0.00036	ND<0.00036	ND<0.00140
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00049	ND<0.00049	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
苯	mg/L	0.2	0.4	ND<0.00019	ND<0.00019	ND<0.00033	ND<0.00018	ND<0.00035	ND<0.00035	ND<0.00018
氯甲烷	mg/L	0.15	0.3	ND<0.00152	ND<0.00152	ND<0.00149	ND<0.00157	ND<0.00134	ND<0.00134	ND<0.00157
二氯甲烷	mg/L	0.025	0.05	ND<0.00065	ND<0.00065	ND<0.00044	ND<0.00052	ND<0.00049	ND<0.00049	ND<0.00052
氯仿	mg/L	0.5	1	ND<0.00063	ND<0.00063	ND<0.00040	ND<0.00046	ND<0.00039	ND<0.00039	ND<0.00046
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00059	ND<0.00059	ND<0.00036	ND<0.00042	ND<0.00036	ND<0.00036	ND<0.00042
1,2-二氯乙烷	mg/L	3	6	ND<0.00015	ND<0.00015	ND<0.00037	ND<0.00016	ND<0.00037	ND<0.00037	ND<0.00016
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00144	ND<0.00144	ND<0.00035	ND<0.00165	ND<0.00034	ND<0.00034	ND<0.00165
氯乙烯	mg/L	0.01	0.02	ND<0.00157	ND<0.00157	ND<0.00164	ND<0.00155	ND<0.00130	ND<0.00130	ND<0.00155
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00169	ND<0.00169	ND<0.00153	ND<0.00138	ND<0.00130	ND<0.00130	ND<0.00138
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00135	ND<0.00135	ND<0.00035	ND<0.00156	ND<0.00033	ND<0.00033	ND<0.00156
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00065	ND<0.00065	ND<0.00169	ND<0.00046	ND<0.00130	ND<0.00130	ND<0.00046
三氯乙烯	mg/L	0.025	0.05	ND<0.00055	ND<0.00055	ND<0.00175	ND<0.00037	ND<0.00172	ND<0.00172	ND<0.00037
四氯乙烯	mg/L	0.025	0.05	ND<0.00139	ND<0.00139	ND<0.00039	ND<0.00164	ND<0.00040	ND<0.00040	ND<0.00164
四氯化碳	mg/L	0.025	0.05	ND<0.00015	ND<0.00015	ND<0.00158	ND<0.00016	ND<0.00118	ND<0.00118	ND<0.00016
柴油總碳氫化合物	mg/L	*	*	ND<0.122	ND<0.132	ND<0.132	ND<0.132	0.138	ND<0.132	ND<0.132
總石油碳氫化合物	mg/L	5	10	ND<0.184	ND<0.184	ND<0.184	ND<0.198	ND<0.198	ND<0.198	ND<0.198
氯化物	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
甲基第三丁基醚	mg/L	0.5	1	ND<0.00049	ND<0.00049	ND<0.00134	ND<0.00036	ND<0.00087	ND<0.00087	ND<0.00036
甲醛	mg/L	*	*	0.00347	0.00492	ND<0.00266	ND<0.00484	ND<0.00484	0.0203	0.0059
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00051	ND<0.00051	ND<0.00035	ND<0.00045	ND<0.00036	ND<0.00036	ND<0.00045
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00137	ND<0.00137	ND<0.00137	ND<0.00158	ND<0.00158	ND<0.00158	ND<0.00158
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00017	ND<0.00017	ND<0.00161	ND<0.00015	ND<0.00127	ND<0.00127	ND<0.00015

註：1.「*」表示法規尚未規定，“-”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 8 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	108 年第 2 季	108 年第 3 季	108 年第 4 季	109 年第 1 季	109 年第 2 季	109 年第 3 季	109 年第 4 季
水溫	℃	*	*	28.1	27.5	26.7	25.8	25.2	26.3	26.3
pH 值	-	*	*	7.7	7.7	7.8	7.9	7.8	7.8	7.9
濁度	NTU	*	*	0.75	2.4	0.75	2.4	5.8	28	4.2
導電度	umho/cm	*	*	5090	4050	3010	2890	4110	3370	3130
總溶解固體	mg/L	1250	*	2370	3440	2060	1740	2520	2010	1840
總硬度	mg/L	750	*	618	561	474	502	640	562	601
氯鹽	mg/L	625	*	1230	939	471	503	774	737	578
總餘氯	mg/L	*	*	ND<0.04	ND<0.019	ND<0.019	0.03	0.16	0.07	0.08
硫酸鹽	mg/L	625	*	804	481	388	406	383	419	297
硫化物	mg/L	*	*	ND<0.01	<0.02(0.01)	0.02	ND<0.0048	<0.02(0.02)	<0.02(0.02)	<0.02(0.01)
氨氮	mg/L	0.25	*	2.59	2.27	2.14	2.69	2.66	2.55	2.75
亞硝酸鹽氮	mg/L	5	10	ND<0.001	ND<0.00015	<0.01(0.001)	<0.01(0.002)	<0.01(0.004)	0.02	0.03
硝酸鹽氮	mg/L	50	100	ND<0.004	0.02	0.02	0.01	<0.01(0.008)	0.07	0.02
無機氮含量	mg/L	*	*	2.59	2.29	2.16	2.7	2.67	2.64	2.8
總含氮量	mg/L	*	*	2.43	2.62	2.59	2.98	2.97	2.97	2.91
氯鹽	mg/L	4	8	1.48	1.29	1.26	1.25	1.06	1.17	1.2
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.00041	ND<0.00041	ND<0.00041	ND<0.00019	<0.001 (0.0003)	<0.001 (0.0003)
鉻	mg/L	0.25	0.5	ND<0.002	<0.005(0.001)	ND<0.00048	ND<0.00048	ND<0.00037	ND<0.00037	ND<0.00037
銅	mg/L	5	10	ND<0.005	ND<0.00090	ND<0.00090	<0.005(0.002)	<0.0025 (0.0021)	<0.0025 (0.001)	<0.0025 (0.001)
鎳	mg/L	0.5	1	ND<0.003	<0.01(0.003)	<0.01(0.005)	ND<0.0012	<0.005 (0.0026)	<0.005(0.002)	<0.005(0.002)
鉛	mg/L	0.05	0.1	ND<0.006	<0.01(0.004)	ND<0.0030	ND<0.003	<0.005 (0.0019)	ND<0.0024	ND<0.0024
鋅	mg/L	25	50	<0.009(0.008)	<0.005(0.004)	<0.005(0.004)	<0.005(0.002)	<0.0025 (0.0022)	0.009	0.003
汞	mg/L	0.01	0.02	ND<0.0003	<0.0004 (0.0001)	ND<0.000081	ND<0.000081	<0.0004 (0.0001)	<0.0004 (0.0002)	ND<0.000084
砷	mg/L	0.25	0.5	0.0198	0.0224	0.0272	0.0119	0.0332	0.0264	0.0151
鐵	mg/L	1.5	*	0.143	0.015	0.05	<0.01(0.009)	1.03	2.1	0.181
錳	mg/L	0.25	*	0.146	0.176	0.162	0.101	0.355	0.32	0.107
油脂	mg/L	*	*	0.5	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	1.2	0.8	0.8	1.3	0.9	1	0.9
總酚	mg/L	0.14	*	ND<0.0021	<0.05(0.0085)	ND<0.0042	ND<0.0042	ND<0.0038	ND<0.0038	<0.02(0.0197)
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00197	ND<0.00039	ND<0.00039	ND<0.00039	ND<0.00051	ND<0.00051	ND<0.00051
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00205	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
五氯酚	mg/L	0.04	0.08	ND<0.00152	ND<0.00042	ND<0.00042	ND<0.00042	ND<0.00073	ND<0.00073	ND<0.00073
苯	mg/L	0.025	0.05	ND<0.00044	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00028	ND<0.00028	ND<0.00028
甲苯	mg/L	5	10	ND<0.00015	ND<0.00022	ND<0.00022	ND<0.00022	ND<0.00031	ND<0.00031	ND<0.00031
二甲苯	mg/L	50	100	ND<0.00107	ND<0.00016	ND<0.00016	ND<0.00016	ND<0.00038	ND<0.00038	ND<0.00038
乙苯	mg/L	3.5	7	ND<0.00015	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
氯苯	mg/L	0.5	1	ND<0.00177	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.00025	ND<0.00025	ND<0.00025
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00034	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
萘	mg/L	0.2	0.4	ND<0.00014	ND<0.00020	ND<0.00020	ND<0.00020	ND<0.00027	ND<0.00027	ND<0.00027
氯甲烷	mg/L	0.15	0.3	ND<0.00184	ND<0.000080	ND<0.000080	ND<0.000080	ND<0.00038	ND<0.00038	ND<0.00038
二氯甲烷	mg/L	0.025	0.05	ND<0.00044	<0.0005 (0.00016)	ND<0.00015	<0.001 (0.00019)	ND<0.00041	ND<0.00041	ND<0.00041
氯仿	mg/L	0.5	1	ND<0.00041	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00025	ND<0.00025	ND<0.00025
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00037	ND<0.000070	ND<0.000070	ND<0.000070	ND<0.00027	ND<0.00027	ND<0.00027
1,2-二氯乙烷	mg/L	3	6	ND<0.00019	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00196	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00025	ND<0.00025	ND<0.00025
氯乙烯	mg/L	0.01	0.02	ND<0.00201	ND<0.000078	ND<0.000078	ND<0.000078	ND<0.00029	ND<0.00029	ND<0.00029
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00192	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00029	ND<0.00029	ND<0.00029
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00218	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00027	ND<0.00027	ND<0.00027
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00035	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00025	ND<0.00025	ND<0.00025
三氯乙烯	mg/L	0.025	0.05	ND<0.00036	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.00026	ND<0.00026	ND<0.00026
四氯乙烯	mg/L	0.025	0.05	ND<0.00202	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00027	ND<0.00027	ND<0.00027
四氯化碳	mg/L	0.025	0.05	ND<0.00016	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00025	ND<0.00025	ND<0.00025
柴油總碳氫化合物	mg/L	*	*	ND<0.149	<0.050(0.017)	<0.050(0.021)	<0.050(0.012)	<0.050(0.036)	<0.050(0.019)	<0.050(0.014)
總石油碳氫化合物	mg/L	5	10	ND<0.205	<0.055(0.029)	<0.055(0.035)	<0.055(0.026)	<0.065(0.046)	0.04	<0.034(0.021)
氰化物	mg/L	0.25	0.5	ND<0.002	<0.004(0.001)	ND<0.00045	ND<0.00045	ND<0.00048	<0.004 (0.0006)	ND<0.00048
甲基第三丁基醚	mg/L	0.5	1	ND<0.00035	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.0003	ND<0.0003	ND<0.0003
甲醛	mg/L	*	*	ND<0.00414	ND<0.00782	<0.0286 (0.0103)	ND<0.00782	<0.0286 (0.00747)	ND<0.00515	<0.0286 (0.00612)
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00039	ND<0.00014	ND<0.00014	ND<0.00014	ND<0.00027	ND<0.00027	ND<0.00027
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00196	ND<0.00290	ND<0.00290	ND<0.00290	ND<0.00053	ND<0.00053	ND<0.00053
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00017	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00025	ND<0.00025	ND<0.00025

註：1.「*」表示法規尚未規定，“-”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 8 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	110 年第 1 季	110 年第 2 季	110 年第 3 季	110 年第 4 季	111 年第 1 季	111 年第 2 季	111 年第 3 季
水溫	℃	*	*	25.4	25.7	28.4	28.1	25.3	26.1	26.9
pH 值	-	*	*	7.7	7.7	7.7	7.8	7.8	8.6	7.8
濁度	NTU	*	*	2.7	4	11	22	9.1	0.7	0.7
導電度	umho/cm	*	*	3250	4340	7660	3510	4280	3810	2780
總溶解固體	mg/L	1250	*	1840	2550	4570	2120	2510	2390	1710
總硬度	mg/L	750	*	584	677	900	512	659	551	471
氯鹽	mg/L	625	*	639	913	2040	625	22.2	800	453
總餘氯	mg/L	*	*	0.11	ND<0.018	ND<0.018	0.06	0.05	ND<0.020	ND<0.020
硫酸鹽	mg/L	625	*	290	334	458	308	7.72	377	276
硫化物	mg/L	*	*	<0.02(0.02)	ND<0.0032	<0.02(0.01)	<0.02(0.01)	<0.02(0.004)	ND<0.0025	<0.02(0.0098)
氯氣	mg/L	0.25	*	2.83	3.07	2.73	2.69	2.83	2.45	2.64
亞硝酸鹽氮	mg/L	5	10	ND<0.00015	<0.01(0.005)	0.05	0.02	<0.01(0.007)	<0.01(0.001)	<0.01(0.004)
硝酸鹽氮	mg/L	50	100	0.03	0.05	0.02	0.02	<0.01(0.006)	<0.01(0.009)	<0.01(0.01)
無機氮含量	mg/L	*	*	2.86	3.12	2.8	2.73	2.84	2.46	2.65
總含氮量	mg/L	*	*	2.98	3.18	2.94	2.76	2.85	2.88	2.68
氟鹽	mg/L	4	8	1.09	1.4	0.77	0.92	1.2	1.42	1.19
鎘	mg/L	0.025	0.05	ND<0.00019	<0.001 (0.0003)	ND<0.00037	ND<0.00037	ND<0.0009	ND<0.00037	ND<0.00037
鉻	mg/L	0.25	0.5	ND<0.00037	ND<0.00054	ND<0.00054	ND<0.00054	ND<0.00054	<0.005(0.001)	ND<0.00056
銅	mg/L	5	10	ND<0.00053	ND<0.0011	<0.0025 (0.001)	<0.005	<0.005 (0.0017)	ND<0.0011	ND<0.0011
鎳	mg/L	0.5	1	<0.005(0.002)	<0.005(0.002)	ND<0.0014	<0.01	ND<0.0014	ND<0.0017	ND<0.0017
鉛	mg/L	0.05	0.1	ND<0.0024	<0.005(0.003)	ND<0.0032	ND<0.0032	ND<0.0032	ND<0.0031	ND<0.0031
鋅	mg/L	25	50	<0.0025 (0.002)	0.005	0.007	<0.005	ND<0.0015	<0.005(0.002)	0.596
汞	mg/L	0.01	0.02	ND<0.000084	ND<0.000094	<0.0004 (0.0003)	<0.0004 (0.0001)	ND<0.000094	ND<0.00011	ND<0.00011
砷	mg/L	0.25	0.5	0.0298	0.032	0.0189	0.0092	0.0083	0.0106	0.012
鐵	mg/L	1.5	*	0.239	0.361	0.734	0.038	0.022	<0.01(0.004)	0.087
錳	mg/L	0.25	*	0.155	0.193	0.315	0.18	0.274	0.162	0.175
油脂	mg/L	*	*	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	0.6	0.8	<0.5(0.3)	0.9	0.7	<0.5(0.4)	0.9
總酚	mg/L	0.14	*	0.023	<0.02(0.0101)	<0.02(0.0031)	<0.02(0.0048)	<0.02(0.0159)	ND<0.0021	<0.02(0.0040)
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00037	ND<0.00037
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00038	ND<0.00043	ND<0.00056	ND<0.00056	ND<0.00056	ND<0.00057	ND<0.00057
五氯酚	mg/L	0.04	0.08	ND<0.00073	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00041	ND<0.00041
苯	mg/L	0.025	0.05	ND<0.00028	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00023	ND<0.00023
甲苯	mg/L	5	10	ND<0.00031	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00025	ND<0.00025
二甲苯	mg/L	50	100	ND<0.00038	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00036	ND<0.00036
乙苯	mg/L	3.5	7	ND<0.00027	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00023	ND<0.00023
氯苯	mg/L	0.5	1	ND<0.00025	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00027	ND<0.00027
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00027	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00041	ND<0.00041
萘	mg/L	0.2	0.4	ND<0.00027	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00039	ND<0.00039
氯甲烷	mg/L	0.15	0.3	ND<0.00038	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00027	ND<0.00027
二氯甲烷	mg/L	0.025	0.05	ND<0.00041	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
氯仿	mg/L	0.5	1	ND<0.00025	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00025	ND<0.00025
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00027	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00022	ND<0.00022
1,2-二氯乙烷	mg/L	3	6	ND<0.00027	ND<0.00030	ND<0.00030	ND<0.00030	0.00198	ND<0.00027	ND<0.00027
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00025	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033
氯乙烯	mg/L	0.01	0.02	ND<0.00029	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00022	ND<0.00022
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00029	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00021	ND<0.00021
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00027	ND<0.00026	ND<0.00026	ND<0.00026	ND<0.00026	ND<0.00020	ND<0.00020
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00025	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00028	ND<0.00028
三氯乙烯	mg/L	0.025	0.05	ND<0.00026	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021	ND<0.00021
四氯乙烯	mg/L	0.025	0.05	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00020	ND<0.00020
四氯化碳	mg/L	0.025	0.05	ND<0.00025	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00022	ND<0.00022
柴油總碳氫化合物	mg/L	*	*	<0.050(0.024)	<0.050(0.014)	<0.050(0.037)	<0.050(0.031)	<0.050(0.021)	<0.050(0.016)	<0.050(0.028)
總石油碳氫化合物	mg/L	5	10	<0.055(0.037)	<0.038(0.028)	0.055	0.044	0.041	<0.035(0.024)	<0.035(0.034)
氰化物	mg/L	0.25	0.5	<0.004 (0.0014)	ND<0.00053	ND<0.00053	ND<0.00053	<0.004 (0.0010)	ND<0.00052	ND<0.00052
甲基第三丁基醚	mg/L	0.5	1	ND<0.0003	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00021	ND<0.00021
甲醛	mg/L	*	*	<0.0286 (0.00865)	<0.0286 (0.00709)	<0.0286 (0.00754)	<0.0286 (0.00955)	ND<0.00625	ND<0.00628	ND<0.00628
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00027	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00046	ND<0.00046
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00053	ND<0.00055	ND<0.00055	ND<0.00055	ND<0.00055	ND<0.00060	ND<0.00060
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021	ND<0.00021

註：1.「*」表示法規尚未規定，“-”表示並無監測

- 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 8 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	111 年第 4 季	112 年第 1 季	112 年第 2 季	112 年第 3 季	112 年第 4 季	113 年第 1 季	113 年第 2 季
水溫	℃	*	*	26.4	24.4	27.7	28.6	28.9	25.5	26.4
pH 值	-	*	*	7.8	7.8	7.8	7.6	7.7	7.6	7.8
濁度	NTU	*	*	0.95	3.8	1.8	2.5	0.95	2	1.4
導電度	μmho/cm	*	*	2760	3400	3680	4430	3920	6800	4150
總溶解固體	mg/L	1250	*	1730	2130	3150	2650	2510	3850	2690
總硬度	mg/L	750	*	563	678	696	703	654	869	704
氯鹽	mg/L	625	*	428	684	965	914	860	1490	1100
總餘氯	mg/L	*	*	ND<0.020	ND<0.020	ND<0.023	ND<0.023	ND<0.023	ND<0.023	ND<0.024
硫酸鹽	mg/L	625	*	262	356	382	362	341	457	401
硫化物	mg/L	*	*	ND<0.0025	ND<0.0025	ND<0.0038	ND<0.0038	ND<0.0038	ND<0.0038	ND<0.0056
氨氮	mg/L	0.25	*	2.66	3.24	3.05	2.62	2.45	2.51	2.42
亞硝酸鹽氮	mg/L	5	10	ND<0.00015	<0.01(0.0003)	<0.01(0.001)	<0.01(0.004)	<0.01(0.003)	<0.01(0.001)	<0.01(0.0005)
硝酸鹽氮	mg/L	50	100	<0.01(0.004)	<0.01(0.003)	0.01	0.01	0.02	<0.01(0.01)	0.08
無機氮含量	mg/L	*	*	2.66	3.24	3.06	2.63	2.47	2.52	2.5
總含氮量	mg/L	*	*	2.72	3.26	3.09	2.67	2.47	2.54	3.76
氯鹽	mg/L	4	8	1.18	1.17	1.36	1.12	1.32	1.3	1.29
鎘	mg/L	0.025	0.05	ND<0.00037	<0.002(0.001)	ND<0.00024	ND<0.00053	<0.001 (0.00030)	<0.001 (0.0002)	ND<0.00049
鉻	mg/L	0.25	0.5	ND<0.00056	ND<0.00056	ND<0.00028	ND<0.00048	<0.002 (0.00040)	<0.002 (0.001)	ND<0.00049
銅	mg/L	5	10	ND<0.0011	ND<0.0011	ND<0.00039	<0.005(0.001)	<0.002(0.001)	<0.002 (0.002)	0.006
鎳	mg/L	0.5	1	ND<0.0017	<0.010(0.002)	ND<0.00092	ND<0.0013	ND<0.0013	<0.005(0.002)	ND<0.0018
鉛	mg/L	0.05	0.1	ND(<0.0031)	ND<0.0031	ND<0.0027	ND<0.0025	ND<0.0025	ND<0.0027	ND<0.0027
鋅	mg/L	25	50	<0.005(0.005)	ND<0.0018	ND<0.0017	ND<0.0011	0.006	0.005	0.008
汞	mg/L	0.01	0.02	ND<0.00011	ND<0.00011	ND<0.00013	ND<0.00013	ND<0.00013	<0.0004 (0.0002)	ND<0.000071
砷	mg/L	0.25	0.5	0.0123	0.0154	0.0124	0.0177	0.0222	0.022	0.0297
鐵	mg/L	1.5	*	0.017	0.01	<0.010(0.002)	0.027	0.183	0.269	0.341
錳	mg/L	0.25	*	0.178	0.163	0.184	0.126	0.19	0.258	0.225
油脂	mg/L	*	*	ND<2.0	ND<2.0	ND<2.0	5.9	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	1	0.9	1.7	0.7	1.2	0.7	0.9
總酚	mg/L	0.14	*	<0.02(0.0034)	<0.02(0.0121)	<0.0200 (0.0094)	<0.0200 (0.0111)	ND<0.0048	ND<0.0046	ND<0.0068
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00037	ND<0.00037	ND<0.00079	ND<0.00065	ND<0.00065	ND<0.00079	ND<0.00059
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00057	ND<0.00057	ND<0.00075	ND<0.00053	ND<0.00053	ND<0.00075	ND<0.00057
五氯酚	mg/L	0.04	0.08	ND<0.00041	ND<0.00041	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00036	ND<0.00043
苯	mg/L	0.025	0.05	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00022
甲苯	mg/L	5	10	ND<0.00025	ND<0.00025	<0.001 (0.00025)	ND<0.00022	<0.00100 (0.00076)	ND<0.00022	<0.00100 (0.00055)
二甲苯	mg/L	50	100	ND<0.00036	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00032
乙苯	mg/L	3.5	7	ND<0.00023	ND<0.00023	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00022
氯苯	mg/L	0.5	1	ND<0.00027	ND<0.00027	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00041	ND<0.00041	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021
萘	mg/L	0.2	0.4	ND<0.00039	ND<0.00039	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00023
氯甲烷	mg/L	0.15	0.3	ND<0.00027	ND<0.00027	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00025
二氯甲烷	mg/L	0.025	0.05	ND<0.00038	ND<0.00038	ND<0.00045	ND<0.00045	ND<0.00045	ND<0.00045	ND<0.00044
氯仿	mg/L	0.5	1	ND<0.00025	ND<0.00025	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00030
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00022	ND<0.00022	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
1,2-二氯乙烷	mg/L	3	6	ND<0.00027	ND<0.00027	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00033	ND<0.00033	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00023
氯乙烷	mg/L	0.01	0.02	ND<0.00022	ND<0.00022	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00028
1,1,1-二氯乙烷	mg/L	0.035	0.07	ND<0.00021	ND<0.00021	ND<0.00022	ND<0.00022	ND<0.00022	ND<0.00022	ND<0.00025
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00020	ND<0.00020	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00022
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00028	ND<0.00028	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00020
三氯乙烯	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00020
四氯乙烯	mg/L	0.025	0.05	ND<0.00020	ND<0.00020	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00018
四氯化碳	mg/L	0.025	0.05	ND<0.00022	ND<0.00022	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021
柴油總碳氫化合物	mg/L	*	*	<0.050(0.018)	<0.050(0.037)	<0.050(0.010)	<0.050(0.014)	<0.050(0.021)	<0.050(0.027)	<0.050(0.035)
總石油碳氫化合物	mg/L	5	10	<0.055(0.031)	0.063	ND<0.0276	<0.039(0.035)	<0.039(0.034)	<0.039(0.037)	0.066
氰化物	mg/L	0.25	0.5	ND<0.00052	<0.004 (0.0011)	ND<0.00048	ND<0.00048	ND<0.00048	<0.004 (0.0010)	<0.004 (0.0008)
甲基第三丁基醚	mg/L	0.5	1	ND<0.00021	ND<0.00021	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
甲醛	mg/L	*	*	<0.0286 (0.0285)	ND<0.00628	<0.0286 (0.00483)	ND<0.00415	<0.0286 (0.00438)	<0.0286 (0.00420)	ND<0.00338
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00046	ND<0.00046	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00060	ND<0.00060	ND<0.00082	ND<0.00057	ND<0.00057	ND<0.00082	ND<0.00052
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00021	ND<0.00021	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021

註：1.「*」表示法規尚未規定，「-」表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 8 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	113 年第 3 季	113 年第 4 季	114 年第 1 季			
水溫	℃	*	*	28	26.5	24.7			
pH 值	-	*	*	7.7	7.8	7.7			
濁度	NTU	*	*	2.5	1.80	0.20			
導電度	umho/cm	*	*	5110	3320	4060			
總溶解固體	mg/L	1250	*	3220	2100	2440			
總硬度	mg/L	750	*	799	641	704			
氯鹽	mg/L	625	*	1320	687	875			
總餘氯	mg/L	*	*	ND<0.024	0.06	ND<0.024			
硫酸鹽	mg/L	625	*	436	347	327			
硫化物	mg/L	*	*	ND<0.0056	ND<0.0056	ND<0.0056			
氨氮	mg/L	0.25	*	2.67	1.81	2.83			
亞硝酸鹽氮	mg/L	5	10	<0.01(0.001)	<0.01(0.001)	<0.01(0.001)			
硝酸鹽氮	mg/L	50	100	0.03	<0.01(0.004)	0.01			
無機氯含量	mg/L	*	*	2.7	1.82	2.84			
總含氮量	mg/L	*	*	3.1	2.48	4.03			
氯鹽	mg/L	4	8	1.19	1.24	1.25			
鎘	mg/L	0.025	0.05	ND<0.00026	ND<0.00026	ND<0.00026			
鉻	mg/L	0.25	0.5	ND<0.00039	ND<0.00039	ND<0.00039			
銅	mg/L	5	10	<0.002(0.001)	ND<0.00044	ND<0.00044			
鎳	mg/L	0.5	1	<0.005(0.001)	ND<0.00094	ND<0.00094			
鉛	mg/L	0.05	0.1	ND<0.0030	ND<0.0030	ND<0.0030			
鋅	mg/L	25	50	0.004	0.003	0.006			
汞	mg/L	0.01	0.02	ND<0.000071	ND<0.000071	ND<0.000071			
砷	mg/L	0.25	0.5	0.0276	0.0016	0.0081			
鐵	mg/L	1.5	*	0.237	0.010	0.046			
錳	mg/L	0.25	*	0.23	0.04	0.225			
油脂	mg/L	*	*	ND<2.0	ND<2.0	ND<2.0			
總有機碳(TOC)	mg/L	10	*	<0.5(0.2)	<0.5(0.3)	0.7			
總酚	mg/L	0.14	*	<0.0300 (0.0045)	ND<0.0068	<0.0200 (0.0121)			
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00059	ND<0.00059	ND<0.00059			
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00057	ND<0.00057	ND<0.00057			
五氯酚	mg/L	0.04	0.08	ND<0.00043	ND<0.00043	ND<0.00043			
苯	mg/L	0.025	0.05	ND<0.00022	ND<0.00022	ND<0.00022			
甲苯	mg/L	5	10	<0.00100 (0.00042)	ND<0.00020	<0.00100 (0.00022)			
二甲苯	mg/L	50	100	ND<0.00032	ND<0.00032	ND<0.00032			
乙苯	mg/L	3.5	7	ND<0.00022	ND<0.00022	ND<0.00022			
氯苯	mg/L	0.5	1	ND<0.00022	ND<0.00022	ND<0.00022			
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00021	ND<0.00021	ND<0.00021			
苯	mg/L	0.2	0.4	ND<0.00023	ND<0.00023	ND<0.00023			
氯甲烷	mg/L	0.15	0.3	ND<0.00025	ND<0.00025	ND<0.00025			
二氯甲烷	mg/L	0.025	0.05	ND<0.00044	ND<0.00044	ND<0.00044			
氯仿	mg/L	0.5	1	ND<0.00030	ND<0.00030	ND<0.00030			
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00022	ND<0.00022	ND<0.00022			
1,2-二氯乙烷	mg/L	3	6	ND<0.00025	ND<0.00025	ND<0.00025			
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00023	ND<0.00023	ND<0.00023			
氯乙烯	mg/L	0.01	0.02	ND<0.00028	ND<0.00028	ND<0.00028			
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00025	ND<0.00025	ND<0.00025			
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00022	ND<0.00022	ND<0.00022			
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00020	ND<0.00020	ND<0.00020			
三氯乙烯	mg/L	0.025	0.05	ND<0.00020	ND<0.00020	ND<0.00020			
四氯乙烯	mg/L	0.025	0.05	ND<0.00018	ND<0.00018	ND<0.00018			
四氯化碳	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00021			
柴油總碳氫化合物	mg/L	*	*	0.068	<0.050(0.028)	<0.050(0.026)			
總石油碳氫化合物	mg/L	5	10	0.075	0.045	0.042			
氯化物	mg/L	0.25	0.5	ND<0.0022	ND<0.0022	ND<0.0022			
甲基第三丁基醚	mg/L	0.5	1	ND<0.00022	ND<0.00022	ND<0.00022			
甲醛	mg/L	*	*	<0.0286 (0.00379)	<0.0286 (0.00479)	ND<0.00338			
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00021			
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00052	ND<0.00052	ND<0.00052			
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00021	ND<0.00021	ND<0.00021			

註：1.「*」表示法規尚未規定，「-」表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 9 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	98 年 第 2 季	98 年 第 3 季	98 年 第 4 季	99 年 第 1 季	99 年 第 2 季
水溫	℃	*	*	27.5	28.7	27.4	25.9	27.9
pH 值	-	*	*	7.6	7.6	7.6	7.5	7.6
濁度	NTU	*	*	75	31	65	100	500
導電度	μmho/cm	*	*	1300	1280	1490	1670	1760
總溶解固體	mg/L	1250	*	794	825	903	963	988
總硬度	mg/L	750	*	413	447	650	447	456
氯鹽	mg/L	625	*	174	154	204	217	229
總餘氯	mg/L	*	*	0.02	0.03	0.03	0.13	0.03
硫酸鹽	mg/L	625	*	201	175	200	187	199
硫化物	mg/L	*	*	ND	ND	ND	ND	ND
氨氮	mg/L	0.25	*	0.24	0.21	0.22	0.26	0.19
亞硝酸鹽氮	mg/L	*	10	<0.001	ND	ND	0.01	ND
硝酸鹽氮	mg/L	25	100	0.02	0.02	ND	0.15	0.02
無機氮含量	mg/L	*	*	—	0.23	0.22	0.42	0.21
總含氮量	mg/L	*	*	1.67	0.64	0.43	2.02	0.49
氯鹽	mg/L	*	*	0.65	0.61	0.73	0.59	0.82
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	ND	ND
銅	mg/L	5	10	ND	ND	0.004	ND	ND
鎳	mg/L	*	1	0.005	ND	ND	ND	ND
鉛	mg/L	0.25	0.5	ND	ND	<0.020(0.006)	ND	ND
鋅	mg/L	25	50	0.008	0.023	0.046	ND	ND
汞	mg/L	*	0.02	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.017	0.0177	0.0184	0.0039	0.0075
鐵	mg/L	1.5	*	0.051	0.118	<0.100(0.050)	<0.100(0.066)	0.263
錳	mg/L	0.25	*	0.209	0.278	0.284	0.22	0.24
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	2.4	1.3	1.3	4.9	2.8
總酚	mg/L	*	0.14	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	0.00087
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	—	—	—	ND	ND
1,4-二氯苯	mg/L	*	0.75	—	—	—	ND	ND
萘	mg/L	*	0.4	—	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	—	—	—	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	—	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	—	—	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	—	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	ND	ND
三氯乙烯	mg/L	*	0.05	—	—	—	ND	ND
四氯乙烯	mg/L	*	0.05	—	—	—	ND	ND
四氯化碳	mg/L	*	0.05	—	—	—	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—
氯化物	mg/L	*	0.5	—	—	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	—	ND	ND	ND	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.5	<0.50	<0.50	<0.50	<0.50

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 9 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	99 年 第 3 季	99 年 第 4 季	100 年 第 1 季	100 年 第 2 季	100 年 第 3 季
水溫	°C	*	*	28.2	27	24.6	25.2	28.4
pH 值	-	*	*	7.5	7.5	7.6	7.6	7.5
濁度	NTU	*	*	180	130	340	400	12
導電度	μmho/cm	*	*	1380	1400	1460	1510	757
總溶解固體	mg/L	1250	*	810	852	866	1060	458
總硬度	mg/L	750	*	403	436	430	471	271
氯鹽	mg/L	625	*	145	151	160	188	63.8
總餘氯	mg/L	*	*	0.07	0.07	0.08	0.07	0.04
硫酸鹽	mg/L	625	*	143	139	155	171	69
硫化物	mg/L	*	*	ND	0.01	0.18	ND	<0.04(0.03)
氯氣	mg/L	0.25	*	0.13	0.13	0.21	0.16	<0.05(0.04)
亞硝酸鹽氮	mg/L	*	10	0	<0.01	<0.01(0.002)	<0.01(0.001)	<0.010(0.002)
硝酸鹽氮	mg/L	25	100	0.02	0.02	ND	<0.05(0.03)	<0.05(0.03)
無機氮含量	mg/L	*	*	0.15	0.15	0.21	0.191	0
總含氮量	mg/L	*	*	0.38	0.311	0.26	0.48	0.26
氯鹽	mg/L	*	*	1	0.66	0.65	0.61	1
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	<0.020(0.004)	<0.020(0.004)
銅	mg/L	5	10	ND	ND	ND	<0.020(0.003)	ND
鎳	mg/L	*	1	ND	ND	<0.02(0.004)	<0.020(0.005)	<0.020(0.006)
鉛	mg/L	0.25	0.5	ND	ND	ND	ND	ND
鋅	mg/L	25	50	ND	ND	ND	<0.020(0.015)	0.034
汞	mg/L	*	0.02	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0078	0.0094	0.0124	0.0074	0.0064
鐵	mg/L	1.5	*	<0.100(0.055)	0.031	0.142	0.114	0.242
錳	mg/L	0.25	*	0.239	0.248	0.336	0.413	0.192
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	1	3.3	0.8	3.4	1.6
總酚	mg/L	*	0.14	ND	ND	ND	ND	0.342
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—
氰化物	mg/L	*	0.5	ND	ND	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	ND	ND	ND	ND	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.50	<0.5	<0.50	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 9 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	100 年 第 4 季	101 年 第 1 季	101 年 第 2 季	101 年 第 3 季	101 年 第 4 季
水溫	°C	*	*	26.3	22.1	26	28.4	28.9
pH 值	-	*	*	7.9	7.9	7.9	7.9	8.2
濁度	NTU	*	*	2600	900	36	1.2	0.4
導電度	μmho/cm	*	*	388	424	444	378	351
總溶解固體	mg/L	1250	*	289	324	339	294	228
總硬度	mg/L	750	*	186	214	197	168	323
氯鹽	mg/L	625	*	1.28	2.24	2.44	3.01	3.01
總餘氯	mg/L	*	*	0.33	0.95	0.24	0.12	0.03
硫酸鹽	mg/L	625	*	105	101	115	74.3	74.6
硫化物	mg/L	*	*	<0.04(0.01)	ND	ND	ND	ND
氨氮	mg/L	0.25	*	0.24	<0.05(0.04)	ND	ND	ND
亞硝酸鹽氮	mg/L	*	10	ND	ND	ND	ND	ND
硝酸鹽氮	mg/L	25	100	<0.05(0.03)	<0.05(0.03)	0.05	1.57	0.67
無機氯含量	mg/L	*	*	0.24	0	0.05	1.57	0.67
總含氮量	mg/L	*	*	0.27	0.62	0.26	1.9	0.73
氯鹽	mg/L	*	*	0.14	0.16	0.14	0.13	0.14
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND<0.003	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND	ND
鎳	mg/L	*	1	ND	ND	ND	ND	ND
鉛	mg/L	0.25	0.5	<0.020(0.008)	ND	ND	ND	ND
鋅	mg/L	25	50	<0.020(0.012)	<0.020(0.012)	0.028	0.204	<0.020(0.015)
汞	mg/L	*	0.02	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	ND	ND	ND<0.0004	<0.0004(0.0005)	ND
鐵	mg/L	1.5	*	<0.100(0.020)	<0.100(0.070)	<0.100(0.018)	<0.100(0.039)	<0.100(0.035)
錳	mg/L	0.25	*	<0.020(0.018)	<0.020(0.003)	ND	<0.020(0.004)	ND
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	1	1	0.2	0.3	0.3
總酚	mg/L	*	0.14	0.007	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—
氯化物	mg/L	*	0.5	<0.01(0.001)	ND	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	ND	<1.00	<1.00	<1.00	<1.00
1,2-二氯苯	mg/L	*	*	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.500	<0.500	<0.500	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 9 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	102 年 第 1 季	102 年 第 2 季	102 年 第 3 季	102 年 第 4 季
水溫	℃	*	*	26.1	25.1	29.4	28.6
pH 值	-	*	*	7.8	7.4	7.5	7.5
濁度	NTU	*	*	1.8	0.5	0.5	0.5
導電度	μmho/cm	*	*	546	634	617	515
總溶解固體	mg/L	1250	*	300	424	352	300
總硬度	mg/L	750	*	246	298	266	246
氯鹽	mg/L	625	*	10.2	15.1	16.2	8.2
總餘氯	mg/L	*	*	0.03	0.06	0.06	0.23
硫酸鹽	mg/L	625	*	69.5	90.1	52.2	17.5
硫化物	mg/L	*	*	ND	ND	ND	ND
氨氮	mg/L	0.25	*	<0.05(0.02)	<0.05(0.01)	<0.05(0.01)	ND
亞硝酸鹽氮	mg/L	*	10	ND	ND	0.02	ND
硝酸鹽氮	mg/L	25	100	<0.05(0.04)	0.05	0.58	<0.05(0.02)
無機氯含量	mg/L	*	*	0.06	0.06	0.61	0.03
總含氮量	mg/L	*	*	0.1	0.12	0.84	0.09
氯鹽	mg/L	*	*	0.15	0.13	0.2	0.28
鎘	mg/L	0.025	0.05	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND
鎳	mg/L	*	1	ND	ND	ND	ND
鉛	mg/L	0.25	0.5	<0.020(0.005)	ND	ND	ND
鋅	mg/L	25	50	0.032	0.051	0.047	0.048
汞	mg/L	*	0.02	ND	ND	ND	ND
砷	mg/L	0.25	0.5	ND	ND	ND	<0.0020(0.0004)
鐵	mg/L	1.5	*	<0.100(0.023)	<0.100(0.046)	ND	ND
錳	mg/L	0.25	*	0.072	0.101	0.12	0.133
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	0.3	0.4	0.3	0.3
總酚	mg/L	*	0.14	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—
氯化物	mg/L	*	0.5	<0.01(0.002)	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND
甲醛	mg/L	*	*	<1.00	<1.00	<1.00	<1.00
1,2-二氯苯	mg/L	*	*	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.500	<0.500	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 9 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	103 年 第 1 季	103 年 第 2 季	103 年 第 3 季	103 年 第 4 季	104 年 第 1 季	104 年 第 2 季	104 年 第 3 季
水溫	℃	*	*	26.2	24.1	28.6	32	24.7	29.8	34.3
pH 值	-	*	*	7.5	7.5	7.4	7.2	8	7.4	7.2
濁度	NTU	*	*	0.55	0.3	0.45	0.9	0.6	0.65	0.5
導電度	umho/cm	*	*	525	596	707	788	809	972	705
總溶解固體	mg/L	1250	*	340	358	532	527	512	549	521
總硬度	mg/L	750	*	286	270	339	341	541	394	319
氯鹽	mg/L	625	*	10.7	12.5	34.7	44.9	42.7	76	24.5
總餘氯	mg/L	*	*	0.14	0.56	0.72	ND	0.19	ND	ND
硫酸鹽	mg/L	625	*	20.6	25.8	71.3	45.9	74.6	396	97.5
硫化物	mg/L	*	*	ND	ND	<0.04(0.03)	ND	ND	ND	ND
氨氮	mg/L	0.25	*	ND	<0.05(0.04)	<0.05(0.03)	0.06	0.08	0.1	0.1
亞硝酸鹽氮	mg/L	5	10	<0.01(0.004)	ND	0.01	0.02	ND	ND	0.01
硝酸鹽氮	mg/L	50	100	0.08	<0.05(0.03)	0.18	0.1	0.01	0.02	0.02
無機氮含量	mg/L	*	*	0.09	0.07	0.22	0.18	0.09	0.12	0.13
總含氮量	mg/L	*	*	0.15	0.19	0.33	0.34	0.23	0.27	0.38
氯鹽	mg/L	4	8	0.22	0.31	0.29	0.37	0.3	0.28	0.26
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	ND	ND	ND	0.003
銅	mg/L	5	10	ND	<0.020(0.003)	ND	ND	ND	ND	ND
鎳	mg/L	0.5	1	0.044	<0.020(0.003)	ND	ND	0.01	0.006	ND
鉛	mg/L	0.05	0.1	ND	ND	ND	ND	ND	ND	0.009
鋅	mg/L	25	50	0.036	0.055	0.056	0.054	0.054	0.037	0.029
汞	mg/L	0.01	0.02	ND	ND	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	ND	ND	<0.0020 (0.0004)	0.0005	ND	0.0004	0.0004
鐵	mg/L	1.5	*	0.126	<0.100(0.024)	<0.100(0.051)	0.038	0.064	0.038	0.013
錳	mg/L	0.25	*	0.116	0.212	0.34	0.42	0.576	0.158	0.223
油脂	mg/L	*	*	<1.0	<1.0	<1.0	1.1	3.3	3.1	2.2
總有機碳(TOC)	mg/L	10	*	0.5	0.3	0.4	2.1	3.1	ND	2.6
總酚	mg/L	0.14	*	ND	ND	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	1.85	3.7	—	—	—	ND	ND	ND	ND
2,4,6-三氯酚	mg/L	0.05	0.1	—	—	—	ND	ND	ND	ND
五氯酚	mg/L	0.04	0.08	—	—	—	ND	ND	ND	ND
苯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
甲苯	mg/L	5	10	ND	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	50	100	ND	ND	ND	ND	ND	ND	ND
乙苯	mg/L	3.5	7	ND	ND	ND	ND	ND	ND	ND
氯苯	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	0.375	0.75	ND	ND	ND	ND	ND	ND	ND
苯	mg/L	0.2	0.4	ND	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	0.15	0.3	ND	ND	ND	ND	ND	ND	ND
二氯甲烷	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
氯仿	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	4.25	8.5	ND	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	3	6	ND	ND	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
氯乙烯	mg/L	0.01	0.02	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	0.035	0.07	ND	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND	ND	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
三氯乙烯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
四氯乙烯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
四氯化碳	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	5	10	—	<0.500	<0.500	ND	ND	ND	0.2
氫化物	mg/L	0.25	0.5	ND	ND	ND	ND	ND	ND	ND
甲基第三丁基醚	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	<1.00	<1.00	<1.00	0.00206	0.00126	0.00558	0.00404
1,2-二氯苯	mg/L	0.025	0.05	—	ND	ND	ND	ND	ND	ND
3,3'-二氯聯苯胺	mg/L	0.05	0.1	—	—	—	ND	ND	ND	ND
1,1,1-三氯乙烷	mg/L	1	2	—	—	—	ND	ND	ND	ND
柴油總碳氫化合物	mg/L	*	*	<0.500	<0.500	<0.500	ND	ND	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 9 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	104 年第 4 季	105 年第 1 季	105 年第 2 季	105 年第 3 季	105 年第 4 季	106 年第 1 季	106 年第 2 季
水溫	°C	*	*	28.2	25.2	28.4	31.1	30.7	27	25.8
pH 值	-	*	*	7.4	7.8	7.7	8	7.8	7.9	7.8
濁度	NTU	*	*	0.45	0.75	1.4	0.35	0.35	4.7	0.25
導電度	μmho/cm	*	*	746	334	436	227	353	335	333
總溶解固體	mg/L	1250	*	201	190	278	152	211	173	474
總硬度	mg/L	750	*	295	134	170	92	115	108	170
氯鹽	mg/L	625	*	41.5	15.1	30.7	8.7	20.4	20.1	49
總餘氯	mg/L	*	*	0.13	ND<0.04	ND<0.04	ND<0.04	ND<0.04	ND<0.04	0.58
硫酸鹽	mg/L	625	*	17	24.4	59	20.7	17.2	35.2	214
硫化物	mg/L	*	*	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.007	ND<0.01	ND<0.015
氨氮	mg/L	0.25	*	0.03	0.07	0.05	0.11	0.13	0.15	0.3
亞硝酸鹽氮	mg/L	5	10	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
硝酸鹽氮	mg/L	50	100	0.09	0.01	0.01	0.01	ND<0.01	0.01	ND<0.004
無機氮含量	mg/L	*	*	0.12	0.08	0.06	0.12	0.13	0.16	0.3
總含氮量	mg/L	*	*	0.41	0.28	0.21	0.46	0.2	0.23	0.38
氯鹽	mg/L	4	8	0.15	0.69	0.48	0.49	0.44	0.39	0.31
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.0003	ND<0.002	ND<0.002
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.0027	ND<0.002	ND<0.002
銅	mg/L	5	10	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.0024	0.014	0.009
鎳	mg/L	0.5	1	0.008	0.004	ND<0.003	ND<0.003	ND<0.0027	ND<0.003	ND<0.003
鉛	mg/L	0.05	0.1	ND<0.006	ND<0.006	ND<0.005	ND<0.005	ND<0.0024	0.018	0.007
鋅	mg/L	25	50	0.018	0.042	0.037	0.04	0.017	0.007	0.011
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0002	ND<0.0003	ND<0.0003
砷	mg/L	0.25	0.5	0.0005	0.0011	0.0005	0.0013	0.001	0.0012	0.0027
鐵	mg/L	1.5	*	0.039	0.121	0.103	0.098	0.056	0.085	0.045
錳	mg/L	0.25	*	0.581	0.369	0.322	0.332	0.134	0.203	0.228
油脂	mg/L	*	*	0.6	0.8	0.5	0.6	0.6	0.4	0.5
總有機碳(TOC)	mg/L	10	*	1.2	2.1	2.4	1.6	2.9	3.3	2.5
總酚	mg/L	0.14	*	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0016	ND<0.0021	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00168	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00198
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00169	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00191
五氯酚	mg/L	0.04	0.08	ND<0.00187	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00173
苯	mg/L	0.025	0.05	ND<0.0016	ND<0.00160	ND<0.00037	ND<0.00037	ND<0.00050	ND<0.00050	ND<0.00014
甲苯	mg/L	5	10	ND<0.00141	ND<0.00141	ND<0.00017	ND<0.00017	ND<0.00014	ND<0.00014	ND<0.00014
二甲苯	mg/L	50	100	ND<0.002	ND<0.00200	ND<0.001	ND<0.001	ND<0.00082	ND<0.00082	ND<0.00051
乙苯	mg/L	3.5	7	ND<0.00144	ND<0.00144	ND<0.00017	ND<0.00017	ND<0.00014	ND<0.00014	ND<0.00016
氯苯	mg/L	0.5	1	ND<0.00153	ND<0.001513	ND<0.00155	ND<0.00155	ND<0.00161	ND<0.00161	ND<0.00036
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00152	ND<0.00152	ND<0.00036	ND<0.00036	ND<0.00055	ND<0.00055	ND<0.00036
萘	mg/L	0.2	0.4	ND<0.00153	ND<0.00153	ND<0.00018	ND<0.00018	ND<0.00014	ND<0.00014	ND<0.00033
氯甲烷	mg/L	0.15	0.3	ND<0.00155	ND<0.00155	ND<0.00167	ND<0.00167	ND<0.00182	ND<0.00182	ND<0.00149
二氯甲烷	mg/L	0.025	0.05	ND<0.00169	ND<0.00169	ND<0.00037	ND<0.00037	ND<0.00065	ND<0.00065	ND<0.00044
氯仿	mg/L	0.5	1	ND<0.00153	ND<0.00153	ND<0.00039	ND<0.00039	ND<0.00063	ND<0.00063	ND<0.00040
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00152	ND<0.00152	ND<0.0004	ND<0.0004	ND<0.00062	ND<0.00062	ND<0.00036
1,2-二氯乙烷	mg/L	3	6	ND<0.00157	ND<0.00157	ND<0.00037	ND<0.00037	ND<0.00054	ND<0.00054	ND<0.00037
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00159	ND<0.00159	ND<0.00168	ND<0.00168	ND<0.00159	ND<0.00159	ND<0.00035
氯乙烯	mg/L	0.01	0.02	ND<0.00171	ND<0.00171	ND<0.00169	ND<0.00169	ND<0.00197	ND<0.00197	ND<0.00164
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00166	ND<0.00166	ND<0.00161	ND<0.00161	ND<0.00196	ND<0.00196	ND<0.00153
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00174	ND<0.00174	ND<0.00167	ND<0.00167	ND<0.00161	ND<0.00161	ND<0.00035
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00171	ND<0.00171	ND<0.00037	ND<0.00037	ND<0.00065	ND<0.00065	ND<0.00169
三氯乙烯	mg/L	0.025	0.05	ND<0.00147	ND<0.00147	ND<0.00036	ND<0.00036	ND<0.00059	ND<0.00059	ND<0.00175
四氯乙烯	mg/L	0.025	0.05	ND<0.00158	ND<0.00158	ND<0.00163	ND<0.00163	ND<0.00173	ND<0.00173	ND<0.00039
四氯化碳	mg/L	0.025	0.05	ND<0.00169	ND<0.00169	ND<0.00039	ND<0.00039	ND<0.00017	ND<0.00017	ND<0.00158
總石油碳氫化合物	mg/L	5	10	ND<0.171	ND<0.171	ND<0.186	ND<0.152	ND<0.186	ND<0.186	ND<0.184
氰化物	mg/L	0.25	0.5	0.005	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
甲基第三丁基醚	mg/L	0.5	1	ND<0.00142	ND<0.00142	ND<0.0004	ND<0.0004	ND<0.00050	ND<0.00050	ND<0.00134
甲醛	mg/L	*	*	ND<0.00294	ND<0.00294	0.00768	ND<0.00296	ND<0.00296	0.00353	ND<0.00266
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00165	ND<0.00165	ND<0.00017	ND<0.00017	ND<0.00016	ND<0.00016	ND<0.00035
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00213	ND<0.0014	ND<0.0014	ND<0.0014	ND<0.00140	ND<0.00140	ND<0.00137
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00147	ND<0.00147	ND<0.00037	ND<0.00037	ND<0.00020	ND<0.00020	ND<0.00161
柴油總碳氫化合物	mg/L	*	*	—	ND<0.142	ND<0.156	ND<0.122	ND<0.156	ND<0.122	ND<0.122

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 9 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	106 年第 3 季	106 年第 4 季	107 年第 1 季	107 年第 2 季	107 年第 3 季	107 年第 4 季	108 年第 1 季
水溫	℃	*	*	30.4	31.1	26.6	26.1	30.4	30.3	26.1
pH 值	-	*	*	7.6	7.6	8	7.8	7.7	7.4	7.6
濁度	NTU	*	*	0.7	0.35	2	4.1	0.95	0.8	1.9
導電度	μmho/cm	*	*	575	373	288	246	479	435	659
總溶解固體	mg/L	1250	*	368	222	148	190	283	292	468
總硬度	mg/L	750	*	219	153	191	108	178	174	273
氯鹽	mg/L	625	*	41	20	14.2	13.6	24.4	18.7	404
總餘氯	mg/L	*	*	ND<0.04	ND<0.04	0.14	0.09	ND<0.04	0.05	0.15
硫酸鹽	mg/L	625	*	67.4	58.2	54.6	21.5	119	48.4	175
硫化物	mg/L	*	*	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01
氯氣	mg/L	0.25	*	0.43	0.36	0.16	0.12	0.17	0.15	0.2
亞硝酸鹽氮	mg/L	5	10	0.02	0.06	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
硝酸鹽氮	mg/L	50	100	0.04	0.02	0.02	0.01	0.02	0.02	0.01
無機氮含量	mg/L	*	*	0.49	0.44	0.18	0.13	0.19	0.17	0.21
總含氮量	mg/L	*	*	0.64	0.65	0.33	0.26	0.3	2.97	0.33
氯鹽	mg/L	4	8	0.29	0.33	0.34	0.34	2.83	0.23	0.2
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
銅	mg/L	5	10	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005
鎳	mg/L	0.5	1	ND<0.003	ND<0.003	ND<0.003	ND<0.003	ND<0.003	ND<0.003	ND<0.003
鉛	mg/L	0.05	0.1	0.007	0.007	ND<0.006	ND<0.006	ND<0.006	ND<0.006	ND<0.006
鋅	mg/L	25	50	0.006	0.009	0.026	0.052	0.011	0.007	0.011
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003
砷	mg/L	0.25	0.5	0.001	0.001	0.0012	0.002	0.0023	0.0023	0.002
鐵	mg/L	1.5	*	0.051	0.198	0.192	0.469	0.074	0.029	0.022
錳	mg/L	0.25	*	0.288	0.295	0.281	0.192	0.223	0.287	0.445
油脂	mg/L	*	*	<0.1(0.0)	0.1	2	0.1	0.1	2.1	0.8
總有機碳(TOC)	mg/L	10	*	1.6	1.6	1.9	2	1.6	0.8	1.4
總酚	mg/L	0.14	*	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00198	ND<0.00198	ND<0.00198	ND<0.00150	ND<0.00150	ND<0.00150	ND<0.00150
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00191	ND<0.00191	ND<0.00191	ND<0.00156	ND<0.00156	ND<0.00156	ND<0.00156
五氯酚	mg/L	0.04	0.08	ND<0.00173	ND<0.00173	ND<0.00173	ND<0.00162	ND<0.00162	ND<0.00162	ND<0.00162
苯	mg/L	0.025	0.05	ND<0.00055	ND<0.00014	ND<0.00014	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00052
甲苯	mg/L	5	10	ND<0.00014	ND<0.00014	ND<0.00014	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00015
二甲苯	mg/L	50	100	ND<0.00082	ND<0.00051	ND<0.00051	ND<0.00049	ND<0.00049	ND<0.00049	ND<0.00081
乙苯	mg/L	3.5	7	ND<0.00013	ND<0.00016	ND<0.00016	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00014
氯苯	mg/L	0.5	1	ND<0.00135	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00140
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00049	ND<0.00036	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
苯	mg/L	0.2	0.4	ND<0.00019	ND<0.00033	ND<0.00033	ND<0.00035	ND<0.00035	ND<0.00035	ND<0.00018
氯甲烷	mg/L	0.15	0.3	ND<0.00152	ND<0.00149	ND<0.00149	ND<0.00134	ND<0.00134	ND<0.00134	ND<0.00157
二氯甲烷	mg/L	0.025	0.05	ND<0.00065	ND<0.00044	ND<0.00044	ND<0.00049	ND<0.00049	ND<0.00049	ND<0.00052
氯仿	mg/L	0.5	1	ND<0.00063	ND<0.00040	ND<0.00040	ND<0.00039	ND<0.00039	ND<0.00039	ND<0.00046
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00059	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00042
1,2-二氯乙烷	mg/L	3	6	ND<0.00015	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00016
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00144	ND<0.00035	ND<0.00035	ND<0.00034	ND<0.00034	ND<0.00034	ND<0.00165
氯乙烯	mg/L	0.01	0.02	ND<0.00157	ND<0.00164	ND<0.00164	ND<0.00130	ND<0.00130	ND<0.00130	ND<0.00155
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00169	ND<0.00153	ND<0.00153	ND<0.00130	ND<0.00130	ND<0.00130	ND<0.00138
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00135	ND<0.00035	ND<0.00035	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00156
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00065	ND<0.00169	ND<0.00169	ND<0.00130	ND<0.00130	ND<0.00130	ND<0.00046
三氯乙烷	mg/L	0.025	0.05	ND<0.00055	ND<0.00175	ND<0.00175	ND<0.00172	ND<0.00172	ND<0.00172	ND<0.00037
四氯乙烷	mg/L	0.025	0.05	ND<0.00139	ND<0.00039	ND<0.00039	ND<0.00040	ND<0.00040	ND<0.00040	ND<0.00164
四氯化碳	mg/L	0.025	0.05	ND<0.00015	ND<0.00158	ND<0.00158	ND<0.00118	ND<0.00118	ND<0.00118	ND<0.00016
柴油總碳氫化合物	mg/L	*	*	ND<0.122	ND<0.132	ND<0.132	ND<0.132	ND<0.132	ND<0.132	ND<0.132
總石油碳氫化合物	mg/L	5	10	ND<0.184	ND<0.184	ND<0.184	ND<0.198	ND<0.198	ND<0.198	ND<0.198
氯化物	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
甲基第三丁基醚	mg/L	0.5	1	ND<0.00049	ND<0.00134	ND<0.00134	ND<0.00087	ND<0.00087	ND<0.00087	ND<0.00036
甲醛	mg/L	*	*	0.00268	0.00349	0.00347	ND<0.00484	ND<0.00484	ND<0.00484	ND<0.00484
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00051	ND<0.00035	ND<0.00035	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00045
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00137	ND<0.00137	ND<0.00137	ND<0.00158	ND<0.00158	ND<0.00158	ND<0.00158
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00017	ND<0.00161	ND<0.00161	ND<0.00127	ND<0.00127	ND<0.00127	ND<0.00015

註：1.「*」表示法規尚未規定，“-”表示並無監測

- 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 9 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	108 年第 2 季	108 年第 3 季	108 年第 4 季	109 年第 1 季	109 年第 2 季	109 年第 3 季	109 年第 4 季
水溫	℃	*	*	26	29.4	31.9	27.4	25.3	30.8	30.9
pH 值	-	*	*	7.6	6.8	7.5	7.6	7.5	7.5	7.7
濁度	NTU	*	*	2.7	2.2	0.7	1.8	0.8	0.6	4.1
導電度	μmho/cm	*	*	440	727	505	309	234	503	482
總溶解固體	mg/L	1250	*	367	412	324	191	129	326	296
總硬度	mg/L	750	*	217	211	189	112	84.9	201	189
氯鹽	mg/L	625	*	44.2	28	26.5	16.3	11.4	34.5	33.7
總餘氯	mg/L	*	*	ND<0.04	ND<0.019	ND<0.019	ND<0.019	ND<0.019	0.06	0.05
硫酸鹽	mg/L	625	*	198	97.1	57.8	39.5	19.3	54.6	58.8
硫化物	mg/L	*	*	ND<0.01	ND<0.0048	ND<0.0048	<0.02(0.01)	<0.02(0.01)	ND<0.0036	<0.02(0.01)
氨氣	mg/L	0.25	*	0.19	0.18	0.16	0.13	0.12	0.18	0.23
亞硝酸鹽氮	mg/L	5	10	ND<0.001	ND<0.00015	<0.01(0.001)	<0.01(0.002)	<0.01(0.001)	0.01	<0.01(0.005)
硝酸鹽氮	mg/L	50	100	0.03	0.01	<0.01(0.008)	0.02	0.03	0.05	0.02
無機氮含量	mg/L	*	*	0.22	0.19	0.17	0.15	0.15	0.24	0.26
總含氮量	mg/L	*	*	0.6	0.25	0.23	0.22	0.25	0.35	0.32
氯鹽	mg/L	4	8	0.13	0.24	0.27	0.27	0.23	0.15	0.18
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.00041	ND<0.00041	ND<0.00041	ND<0.00019	<0.001 (0.0003)	<0.001 (0.0002)
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.00048	<0.005(0.001)	ND<0.00048	ND<0.00037	ND<0.00037	<0.0025 (0.001)
銅	mg/L	5	10	ND<0.005	ND<0.00090	ND<0.00090	ND<0.0009	ND<0.00053	ND<0.00053	ND<0.00053
鎳	mg/L	0.5	1	ND<0.003	ND<0.0012	ND<0.0012	ND<0.0012	ND<0.00087	ND<0.00087	<0.005(0.001)
鉛	mg/L	0.05	0.1	ND<0.006	ND<0.0030	ND<0.0030	ND<0.003	ND<0.0024	ND<0.0024	ND<0.0024
鋅	mg/L	25	50	0.012	0.03	0.055	0.013	0.007	0.009	0.018
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.000081	ND<0.000081	ND<0.000081	ND<0.000084	<0.0004 (0.0001)	ND<0.000084
砷	mg/L	0.25	0.5	0.0039	0.0055	0.0051	0.0016	0.006	0.0039	0.0133
鐵	mg/L	1.5	*	0.089	0.09	0.107	0.36	0.118	0.086	0.681
錳	mg/L	0.25	*	0.349	0.378	0.324	0.235	0.136	0.311	0.319
油脂	mg/L	*	*	1.5	ND<2.0	ND<2.0	ND<2.0	2.5	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	1.3	1	2.3	1.5	0.9	1.2	0.8
總酚	mg/L	0.14	*	ND<0.0021	<0.02(0.0071)	<0.03(0.0066)	ND<0.0039	ND<0.0038	ND<0.0038	<0.03(0.0074)
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00197	ND<0.00039	ND<0.00039	ND<0.00039	ND<0.00051	ND<0.00051	ND<0.00051
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00205	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
五氯酚	mg/L	0.04	0.08	ND<0.00152	ND<0.00042	ND<0.00042	ND<0.00042	ND<0.00073	ND<0.00073	ND<0.00073
苯	mg/L	0.025	0.05	ND<0.00044	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00028	ND<0.00028	ND<0.00028
甲苯	mg/L	5	10	ND<0.00015	<0.0005 (0.00031)	<0.001 (0.00036)	ND<0.00022	<0.001 (0.00085)	<0.001 (0.00032)	ND<0.00031
二甲苯	mg/L	50	100	ND<0.00107	ND<0.00016	ND<0.00016	ND<0.00016	ND<0.00038	ND<0.00038	ND<0.00038
乙苯	mg/L	3.5	7	ND<0.00015	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
氯苯	mg/L	0.5	1	ND<0.00177	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.00025	ND<0.00025	ND<0.00025
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00034	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
萘	mg/L	0.2	0.4	ND<0.00014	ND<0.00020	ND<0.00020	ND<0.00020	ND<0.00027	ND<0.00027	ND<0.00027
氯甲烷	mg/L	0.15	0.3	ND<0.00184	ND<0.000080	ND<0.000080	ND<0.000080	ND<0.00038	ND<0.00038	ND<0.00038
二氯甲烷	mg/L	0.025	0.05	ND<0.00044	<0.0005 (0.00021)	ND<0.00015	ND<0.00015	ND<0.00041	ND<0.00041	ND<0.00041
氯仿	mg/L	0.5	1	ND<0.00041	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00025	ND<0.00025	ND<0.00025
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00037	ND<0.000070	ND<0.000070	ND<0.000070	ND<0.00027	ND<0.00027	ND<0.00027
1,2-二氯乙烷	mg/L	3	6	ND<0.00019	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00196	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00025	ND<0.00025	ND<0.00025
氯乙烯	mg/L	0.01	0.02	ND<0.00201	ND<0.000078	ND<0.000078	ND<0.000078	ND<0.00029	ND<0.00029	ND<0.00029
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00192	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00029	ND<0.00029	ND<0.00029
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00218	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00027	ND<0.00027	ND<0.00027
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00035	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00025	ND<0.00025	ND<0.00025
三氯乙烯	mg/L	0.025	0.05	ND<0.00036	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.00026	ND<0.00026	ND<0.00026
四氯乙烯	mg/L	0.025	0.05	ND<0.00202	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00027	ND<0.00027	ND<0.00027
四氯化碳	mg/L	0.025	0.05	ND<0.00016	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00025	ND<0.00025	ND<0.00025
柴油總碳氫化合物	mg/L	*	*	ND<0.149	<0.050(0.013)	0.087	0.19	0.175	<0.050(0.025)	<0.050(0.015)
總石油碳氫化合物	mg/L	5	10	ND<0.205	<0.038(0.019)	<0.136(0.117)	<0.262(0.245)	<0.241(0.221)	0.111	<0.034(0.027)
氯化物	mg/L	0.25	0.5	ND<0.002	<0.004(0.001)	ND<0.00045	<0.004 (0.0007)	ND<0.00048	ND<0.00048	<0.004 (0.0005)
甲基第三丁基醚	mg/L	0.5	1	ND<0.00035	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.0003	ND<0.0003	ND<0.0003
甲醛	mg/L	*	*	ND<0.00414	ND<0.00782	<0.286 (0.00800)	ND<0.00782	<0.0286 (0.00867)	<0.0286 (0.00713)	<0.0286 (0.00629)
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00039	ND<0.00014	ND<0.00014	ND<0.00014	ND<0.00027	ND<0.00027	ND<0.00027
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00196	ND<0.00290	ND<0.00290	ND<0.00290	ND<0.00053	ND<0.00053	ND<0.00053
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00017	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00025	ND<0.00025	ND<0.00025

註：1.「*」表示法規尚未規定，「—」表示並無監測

- 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 9 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	110 年第 1 季	110 年第 2 季	110 年第 3 季	110 年第 4 季	111 年第 1 季	111 年第 2 季	111 年第 3 季
水溫	℃	*	*	25	26.4	29.8	31.9	26.1	26.2	30
pH 值	-	*	*	8	8.1	7.9	7.6	7.6	7.9	8.1
濁度	NTU	*	*	0.45	0.8	0.3	2.5	0.25	0.3	0.45
導電度	μmho/cm	*	*	319	264	364	491	430	395	525
總溶解固體	mg/L	1250	*	188	164	221	290	241	259	362
總硬度	mg/L	750	*	112	86	134	183	134	132	208
氯鹽	mg/L	625	*	21.9	24	19.8	16.9	24.8	63.4	51
總餘氯	mg/L	*	*	0.05	0.05	0.05	0.06	ND<0.018	ND<0.020	ND<0.020
硫酸鹽	mg/L	625	*	51.6	35.7	42	33.4	58.9	61.5	53.6
硫化物	mg/L	*	*	<0.02(0.02)	ND<0.0032	0.02	<0.02(0.00)	<0.02(0.01)	ND<0.0025	ND<0.0025
氯氣	mg/L	0.25	*	0.21	0.2	0.22	0.37	0.22	0.26	0.31
亞硝酸鹽氮	mg/L	5	10	<0.01(0.001)	<0.01(0.001)	<0.01(0.001)	<0.01(0.004)	<0.01(0.001)	<0.01(0.001)	ND<0.00015
硝酸鹽氮	mg/L	50	100	0.05	0.02	0.01	0.19	<0.01(0.009)	0.02	0.01
無機氮含量	mg/L	*	*	0.26	0.22	0.23	0.56	0.23	0.28	0.32
總含氮量	mg/L	*	*	0.31	0.23	0.28	0.57	0.29	0.3	0.32
氯鹽	mg/L	4	8	0.19	0.17	0.17	0.11	0.11	0.14	0.1
鎘	mg/L	0.025	0.05	ND<0.00019	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.0009	ND<0.00037	ND<0.00037
鉻	mg/L	0.25	0.5	ND<0.00037	ND<0.00054	ND<0.00054	ND<0.00054	ND<0.00054	ND<0.00056	ND<0.00056
銅	mg/L	5	10	ND<0.00053	ND<0.0011	ND<0.0011	<0.005	0.007	ND<0.0011	ND<0.0011
鎳	mg/L	0.5	1	ND<0.00087	ND<0.00095	ND<0.0014	ND<0.0014	<0.01(0.0033)	ND<0.0017	ND<0.0017
鉛	mg/L	0.05	0.1	ND<0.0024	ND<0.0032	ND<0.0032	<0.01	ND<0.0032	ND<0.0031	ND<0.0031
鋅	mg/L	25	50	0.007	0.016	0.007	0.024	0.04	ND<0.0018	0.006
汞	mg/L	0.01	0.02	ND<0.000084	ND<0.000094	ND<0.000094	ND<0.000094	<0.0004 (0.0002)	<0.0004 (0.0002)	ND<0.00011
砷	mg/L	0.25	0.5	0.0061	0.0065	0.0057	0.0068	0.0022	0.0065	0.0068
鐵	mg/L	1.5	*	0.116	0.086	0.089	0.101	0.052	0.031	0.059
錳	mg/L	0.25	*	0.204	0.24	0.204	0.394	0.359	0.197	0.414
油脂	mg/L	*	*	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	0.8	0.9	0.8	1.4	1.5	0.9	0.8
總酚	mg/L	0.14	*	ND<0.0038	ND<0.0029	ND<0.0029	ND<0.0029	ND<0.0029	<0.02(0.0054)	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00037	ND<0.00037
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00038	ND<0.00056	ND<0.00056	ND<0.00056	ND<0.00056	ND<0.00057	ND<0.00057
五氯酚	mg/L	0.04	0.08	ND<0.00073	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00041	ND<0.00041
苯	mg/L	0.025	0.05	ND<0.00028	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00023	ND<0.00023
甲苯	mg/L	5	10	ND<0.00031	ND<0.00029	ND<0.00029	0.00414	ND<0.00029	ND<0.00025	<0.001 (0.00048)
二甲苯	mg/L	50	100	ND<0.00038	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00036	ND<0.00036
乙苯	mg/L	3.5	7	ND<0.00027	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00023	ND<0.00023
氯苯	mg/L	0.5	1	ND<0.00025	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00027	ND<0.00027
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00027	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00041	ND<0.00041
苯	mg/L	0.2	0.4	ND<0.00027	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00039	ND<0.00039
氯甲烷	mg/L	0.15	0.3	ND<0.00038	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00027	ND<0.00027
二氯甲烷	mg/L	0.025	0.05	ND<0.00041	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
氯仿	mg/L	0.5	1	ND<0.00025	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00025	ND<0.00025
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00027	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00022	ND<0.00022
1,2-二氯乙烷	mg/L	3	6	ND<0.00027	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00027	ND<0.00027
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00025	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033
氯乙烯	mg/L	0.01	0.02	ND<0.00029	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00022	ND<0.00022
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00029	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00021	ND<0.00021
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00027	ND<0.00026	ND<0.00026	ND<0.00026	ND<0.00026	ND<0.00020	ND<0.00020
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00025	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00028	ND<0.00028
三氯乙烯	mg/L	0.025	0.05	ND<0.00026	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021	ND<0.00021
四氯乙烯	mg/L	0.025	0.05	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00020	ND<0.00020
四氯化碳	mg/L	0.025	0.05	ND<0.00025	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00022	ND<0.00022
柴油總碳氫化合物	mg/L	*	*	0.115	0.123	0.218	0.097	0.282	0.169	0.073
總石油碳氫化合物	mg/L	5	10	<0.0142 (0.133)	<0.157(0.140)	0.212	0.113	0.275	<0.161(0.142)	<0.085(0.066)
氯化物	mg/L	0.25	0.5	<0.004 (0.0005)	ND<0.00053	ND<0.00053	ND<0.00053	<0.004 (0.0007)	ND<0.00052	ND<0.00052
甲基第三丁基醚	mg/L	0.5	1	ND<0.0003	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00021	ND<0.00021
甲醛	mg/L	*	*	ND<0.00515	<0.0286 (0.00849)	<0.0286 (0.00794)	ND<0.00625	ND<0.00625	ND<0.00628	<0.0286 (0.00961)
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00027	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00046	ND<0.00046
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00053	ND<0.00055	ND<0.00055	ND<0.00055	ND<0.00055	ND<0.00060	ND<0.00060
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021	ND<0.00021

註：1. 「*」表示法規尚未規定，“-”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 9 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	111 年第 4 季	112 年第 1 季	112 年第 2 季	112 年第 3 季	112 年第 4 季	113 年第 1 季	113 年第 2 季
水溫	℃	*	*	30.2	26	26.9	29.6	31.3	27.8	28.5
pH 值	-	*	*	8.1	7.8	7.8	7.7	7.8	7.7	7.8
濁度	NTU	*	*	1.2	0.75	12	0.45	0.65	0.5	0.8
導電度	μmho/cm	*	*	522	501	580	461	466	570	608
總溶解固體	mg/L	1250	*	352	335	419	284	296	364	408
總硬度	mg/L	750	*	192	177	223	162	168	189	210
氯鹽	mg/L	625	*	38.8	31.6	42.4	29.9	31.3	49.4	50.8
總餘氯	mg/L	*	*	ND<0.020	0.28	ND<0.023	0.07	ND<0.023	0.12	0.2
硫酸鹽	mg/L	625	*	52.1	104	132	60.8	79.8	99.8	132
硫化物	mg/L	*	*	ND<0.0025	ND<0.0025	ND<0.0038	ND<0.0038	ND<0.0038	ND<0.0038	ND<0.0056
氯氣	mg/L	0.25	*	0.28	0.28	0.33	0.24	0.24	0.24	0.25
亞硝酸鹽氮	mg/L	5	10	<0.01(0.001)	ND<0.00015	<0.01(0.001)	<0.01(0.001)	<0.01(0.001)	ND<0.00015	<0.01(0.001)
硝酸鹽氮	mg/L	50	100	0.02	0.16	0.01	<0.01(0.0095)	0.01	0.15	<0.01(0.008)
無機氮含量	mg/L	*	*	0.3	0.44	0.34	0.25	0.25	0.24	0.26
總含氮量	mg/L	*	*	0.34	0.46	0.37	0.26	0.28	0.26	0.38
氯鹽	mg/L	4	8	0.14	0.14	<0.10(0.0933)	0.15	0.18	0.19	0.17
鎘	mg/L	0.025	0.05	<0.002(0.000)	ND<0.00037	ND<0.00024	ND<0.00053	<0.001 (0.00030)	ND<0.00024	ND<0.00049
鉻	mg/L	0.25	0.5	<0.005(0.001)	ND<0.00056	ND<0.00028	ND<0.00048	ND<0.00048	ND<0.00028	ND<0.00049
銅	mg/L	5	10	ND<0.0011	ND<0.0011	ND<0.00039	ND<0.00069	<0.002(0.001)	ND<0.00039	ND<0.00054
鎳	mg/L	0.5	1	ND<0.0017	ND<0.0017	ND<0.00092	ND<0.0013	ND<0.0013	ND<0.00092	ND<0.0018
鉛	mg/L	0.05	0.1	ND<0.0031	ND<0.0031	ND<0.0027	ND<0.0025	ND<0.0025	ND<0.0027	ND<0.0027
鋅	mg/L	25	50	0.011	0.02	0.032	0.012	0.008	0.006	0.008
汞	mg/L	0.01	0.02	ND<0.00011	ND<0.00011	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00013	<0.0004 (0.0001)
砷	mg/L	0.25	0.5	0.0094	0.0178	0.0184	0.0083	0.012	0.0125	0.0124
鐵	mg/L	1.5	*	0.069	0.368	1.05	0.156	0.104	0.083	0.126
錳	mg/L	0.25	*	0.373	0.398	0.411	0.272	0.294	0.283	0.33
油脂	mg/L	*	*	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	0.9	6.6	1.3	1.2	0.9	0.8	0.9
總酚	mg/L	0.14	*	ND<0.0021	ND<0.0021	<0.0200 (0.0053)	ND<0.0048	ND<0.0048	ND<0.0046	ND<0.0068
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00037	ND<0.00037	ND<0.00079	ND<0.00065	ND<0.00065	ND<0.00079	ND<0.00059
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00057	ND<0.00057	ND<0.00075	ND<0.00053	ND<0.00053	ND<0.00075	ND<0.00057
五氯酚	mg/L	0.04	0.08	ND<0.00041	ND<0.00041	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00036	ND<0.00043
苯	mg/L	0.025	0.05	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00022
甲苯	mg/L	5	10	ND<0.00025	ND<0.00025	ND<0.00022	ND<0.00022	ND<0.00022	<0.00100 (0.00037)	0.00149
二甲苯	mg/L	50	100	ND<0.00036	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00032
乙苯	mg/L	3.5	7	ND<0.00023	ND<0.00023	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00022
氯苯	mg/L	0.5	1	ND<0.00027	ND<0.00027	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00041	ND<0.00041	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021
苯	mg/L	0.2	0.4	ND<0.00039	ND<0.00039	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00023
氯甲烷	mg/L	0.15	0.3	ND<0.00027	ND<0.00027	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00025
二氯甲烷	mg/L	0.025	0.05	ND<0.00038	ND<0.00038	ND<0.00045	ND<0.00045	ND<0.00045	ND<0.00045	ND<0.00044
氯仿	mg/L	0.5	1	ND<0.00025	ND<0.00025	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00030
1,1,2-二氯乙烷	mg/L	4.25	8.5	ND<0.00022	ND<0.00022	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
1,2-二氯乙烷	mg/L	3	6	ND<0.00027	ND<0.00027	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00033	ND<0.00033	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00023
氯乙烯	mg/L	0.01	0.02	ND<0.00022	ND<0.00022	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00028
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00021	ND<0.00021	ND<0.00022	ND<0.00022	ND<0.00022	ND<0.00022	ND<0.00025
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00020	ND<0.00020	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00022
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00028	ND<0.00028	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00020
三氯乙烯	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00020
四氯乙烯	mg/L	0.025	0.05	ND<0.00020	ND<0.00020	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00018
四氯化碳	mg/L	0.025	0.05	ND<0.00022	ND<0.00022	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021
柴油總碳氫化合物	mg/L	*	*	0.112	0.135	0.088	<0.050(0.047)	0.081	0.072	0.087
總石油碳氫化合物	mg/L	5	10	<0.117(0.100)	<0.194(0.192)	0.089	0.055	0.096	0.083	0.108
氰化物	mg/L	0.25	0.5	ND<0.00052	ND<0.00052	ND<0.00048	ND<0.00048	ND<0.00048	<0.004 (0.0013)	<0.004 (0.0006)
甲基第三丁基醚	mg/L	0.5	1	ND<0.00021	ND<0.00021	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
甲醛	mg/L	*	*	<0.0286 (0.0112)	ND<0.00628	<0.0286 (0.00516)	<0.0286 (0.00712)	<0.0286 (0.00674)	<0.0286 (0.00468)	ND<0.00338
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00046	ND<0.00046	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00060	ND<0.00060	ND<0.00082	ND<0.00057	ND<0.00057	ND<0.00082	ND<0.00052
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00021	ND<0.00021	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 9 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	113 年第 3 季	113 年第 4 季	114 年第 1 季			
水溫	℃	*	*	29.8	31.4	26.7			
pH 值	-	*	*	7.8	7.5	7.3			
濁度	NTU	*	*	0.55	3.10	7.30			
導電度	μmho/cm	*	*	451	862	550			
總溶解固體	mg/L	1250	*	271	502	429			
總硬度	mg/L	750	*	159	292	181			
氯鹽	mg/L	625	*	30.4	95.2	51.4			
總餘氯	mg/L	*	*	ND<0.024	ND<0.024	ND<0.024			
硫酸鹽	mg/L	625	*	60.3	105	97.9			
硫化物	mg/L	*	*	ND<0.0056	ND<0.0056	ND<0.0056			
氯氣	mg/L	0.25	*	0.27	0.25	0.21			
亞硝酸鹽氮	mg/L	5	10	<0.01(0.003)	0.02	ND<0.00014			
硝酸鹽氮	mg/L	50	100	<0.01(0.01)	0.04	0.02			
無機氯含量	mg/L	*	*	0.28	0.31	0.23			
總含氯量	mg/L	*	*	0.37	0.47	0.38			
氯鹽	mg/L	4	8	0.21	0.18	0.28			
鎘	mg/L	0.025	0.05	ND<0.00026	ND<0.00026	<0.001(0.001)			
鉻	mg/L	0.25	0.5	ND<0.00039	ND<0.00039	ND<0.00039			
銅	mg/L	5	10	<0.002(0.001)	ND<0.00044	<0.002(0.001)			
鎳	mg/L	0.5	1	ND<0.00094	ND<0.00094	<0.005(0.001)			
鉛	mg/L	0.05	0.1	ND<0.0030	ND<0.0030	ND<0.0030			
鋅	mg/L	25	50	0.008	0.01	0.046			
汞	mg/L	0.01	0.02	ND<0.000071	ND<0.000071	ND<0.000071			
砷	mg/L	0.25	0.5	0.0128	0.0214	0.0653			
鐵	mg/L	1.5	*	0.109	0.381	3.240			
錳	mg/L	0.25	*	0.26	0.446	0.416			
油脂	mg/L	*	*	ND<2.0	ND<2.0	ND<2.0			
總有機碳(TOC)	mg/L	10	*	1.1	0.8	1			
總酚	mg/L	0.14	*	ND<0.0068	ND<0.0068	ND<0.0068			
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00059	ND<0.00059	ND<0.00059			
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00057	ND<0.00057	ND<0.00057			
五氯酚	mg/L	0.04	0.08	ND<0.00043	ND<0.00043	ND<0.00043			
苯	mg/L	0.025	0.05	ND<0.00022	ND<0.00022	ND<0.00022			
甲苯	mg/L	5	10	0.00146	ND<0.00020	ND<0.00020			
二甲苯	mg/L	50	100	ND<0.00032	ND<0.00032	ND<0.00032			
乙苯	mg/L	3.5	7	ND<0.00022	ND<0.00022	ND<0.00022			
氯苯	mg/L	0.5	1	ND<0.00022	ND<0.00022	ND<0.00022			
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00021	ND<0.00021	ND<0.00021			
萘	mg/L	0.2	0.4	ND<0.00023	ND<0.00023	ND<0.00023			
氯甲烷	mg/L	0.15	0.3	ND<0.00025	ND<0.00025	ND<0.00025			
二氯甲烷	mg/L	0.025	0.05	ND<0.00044	ND<0.00044	ND<0.00044			
氯仿	mg/L	0.5	1	ND<0.00030	ND<0.00030	ND<0.00030			
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00022	ND<0.00022	ND<0.00022			
1,2-二氯乙烷	mg/L	3	6	ND<0.00025	ND<0.00025	ND<0.00025			
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00023	ND<0.00023	ND<0.00023			
氯乙烯	mg/L	0.01	0.02	ND<0.00028	ND<0.00028	ND<0.00028			
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00025	ND<0.00025	ND<0.00025			
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00022	ND<0.00022	ND<0.00022			
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00020	ND<0.00020	ND<0.00020			
三氯乙烯	mg/L	0.025	0.05	ND<0.00020	ND<0.00020	ND<0.00020			
四氯乙烯	mg/L	0.025	0.05	ND<0.00018	ND<0.00018	ND<0.00018			
四氯化碳	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00021			
柴油總碳氫化合物	mg/L	*	*	<0.050(0.044)	<0.050(0.022)	0.061			
總石油碳氫化合物	mg/L	5	10	0.049	<0.038(0.034)	0.078			
氯化物	mg/L	0.25	0.5	ND<0.0022	ND<0.0022	ND<0.0022			
甲基第三丁基醚	mg/L	0.5	1	ND<0.00022	ND<0.00022	ND<0.00022			
甲醛	mg/L	*	*	ND<0.00338	<0.0286 (0.00477)	ND<0.00338			
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00021			
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00052	ND<0.00052	ND<0.00052			
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00021	ND<0.00021	ND<0.00021			

註：1.「*」表示法規尚未規定，“-”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 10 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	98 年 第 2 季	98 年 第 3 季	98 年 第 4 季	99 年 第 1 季	99 年 第 2 季
水溫	°C	*	*	27.4	25.9	26.7	25	26.5
pH 值	-	*	*	7.8	7.8	7.8	7.9	7.9
濁度	NTU	*	*	16	75	34	90	75
導電度	µmho/cm	*	*	4750	4450	4350	5750	6530
總溶解固體	mg/L	1250	*	3220	2690	2530	2950	3460
總硬度	mg/L	750	*	512	438	670	474	521
氯鹽	mg/L	625	*	619	607	942	1280	1390
總餘氯	mg/L	*	*	<0.02	0.04	0.02	0.14	0.03
硫酸鹽	mg/L	625	*	593	566	513	496	495
硫化物	mg/L	*	*	ND	ND	ND	ND	ND
氨氮	mg/L	0.25	*	0.23	0.18	0.61	0.79	0.6
亞硝酸鹽氮	mg/L	*	10	0.01	<0.01	ND	<0.01	0.01
硝酸鹽氮	mg/L	25	100	ND	0.11	ND	0.01	0.01
無機氮含量	mg/L	*	*	—	0.29	0.61	0.8	0.62
總含氮量	mg/L	*	*	1.03	1.01	0.74	2.68	1.22
氯鹽	mg/L	*	*	1.21	1.12	2.32	1.45	2
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	0.005	ND	ND	ND	ND
銅	mg/L	5	10	0.05	ND	ND	ND	ND
鎳	mg/L	*	1	ND	ND	ND	ND	ND
鉛	mg/L	0.25	0.5	ND	ND	ND	ND	ND
鋅	mg/L	25	50	0.016	0.028	<0.020(0.015)	<0.020(0.014)	<0.020(0.014)
汞	mg/L	*	0.02	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.01	0.0075	0.0085	0.0156	0.0193
鐵	mg/L	1.5	*	0.078	0.044	<0.100(0.046)	<0.100(0.064)	0.256
錳	mg/L	0.25	*	0.158	0.218	0.169	0.155	0.159
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	0.9	0.6	1.2	4.5	2.8
總酚	mg/L	*	0.14	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	0.00109
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	—	—	—	ND	ND
1,4-二氯苯	mg/L	*	0.75	—	—	—	ND	ND
萘	mg/L	*	0.4	—	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	—	—	—	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	—	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	—	—	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	—	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	ND	ND
三氯乙烯	mg/L	*	0.05	—	—	—	ND	ND
四氯乙烯	mg/L	*	0.05	—	—	—	ND	ND
四氯化碳	mg/L	*	0.05	—	—	—	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—
氯化物	mg/L	*	0.5	—	—	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	—	ND	ND	ND	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.5	<0.50	<0.50	<0.50	<0.50

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 10 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	99 年 第 3 季	99 年 第 4 季	100 年 第 1 季	100 年 第 2 季	100 年 第 3 季
水溫	°C	*	*	27.3	25.5	23.5	25.4	26.9
pH 值	-	*	*	7.9	7.9	7.9	7.9	7.8
濁度	NTU	*	*	22	13	100	160	13
導電度	μmho/cm	*	*	6890	6320	4770	5100	5520
總溶解固體	mg/L	1250	*	4060	3740	2730	4340	3080
總硬度	mg/L	750	*	569	522	500	435	544
氯鹽	mg/L	625	*	1600	1410	960	1060	1280
總餘氯	mg/L	*	*	0.04	0.05	0.11	0.07	0.08
硫酸鹽	mg/L	625	*	597	532	457	462	505
硫化物	mg/L	*	*	ND	0.02	0.12	ND	ND
氨氮	mg/L	0.25	*	0.83	0.8	0.78	0.76	0.95
亞硝酸鹽氮	mg/L	*	10	0.01	<0.01	<0.01(0.003)	0.01	ND
硝酸鹽氮	mg/L	25	100	0	0.02	ND	<0.05(0.02)	<0.05(0.01)
無機氮含量	mg/L	*	*	0.84	0.82	0.78	0.79	0.95
總含氮量	mg/L	*	*	0.91	1.25	1.18	1.52	1.59
氯鹽	mg/L	*	*	1.65	1.61	1.44	1.47	1.44
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	<0.020(0.003)	ND
銅	mg/L	5	10	ND	ND	ND	ND	ND
鎳	mg/L	*	1	ND	ND	ND	<0.020(0.004)	<0.020(0.005)
鉛	mg/L	0.25	0.5	ND	ND	ND	ND	ND
鋅	mg/L	25	50	ND	0.043	<0.02(0.012)	<0.020(0.016)	<0.020(0.010)
汞	mg/L	*	0.02	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.019	0.0258	0.0239	0.0238	0.0426
鐵	mg/L	1.5	*	<0.100(0.058)	0.078	0.101	<0.100(0.057)	0.1
錳	mg/L	0.25	*	0.219	0.18	0.213	0.17	0.24
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	0.8	0.6	0.6	2.4	0.4
總酚	mg/L	*	0.14	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—
氰化物	mg/L	*	0.5	ND	ND	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	ND	ND	ND	ND	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.50	<0.5	<0.50	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 10 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	100 年 第 4 季	101 年 第 1 季	101 年 第 2 季	101 年 第 3 季	101 年 第 4 季
水溫	°C	*	*	26.5	24.4	23.7	26.8	25.1
pH 值	-	*	*	7.7	7.7	7.6	7.6	7.8
濁度	NTU	*	*	8.4	6.7	2.2	8.7	20
導電度	μmho/cm	*	*	4120	3840	3230	6520	5430
總溶解固體	mg/L	1250	*	2470	2820	2180	4840	3260
總硬度	mg/L	750	*	575	866	735	1030	529
氯鹽	mg/L	625	*	917	707	525	1710	1250
總餘氯	mg/L	*	*	0.09	0.1	0.05	<0.02	0.1
硫酸鹽	mg/L	625	*	423	711	494	836	507
硫化物	mg/L	*	*	ND	ND	ND	ND	ND
氨氮	mg/L	0.25	*	0.85	0.66	0.57	0.99	1.34
亞硝酸鹽氮	mg/L	*	10	<0.01(0.001)	<0.01(0.001)	ND	ND	0.01
硝酸鹽氮	mg/L	25	100	ND	<0.05(0.01)	<0.05(0.01)	ND	ND
無機氯含量	mg/L	*	*	0.85	0.66	0.58	0.99	1.35
總含氮量	mg/L	*	*	0.96	0.7	0.63	1.31	1.38
氯鹽	mg/L	*	*	1.27	0.9	1.04	1.07	1.51
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND<0.003	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND	ND
鎳	mg/L	*	1	<0.020(0.004)	ND	ND	ND	ND
鉛	mg/L	0.25	0.5	ND	<0.020(0.004)	ND	ND	ND
鋅	mg/L	25	50	ND	ND	0.029	<0.020(0.019)	0.028
汞	mg/L	*	0.02	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.014	0.0082	0.006	0.0112	0.0111
鐵	mg/L	1.5	*	<0.100(0.023)	<0.100(0.037)	<0.100(0.018)	<0.100(0.034)	<0.100(0.083)
錳	mg/L	0.25	*	0.287	0.476	0.421	0.502	0.278
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	0.4	0.6	0.4	0.2	0.3
總酚	mg/L	*	0.14	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—
氯化物	mg/L	*	0.5	ND	ND	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	ND	<1.00	<1.00	<1.00	<1.00
1,2-二氯苯	mg/L	*	*	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.500	<0.500	<0.500	<0.500	<0.500

註：1.「*」表示法規尚未規定，「—」表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 10 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	102 年 第 1 季	102 年 第 2 季	102 年 第 3 季	102 年 第 4 季
水溫	℃	*	*	24.4	24.1	30.5	26
pH 值	-	*	*	7.3	7.5	7.7	7.8
濁度	NTU	*	*	1.5	2	1.7	7.2
導電度	μmho/cm	*	*	4570	4530	5740	7040
總溶解固體	mg/L	1250	*	2880	2740	3360	4320
總硬度	mg/L	750	*	763	702	526	748
氯鹽	mg/L	625	*	1140	968	1340	1700
總餘氯	mg/L	*	*	0.03	0.07	0.03	0.1
硫酸鹽	mg/L	625	*	514	527	534	664
硫化物	mg/L	*	*	ND	ND	ND	ND
氨氮	mg/L	0.25	*	0.83	0.74	2.39	2.77
亞硝酸鹽氮	mg/L	*	10	ND	ND	<0.01(0.004)	<0.01(0.001)
硝酸鹽氮	mg/L	25	100	ND	ND	ND	<0.05(0.01)
無機氯含量	mg/L	*	*	0.84	0.75	2.4	2.78
總含氮量	mg/L	*	*	0.89	0.8	2.49	2.88
氯鹽	mg/L	*	*	1.23	1.07	1.46	1.28
鎘	mg/L	0.025	0.05	<0.003(0.001)	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND
鎳	mg/L	*	1	ND	<0.020(0.003)	ND	ND
鉛	mg/L	0.25	0.5	0.021	ND	ND	ND
鋅	mg/L	25	50	<0.020(0.016)	<0.020(0.008)	0.022	ND
汞	mg/L	*	0.02	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0119	0.0081	0.0183	0.0202
鐵	mg/L	1.5	*	<0.100(0.038)	<0.100(0.039)	<0.100(0.045)	<0.100(0.038)
錳	mg/L	0.25	*	0.331	0.373	0.249	0.294
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	0.2	0.4	0.5	0.3
總酚	mg/L	*	0.14	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND
苯	mg/L	*	0.4	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—
氯化物	mg/L	*	0.5	<0.01(0.001)	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND
甲醛	mg/L	*	*	<1.00	<1.00	<1.00	<1.00
1,2-二氯苯	mg/L	*	*	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.500	<0.500	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 10 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	103 年 第 1 季	103 年 第 2 季	103 年 第 3 季	103 年 第 4 季	104 年 第 1 季	104 年 第 2 季	104 年 第 3 季
水溫	℃	*	*	25	25.4	29.6	27.4	24.7	27	29.9
pH 值	-	*	*	7.6	7.6	7.8	7.6	8.2	7.6	7.6
濁度	NTU	*	*	4.7	14	6	1.4	1.2	0.6	0.65
導電度	μmho/cm	*	*	3990	4010	4	4020	4580	4470	3790
總溶解固體	mg/L	1250	*	2440	2460	2820	2390	3010	2530	2640
總硬度	mg/L	750	*	653	615	501	525	751	617	646
氯鹽	mg/L	625	*	935	907	961	918	1210	990	732
總餘氯	mg/L	*	*	0.03	0.04	0.07	ND	ND	ND	ND
硫酸鹽	mg/L	625	*	388	414	421	382	477	128	439
硫化物	mg/L	*	*	ND	ND	0.04	ND	ND	ND	ND
氨氮	mg/L	0.25	*	1.17	0.81	1.78	0.87	1.69	0.98	1.2
亞硝酸鹽氮	mg/L	5	10	<0.01(0.002)	<0.01(0.002)	<0.01(0.003)	0.26	ND	0.74	0.02
硝酸鹽氮	mg/L	50	100	ND	ND	<0.05(0.04)	0.04	ND	0.25	0.01
無機氮含量	mg/L	*	*	1.18	0.82	1.82	1.17	1.69	1.97	1.23
總含氮量	mg/L	*	*	3.2	1.35	2.01	1.68	1.93	2.36	1.4
氯鹽	mg/L	4	8	0.94	1.08	1.35	1.89	1.28	1.17	1.1
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	ND	ND	ND	0.004
銅	mg/L	5	10	ND	ND	<0.020(0.009)	ND	ND	ND	ND
鎳	mg/L	0.5	1	0.087	<0.020(0.004)	ND	0.004	0.003	0.014	0.003
鉛	mg/L	0.05	0.1	ND	ND	ND	ND	ND	ND	0.008
鋅	mg/L	25	50	<0.020(0.009)	ND	<0.020(0.008)	0.017	0.004	ND	0.006
汞	mg/L	0.01	0.02	ND	ND	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0111	0.0059	0.0114	0.0082	0.0091	0.0025	0.0034
鐵	mg/L	1.5	*	0.169	<0.100(0.028)	<0.100(0.050)	0.684	0.152	0.055	0.103
錳	mg/L	0.25	*	0.29	0.283	0.244	0.238	0.399	0.325	0.513
油脂	mg/L	*	*	1	<1.0	<1.0	0.7	3.2	2.5	1.7
總有機碳(TOC)	mg/L	10	*	0.4	0.4	0.4	3.2	3.5	2.6	2.5
總酚	mg/L	0.14	*	ND	ND	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	1.85	3.7	—	—	—	ND	ND	ND	ND
2,4,6-三氯酚	mg/L	0.05	0.1	—	—	—	ND	ND	ND	ND
五氯酚	mg/L	0.04	0.08	—	—	—	ND	ND	ND	ND
苯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
甲苯	mg/L	5	10	ND	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	50	100	ND	ND	ND	ND	ND	ND	ND
乙苯	mg/L	3.5	7	ND	ND	ND	ND	ND	ND	ND
氯苯	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	0.375	0.75	ND	ND	ND	ND	ND	ND	ND
萘	mg/L	0.2	0.4	ND	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	0.15	0.3	ND	ND	ND	ND	ND	ND	ND
二氯甲烷	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
氯仿	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	4.25	8.5	ND	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	3	6	ND	ND	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
氯乙烯	mg/L	0.01	0.02	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	0.035	0.07	ND	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND	ND	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
三氯乙烯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
四氯乙烯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
四氯化碳	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	5	10	—	<0.500	<0.500	ND	ND	ND	ND
氯化物	mg/L	0.25	0.5	<0.008(0.005)	ND	ND	ND	ND	ND	ND
甲基第三丁基醚	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	<1.00	<1.00	<1.00	0.00187	0.00096	ND	ND
1,2-二氯苯	mg/L	0.025	0.05	—	ND	ND	ND	ND	ND	ND
3,3'-二氯聯苯胺	mg/L	0.05	0.1	—	—	—	ND	ND	ND	ND
1,1,1-三氯乙烷	mg/L	1	2	—	—	—	ND	ND	ND	ND
柴油總碳氫化合物	mg/L	*	*	<0.500	<0.500	ND	ND	—	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 10 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	104 年第 4 季	105 年第 1 季	105 年第 2 季	105 年第 3 季	105 年第 4 季	106 年第 1 季	106 年第 2 季
水溫	°C	*	*	30.3	24.1	26.4	30.6	25.8	23.2	26.3
pH 值	-	*	*	7.74	7.9	8.1	8	7.9	7.9	7.9
濁度	NTU	*	*	0.85	1.4	1	1.7	2.2	2.8	1.2
導電度	μmho/cm	*	*	6630	3850	2370	2650	4860	3080	2190
總溶解固體	mg/L	1250	*	3860	2550	1450	1790	2870	1870	1340
總硬度	mg/L	750	*	622	417	295	358	464	1980	451
氯鹽	mg/L	625	*	1590	962	439	649	1160	599	444
總餘氯	mg/L	*	*	0.05	ND<0.04	ND<0.04	ND<0.04	ND<0.04	ND<0.04	0.3
硫酸鹽	mg/L	625	*	867	447	382	453	464	455	319
硫化物	mg/L	*	*	0.02	ND<0.01	ND<0.01	ND<0.01	ND<0.007	0.02	ND<0.015
氨氮	mg/L	0.25	*	2.05	1.42	1.52	2.56	2.52	1.57	1.2
亞硝酸鹽氮	mg/L	5	10	0.01	ND<0.001	0.02	ND<0.001	ND<0.001	ND<0.001	ND<0.001
硝酸鹽氮	mg/L	50	100	0.39	ND<0.004	0.01	0.01	ND<0.01	ND<0.004	0.03
無機氯含量	mg/L	*	*	2.45	1.42	1.55	2.57	2.52	1.57	1.23
總含氯量	mg/L	*	*	2.52	1.85	1.59	2.21	2.26	1.81	1.49
氯鹽	mg/L	4	8	1.18	1.19	1.3	1.27	1.29	1.27	1.13
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.0003	ND<0.002	ND<0.002
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.0027	ND<0.002	ND<0.002
銅	mg/L	5	10	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.0024	0.006	ND<0.005
鎳	mg/L	0.5	1	ND<0.002	ND<0.002	ND<0.003	ND<0.003	ND<0.0027	ND<0.003	ND<0.003
鉛	mg/L	0.05	0.1	ND<0.006	ND<0.006	ND<0.005	ND<0.005	ND<0.0024	0.006	ND<0.006
鋅	mg/L	25	50	0.009	0.021	0.005	0.012	0.015	0.004	0.009
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0002	ND<0.0003	ND<0.0003
砷	mg/L	0.25	0.5	0.0124	0.0131	0.0168	0.0213	0.0232	0.0214	0.0143
鐵	mg/L	1.5	*	0.177	0.019	0.286	0.252	0.045	0.123	0.168
錳	mg/L	0.25	*	0.267	0.214	0.159	0.172	0.191	0.182	0.132
油脂	mg/L	*	*	0.8	0.1	1.7	0.3	0.6	0.4	0.2
總有機碳(TOC)	mg/L	10	*	1.8	4.2	2.9	4.1	2.1	3.2	2.4
總酚	mg/L	0.14	*	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0016	ND<0.0021	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00168	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00198
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00169	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00191
五氯酚	mg/L	0.04	0.08	ND<0.00187	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00173
苯	mg/L	0.025	0.05	ND<0.0016	ND<0.00160	ND<0.00037	ND<0.00037	ND<0.00050	ND<0.00050	ND<0.00014
甲苯	mg/L	5	10	ND<0.00141	ND<0.00141	ND<0.00017	ND<0.00017	ND<0.00014	ND<0.00014	ND<0.00014
二甲苯	mg/L	50	100	ND<0.002	ND<0.00200	ND<0.001	ND<0.001	ND<0.00082	ND<0.00082	ND<0.00051
乙苯	mg/L	3.5	7	ND<0.00144	ND<0.00144	ND<0.00017	ND<0.00017	ND<0.00014	ND<0.00014	ND<0.00016
氯苯	mg/L	0.5	1	ND<0.00153	ND<0.001513	ND<0.00155	ND<0.00155	ND<0.00161	ND<0.00161	ND<0.00036
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00152	ND<0.00152	ND<0.00036	ND<0.00036	ND<0.00055	ND<0.00055	ND<0.00036
萘	mg/L	0.2	0.4	ND<0.00153	ND<0.00153	ND<0.00018	ND<0.00018	ND<0.00014	ND<0.00014	ND<0.00033
氯甲烷	mg/L	0.15	0.3	ND<0.00155	ND<0.00155	ND<0.00167	ND<0.00167	ND<0.00182	ND<0.00182	ND<0.00149
二氯甲烷	mg/L	0.025	0.05	ND<0.00169	ND<0.00169	ND<0.00037	ND<0.00037	ND<0.00065	ND<0.00065	ND<0.00044
氯仿	mg/L	0.5	1	ND<0.00153	ND<0.00153	ND<0.00039	ND<0.00039	ND<0.00063	ND<0.00063	ND<0.00040
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00152	ND<0.00152	ND<0.0004	ND<0.0004	ND<0.00062	ND<0.00062	ND<0.00036
1,2-二氯乙烷	mg/L	3	6	ND<0.00157	ND<0.00157	ND<0.00037	ND<0.00037	ND<0.00054	ND<0.00054	ND<0.00037
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00159	ND<0.00159	ND<0.00168	ND<0.00168	ND<0.00159	ND<0.00159	ND<0.00035
氯乙烯	mg/L	0.01	0.02	ND<0.00171	ND<0.00171	ND<0.00169	ND<0.00169	ND<0.00197	ND<0.00197	ND<0.00164
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00166	ND<0.00166	ND<0.00161	ND<0.00161	ND<0.00196	ND<0.00196	ND<0.00153
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00174	ND<0.00174	ND<0.00167	ND<0.00167	ND<0.00161	ND<0.00161	ND<0.00035
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00171	ND<0.00171	ND<0.00037	ND<0.00037	ND<0.00065	ND<0.00065	ND<0.00169
三氯乙烯	mg/L	0.025	0.05	ND<0.00147	ND<0.00147	ND<0.00036	ND<0.00036	ND<0.00059	ND<0.00059	ND<0.00175
四氯乙烯	mg/L	0.025	0.05	ND<0.00158	ND<0.00158	ND<0.00163	ND<0.00163	ND<0.00173	ND<0.00173	ND<0.00039
四氯化碳	mg/L	0.025	0.05	ND<0.00169	ND<0.00169	ND<0.00039	ND<0.00039	ND<0.00017	ND<0.00017	ND<0.00158
總石油碳氫化合物	mg/L	5	10	ND<0.171	ND<0.171	ND<0.186	ND<0.152	ND<0.186	ND<0.186	ND<0.184
氰化物	mg/L	0.25	0.5	0.003	ND<0.002	ND<0.002	ND<0.002	0.007	ND<0.002	ND<0.002
甲基第三基醚	mg/L	0.5	1	ND<0.00142	ND<0.00142	ND<0.0004	ND<0.0004	ND<0.00050	ND<0.00050	ND<0.00134
甲醛	mg/L	*	*	ND<0.00294	0.0132	ND<0.00296	ND<0.00296	ND<0.00296	ND<0.00296	0.017
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00165	ND<0.00165	ND<0.00017	ND<0.00017	ND<0.00016	ND<0.00016	ND<0.00035
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00213	ND<0.0014	ND<0.0014	ND<0.0014	ND<0.00140	ND<0.00140	ND<0.00137
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00147	ND<0.00147	ND<0.00037	ND<0.00037	ND<0.00020	ND<0.00020	ND<0.00161
柴油總碳氫化合物	mg/L	*	*	—	ND<0.142	ND<0.156	ND<0.122	ND<0.156	ND<0.122	ND<0.122

註：1.「*」表示法規尚未規定，「—」表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 10 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	106 年第 3 季	106 年第 4 季	107 年第 1 季	107 年第 2 季	107 年第 3 季	107 年第 4 季	108 年第 1 季
水溫	℃	*	*	31.2	27.7	21	24.5	30.1	26.6	22.3
pH 值	-	*	*	8	7.7	7.8	7.9	8	8	7.6
濁度	NTU	*	*	2.2	1.4	2.5	4.4	1	4.9	3.1
導電度	μmho/cm	*	*	4760	2450	1890	1980	2960	3150	2760
總溶解固體	mg/L	1250	*	2640	1370	1120	1390	1780	2430	1620
總硬度	mg/L	750	*	448	305	303	347	395	480	365
氯鹽	mg/L	625	*	974	510	292	339	656	918	708
總餘氯	mg/L	*	*	0.05	ND<0.04	0.05	ND<0.04	ND<0.04	ND<0.04	ND<0.04
硫酸鹽	mg/L	625	*	428	264	227	290	482	733	429
硫化物	mg/L	*	*	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01
氯氣	mg/L	0.25	*	2.01	1.61	1.36	1.65	1.75	1.97	1.4
亞硝酸鹽氮	mg/L	5	10	0.08	0.01	ND<0.001	0.03	0.01	0.1	ND<0.001
硝酸鹽氮	mg/L	50	100	0.01	0.01	0.03	0.01	0.01	0.09	0.01
無機氮含量	mg/L	*	*	2.1	1.63	1.39	1.69	1.77	2.16	1.41
總含氮量	mg/L	*	*	2.51	1.85	1.4	1.71	1.75	2.47	1.89
氯鹽	mg/L	4	8	1.24	1.3	1.39	1.28	1.2	1.18	1.22
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
銅	mg/L	5	10	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005
鎳	mg/L	0.5	1	ND<0.003	ND<0.003	ND<0.003	ND<0.003	ND<0.003	ND<0.003	ND<0.003
鉛	mg/L	0.05	0.1	0.007	ND<0.006	ND<0.006	ND<0.006	ND<0.006	ND<0.006	ND<0.006
鋅	mg/L	25	50	0.006	0.007	0.022	0.01	0.004	0.01	0.01
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003
砷	mg/L	0.25	0.5	0.0253	0.0207	0.0152	0.0169	0.0206	0.0164	0.0215
鐵	mg/L	1.5	*	0.535	0.209	0.033	0.112	0.382	0.229	0.484
錳	mg/L	0.25	*	0.201	0.135	0.107	0.137	0.188	0.18	0.142
油脂	mg/L	*	*	1	1	3.2	0.5	1	0.6	0.2
總有機碳(TOC)	mg/L	10	*	2.5	2.2	2.4	1.1	0.7	3	1.3
總酚	mg/L	0.14	*	0.0028	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00198	ND<0.00198	ND<0.00198	ND<0.00150	ND<0.00150	ND<0.00150	ND<0.00150
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00191	ND<0.00191	ND<0.00191	ND<0.00156	ND<0.00156	ND<0.00156	ND<0.00156
五氯酚	mg/L	0.04	0.08	ND<0.00173	ND<0.00173	ND<0.00173	ND<0.00162	ND<0.00162	ND<0.00162	ND<0.00162
苯	mg/L	0.025	0.05	ND<0.00055	ND<0.00014	ND<0.00014	ND<0.00052	ND<0.00013	ND<0.00013	ND<0.00052
甲苯	mg/L	5	10	ND<0.00014	ND<0.00014	ND<0.00014	ND<0.00015	ND<0.00013	ND<0.00013	ND<0.00015
二甲苯	mg/L	50	100	ND<0.00082	ND<0.00051	ND<0.00051	ND<0.00081	ND<0.00049	ND<0.00049	ND<0.00081
乙苯	mg/L	3.5	7	ND<0.00013	ND<0.00016	ND<0.00016	ND<0.00014	ND<0.00013	ND<0.00013	ND<0.00014
氯苯	mg/L	0.5	1	ND<0.00135	ND<0.00036	ND<0.00036	ND<0.00140	ND<0.00036	ND<0.00036	ND<0.00140
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00049	ND<0.00036	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
苯	mg/L	0.2	0.4	ND<0.00019	ND<0.00033	ND<0.00033	ND<0.00018	ND<0.00035	ND<0.00035	ND<0.00018
氯甲烷	mg/L	0.15	0.3	ND<0.00152	ND<0.00149	ND<0.00149	ND<0.00157	ND<0.00134	ND<0.00134	ND<0.00157
二氯甲烷	mg/L	0.025	0.05	ND<0.00065	ND<0.00044	ND<0.00044	ND<0.00052	ND<0.00049	ND<0.00049	ND<0.00052
氯仿	mg/L	0.5	1	ND<0.00063	ND<0.00040	ND<0.00040	ND<0.00046	ND<0.00039	ND<0.00039	ND<0.00046
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00059	ND<0.00036	ND<0.00036	ND<0.00042	ND<0.00036	ND<0.00036	ND<0.00042
1,2-二氯乙烷	mg/L	3	6	ND<0.00015	ND<0.00037	ND<0.00037	ND<0.00016	ND<0.00037	ND<0.00037	ND<0.00016
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00144	ND<0.00035	ND<0.00035	ND<0.00165	ND<0.00034	ND<0.00034	ND<0.00165
氯乙烷	mg/L	0.01	0.02	ND<0.00157	ND<0.00164	ND<0.00164	ND<0.00155	ND<0.00130	ND<0.00130	ND<0.00155
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00169	ND<0.00153	ND<0.00153	ND<0.00138	ND<0.00130	ND<0.00130	ND<0.00138
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00135	ND<0.00035	ND<0.00035	ND<0.00156	ND<0.00033	ND<0.00033	ND<0.00156
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00065	ND<0.00169	ND<0.00169	ND<0.00046	ND<0.00130	ND<0.00130	ND<0.00046
三氯乙烯	mg/L	0.025	0.05	ND<0.00055	ND<0.00175	ND<0.00175	ND<0.00037	ND<0.00172	ND<0.00172	ND<0.00037
四氯乙烯	mg/L	0.025	0.05	ND<0.00139	ND<0.00039	ND<0.00039	ND<0.00164	ND<0.00040	ND<0.00040	ND<0.00164
四氯化碳	mg/L	0.025	0.05	ND<0.00015	ND<0.00158	ND<0.00158	ND<0.00016	ND<0.00118	ND<0.00118	ND<0.00016
柴油總碳氫化合物	mg/L	*	*	ND<0.122	ND<0.132	ND<0.132	ND<0.132	ND<0.132	ND<0.132	ND<0.132
總石油碳氫化合物	mg/L	5	10	ND<0.184	ND<0.184	ND<0.184	ND<0.198	ND<0.198	ND<0.198	ND<0.198
氯化物	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
甲基第三丁基醚	mg/L	0.5	1	ND<0.00049	ND<0.00134	ND<0.00134	ND<0.00036	ND<0.00087	ND<0.00087	ND<0.00036
甲醛	mg/L	*	*	0.00272	ND<0.00266	ND<0.00266	ND<0.00484	ND<0.00484	0.0147	ND<0.00484
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00051	ND<0.00035	ND<0.00035	ND<0.00045	ND<0.00036	ND<0.00036	ND<0.00045
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00137	ND<0.00137	ND<0.00137	ND<0.00158	ND<0.00158	ND<0.00158	ND<0.00158
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00017	ND<0.00161	ND<0.00161	ND<0.00015	ND<0.00127	ND<0.00127	ND<0.00015

註：1.「*」表示法規尚未規定，“-”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 10 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	108 年第 2 季	108 年第 3 季	108 年第 4 季	109 年第 1 季	109 年第 2 季	109 年第 3 季	109 年第 4 季
水溫	℃	*	*	26.1	28.3	31.9	25.1	25.2	33.1	30.4
pH 值	-	*	*	7.8	7.8	7.8	7.9	8	7.9	8
濁度	NTU	*	*	2.4	5.4	1.2	2.9	0.5	1.2	1.7
導電度	umho/cm	*	*	2480	3310	3640	2310	3140	2490	2560
總溶解固體	mg/L	1250	*	1450	2090	2950	1370	2010	1640	1580
總硬度	mg/L	750	*	358	364	380	360	346	396	390
氯鹽	mg/L	625	*	1060	644	628	389	672	452	415
總餘氯	mg/L	*	*	ND<0.04	ND<0.019	ND<0.019	ND<0.019	ND<0.019	0.06	0.04
硫酸鹽	mg/L	625	*	417	384	352	298	383	326	297
硫化物	mg/L	*	*	ND<0.01	ND<0.0048	<0.02(0.01)	<0.02(0.02)	0.02	<0.02(0.005)	<0.02(0.02)
氯氣	mg/L	0.25	*	1.26	2.18	1.91	2.08	2.19	1.9	1.79
亞硝酸鹽氮	mg/L	5	10	0.02	<0.01(0.001)	<0.01(0.003)	<0.01(0.002)	<0.01(0.001)	0.02	<0.01(0.005)
硝酸鹽氮	mg/L	50	100	0.04	<0.01(0.002)	0.04	<0.01(0.00)	0.02	0.04	<0.01(0.01)
無機氮含量	mg/L	*	*	1.32	2.18	1.95	2.08	2.21	1.96	1.8
總含氮量	mg/L	*	*	1.64	2.38	2.49	2.41	3.41	2.22	1.82
氯鹽	mg/L	4	8	1.27	1.18	1.15	1.14	1.55	1.1	1.14
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.00041	ND<0.00041	ND<0.00041	ND<0.00019	ND<0.00019	ND<0.00019
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.00048	ND<0.00048	ND<0.00048	ND<0.00037	ND<0.00037	ND<0.00037
銅	mg/L	5	10	ND<0.005	ND<0.00090	ND<0.00090	ND<0.0009	ND<0.00053	ND<0.00053	<0.0025 (0.001)
鎳	mg/L	0.5	1	ND<0.003	<0.01(0.002)	<0.01(0.002)	<0.01(0.002)	<0.005 (0.0012)	<0.005(0.002)	<0.005(0.002)
鉛	mg/L	0.05	0.1	ND<0.006	ND<0.0030	ND<0.0030	ND<0.003	ND<0.0024	ND<0.0024	ND<0.0024
鋅	mg/L	25	50	<0.009(0.006)	<0.005(0.003)	<0.005(0.004)	<0.005(0.003)	0.006	0.003	0.004
汞	mg/L	0.01	0.02	ND<0.0003	<0.0004(0.0001)	<0.0004(0.0001)	ND<0.000081	ND<0.000084	<0.0004(0.0002)	ND<0.000084
砷	mg/L	0.25	0.5	0.017	0.0221	0.0184	0.0315	0.0195	0.0247	0.0339
鐵	mg/L	1.5	*	0.295	0.305	0.112	0.266	0.073	0.227	0.219
錳	mg/L	0.25	*	0.151	0.22	0.159	0.196	0.158	0.194	0.191
油脂	mg/L	*	*	3.2	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	1.3	0.9	1	1	0.9	0.8	1.3
總酚	mg/L	0.14	*	ND<0.0021	ND<0.0039	ND<0.0042	ND<0.0042	ND<0.0038	ND<0.0038	<0.02(0.0120)
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00197	ND<0.00039	ND<0.00039	ND<0.00039	ND<0.00051	ND<0.00051	ND<0.00051
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00205	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
五氯酚	mg/L	0.04	0.08	ND<0.00152	ND<0.00042	ND<0.00042	ND<0.00042	ND<0.00073	ND<0.00073	ND<0.00073
苯	mg/L	0.025	0.05	ND<0.00044	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00028	ND<0.00028	ND<0.00028
甲苯	mg/L	5	10	ND<0.00015	<0.0005 (0.00036)	<0.001 (0.00022)	ND<0.00022	<0.001 (0.00046)	<0.001 (0.00051)	ND<0.00031
二甲苯	mg/L	50	100	ND<0.00107	ND<0.00016	ND<0.00016	ND<0.00016	ND<0.00038	ND<0.00038	ND<0.00038
乙苯	mg/L	3.5	7	ND<0.00015	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
氯苯	mg/L	0.5	1	ND<0.00177	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.00025	ND<0.00025	ND<0.00025
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00034	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
萘	mg/L	0.2	0.4	ND<0.00014	ND<0.00020	ND<0.00020	ND<0.00020	ND<0.00027	ND<0.00027	ND<0.00027
氯甲烷	mg/L	0.15	0.3	ND<0.00184	ND<0.000080	ND<0.000080	ND<0.000080	ND<0.00038	ND<0.00038	ND<0.00038
二氯甲烷	mg/L	0.025	0.05	ND<0.00044	<0.0005 (0.00021)	ND<0.00015	<0.001 (0.00033)	ND<0.00041	ND<0.00041	ND<0.00041
氯仿	mg/L	0.5	1	ND<0.00041	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00025	ND<0.00025	ND<0.00025
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00037	ND<0.000070	ND<0.000070	ND<0.000070	ND<0.00027	ND<0.00027	ND<0.00027
1,2-二氯乙烷	mg/L	3	6	ND<0.00019	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00196	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00025	ND<0.00025	ND<0.00025
氯乙烯	mg/L	0.01	0.02	ND<0.00201	ND<0.000078	ND<0.000078	ND<0.000078	ND<0.00029	ND<0.00029	ND<0.00029
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00192	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00029	ND<0.00029	ND<0.00029
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00218	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00027	ND<0.00027	ND<0.00027
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00035	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00025	ND<0.00025	ND<0.00025
三氯乙烯	mg/L	0.025	0.05	ND<0.00036	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.00026	ND<0.00026	ND<0.00026
四氯乙烯	mg/L	0.025	0.05	ND<0.00202	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00027	ND<0.00027	ND<0.00027
四氯化碳	mg/L	0.025	0.05	ND<0.00016	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00025	ND<0.00025	ND<0.00025
柴油總碳氫化合物	mg/L	*	*	ND<0.149	<0.050(0.013)	<0.050(0.028)	<0.050(0.014)	<0.050(0.029)	<0.050(0.020)	<0.050(0.022)
總石油碳氫化合物	mg/L	5	10	ND<0.205	<0.055(0.026)	<0.071(0.053)	<0.055(0.026)	<0.060(0.042)	<0.034(0.031)	<0.034(0.033)
氯化物	mg/L	0.25	0.5	ND<0.002	<0.004(0.001)	ND<0.00045	ND<0.00045	ND<0.00048	<0.004 (0.0005)	ND<0.00048
甲基第三丁基醚	mg/L	0.5	1	ND<0.00035	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.0003	ND<0.0003	ND<0.0003
甲醛	mg/L	*	*	ND<0.00414	ND<0.00782	ND<0.00782	ND<0.00782	<0.0286 (0.00721)	<0.0286 (0.0103)	<0.0286 (0.00628)
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00039	ND<0.00014	ND<0.00014	ND<0.00014	ND<0.00027	ND<0.00027	ND<0.00027
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00196	ND<0.00290	ND<0.00290	ND<0.00290	ND<0.00053	ND<0.00053	ND<0.00053
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00017	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00025	ND<0.00025	ND<0.00025

註：1.「*」表示法規尚未規定，「—」表示並無監測

- 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 10 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	110 年第 1 季	110 年第 2 季	110 年第 3 季	110 年第 4 季	111 年第 1 季	111 年第 2 季	111 年第 3 季
水溫	℃	*	*	23.8	29.8	30.3	26.2	20.5	26.3	28.5
pH 值	-	*	*	7.8	7.8	7.7	7.7	7.9	7.8	7.9
濁度	NTU	*	*	10	0.7	4.8	3.7	1.9	3.4	2.5
導電度	μmho/cm	*	*	2320	2330	2210	2510	2680	2450	3170
總溶解固體	mg/L	1250	*	1370	1330	1320	1620	1580	1470	1970
總硬度	mg/L	750	*	393	454	476	487	396	404	396
氯鹽	mg/L	625	*	366	337	154	468	468	361	604
總餘氯	mg/L	*	*	0.03	0.03	0.04	0.03	0.04	0.04	ND<0.020
硫酸鹽	mg/L	625	*	269	288	134	313	344	288	371
硫化物	mg/L	*	*	<0.02(0.01)	<0.02(0.01)	<0.02(0.0037)	<0.02(0.01)	<0.02(0.01)	<0.02(0.014)	ND<0.0025
氨氣	mg/L	0.25	*	1.71	2.22	2.13	1.91	1.95	1.76	1.98
亞硝酸鹽氮	mg/L	5	10	0.02	0.02	0.03	<0.01(0.006)	<0.01(0.005)	0.05	<0.01(0.006)
硝酸鹽氮	mg/L	50	100	0.03	0.01	<0.01(0.003)	0.03	0.07	0.04	0.01
無機氮含量	mg/L	*	*	1.76	2.25	2.16	1.95	2.02	1.85	2
總含氮量	mg/L	*	*	1.87	2.27	2.63	1.96	2.04	1.87	2.01
氯鹽	mg/L	4	8	1.09	0.92	0.93	0.92	1.09	1.1	1.08
鎘	mg/L	0.025	0.05	ND<0.00019	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.0009	ND<0.00037	<0.002(0.000)
鉻	mg/L	0.25	0.5	ND<0.00037	ND<0.00054	ND<0.00054	ND<0.00054	ND<0.00054	<0.005(0.001)	ND<0.00056
銅	mg/L	5	10	<0.0025 (0.001)	ND<0.0011	<0.0025 (0.001)	ND<0.0011	<0.005 (0.0015)	<0.005(0.001)	ND<0.0011
鎳	mg/L	0.5	1	<0.005(0.002)	<0.005(0.002)	<0.005(0.001)	ND<0.0014	<0.01(0.0032)	ND<0.0017	ND<0.0017
鉛	mg/L	0.05	0.1	ND<0.0024	ND<0.0032	ND<0.0032	ND<0.0032	<0.01(0.0040)	ND<0.0031	ND<0.0031
鋅	mg/L	25	50	0.005	0.011	0.008	0.007	0.016	ND<0.0018	0.019
汞	mg/L	0.01	0.02	ND<0.000084	ND<0.000094	0.0004	ND<0.000094	ND<0.000094	ND<0.00011	ND<0.00011
砷	mg/L	0.25	0.5	0.0281	0.0272	0.0266	0.0282	0.022	0.0194	0.0283
鐵	mg/L	1.5	*	0.125	0.217	0.536	0.391	0.133	<0.01(0.003)	0.41
錳	mg/L	0.25	*	0.176	0.22	0.273	0.292	0.231	0.217	0.213
油脂	mg/L	*	*	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	0.6	0.9	0.9	0.8	0.9	0.7	0.7
總酚	mg/L	0.14	*	ND<0.0038	ND<0.0029	ND<0.0029	ND<0.0029	ND<0.0029	ND<0.0021	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00037	ND<0.00037
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00038	ND<0.00056	ND<0.00056	ND<0.00056	ND<0.00056	ND<0.00057	ND<0.00057
五氯酚	mg/L	0.04	0.08	ND<0.00073	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00041	ND<0.00041
苯	mg/L	0.025	0.05	ND<0.00028	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00023	ND<0.00023
甲苯	mg/L	5	10	ND<0.00031	<0.001 (0.00096)	ND<0.00029	<0.001 (0.00092)	ND<0.00029	ND<0.00025	ND<0.00025
二甲苯	mg/L	50	100	ND<0.00038	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00036	ND<0.00036
乙苯	mg/L	3.5	7	ND<0.00027	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00023	ND<0.00023
氯苯	mg/L	0.5	1	ND<0.00025	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00027	ND<0.00027
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00027	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00041	ND<0.00041
苯	mg/L	0.2	0.4	ND<0.00027	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00039	ND<0.00039
氯甲烷	mg/L	0.15	0.3	ND<0.00038	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00027	ND<0.00027
二氯甲烷	mg/L	0.025	0.05	ND<0.00041	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
氯仿	mg/L	0.5	1	ND<0.00025	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00025	ND<0.00025
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00027	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00022	ND<0.00022
1,2-二氯乙烷	mg/L	3	6	ND<0.00027	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00027	ND<0.00027
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00025	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033
氯乙烯	mg/L	0.01	0.02	ND<0.00029	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00022	ND<0.00022
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00029	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00021	ND<0.00021
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00027	ND<0.00026	ND<0.00026	ND<0.00026	ND<0.00026	ND<0.00020	ND<0.00020
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00025	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00028	ND<0.00028
三氯乙烯	mg/L	0.025	0.05	ND<0.00026	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021	ND<0.00021
四氯乙烯	mg/L	0.025	0.05	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00020	ND<0.00020
四氯化碳	mg/L	0.025	0.05	ND<0.00025	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00022	ND<0.00022
柴油總碳氫化合物	mg/L	*	*	<0.050(0.033)	<0.050(0.019)	<0.050(0.021)	<0.050(0.018)	0.051	<0.050(0.028)	<0.050(0.031)
總石油碳氫化合物	mg/L	5	10	0.035	<0.038(0.028)	<0.038(0.032)	<0.038(0.032)	0.061	<0.056(0.037)	0.043
氯化物	mg/L	0.25	0.5	<0.004 (0.0018)	ND<0.00053	ND<0.00053	ND<0.00053	ND<0.00053	<0.004 (0.0009)	<0.004 (0.0010)
甲基第三丁基醚	mg/L	0.5	1	ND<0.0003	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00021	ND<0.00021
甲醛	mg/L	*	*	<0.0286 (0.00875)	ND<0.00625	ND<0.00625	<0.0286 (0.00958)	ND<0.00625	ND<0.00628	ND<0.00628
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00027	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00046	ND<0.00046
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00053	ND<0.00055	ND<0.00055	ND<0.00055	ND<0.00055	ND<0.00060	ND<0.00060
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021	ND<0.00021

註：1.「*」表示法規尚未規定，“-”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 10 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	111 年第 4 季	112 年第 1 季	112 年第 2 季	112 年第 3 季	112 年第 4 季	113 年第 1 季	113 年第 2 季
水溫	℃	*	*	28.1	22.2	24.5	29.9	27.5	23.5	27.8
pH 值	-	*	*	7.8	7.9	7.8	7.9	7.8	7.9	7.9
濁度	NTU	*	*	5.9	2.3	10	5.1	2.5	3.6	15
導電度	umho/cm	*	*	3280	2370	2590	2970	2900	4020	2710
總溶解固體	mg/L	1250	*	1880	1310	1660	1820	1600	2370	1630
總硬度	mg/L	750	*	405	391	526	443	403	376	438
氯鹽	mg/L	625	*	479	362	392	562	443	758	508
總餘氯	mg/L	*	*	ND<0.020	ND<0.020	0.08	ND<0.023	ND<0.023	ND<0.023	ND<0.024
硫酸鹽	mg/L	625	*	313	302	303	365	302	448	341
硫化物	mg/L	*	*	ND<0.0025	<0.02(0.0059)	ND<0.0038	ND<0.0038	ND<0.0038	ND<0.0038	ND<0.0056
氯氣	mg/L	0.25	*	1.86	1.57	2.21	1.81	1.28	1.79	1.37
亞硝酸鹽氮	mg/L	5	10	ND<0.00015	<0.01(0.004)	0.02	<0.01(0.005)	<0.01(0.002)	<0.01(0.007)	<0.01(0.006)
硝酸鹽氮	mg/L	50	100	0.01	0	0.02	0.01	0.77	0.08	0.02
無機氯含量	mg/L	*	*	1.87	<0.01	2.25	1.82	1.28	1.88	1.4
總含氯量	mg/L	*	*	1.89	2	2.78	1.84	1.29	1.89	1.64
氯鹽	mg/L	4	8	1.3	1.13	0.81	1.14	1.24	1.41	1.13
鎘	mg/L	0.025	0.05	ND<0.00037	ND<0.00037	ND<0.00024	ND<0.00053	ND<0.00053	<0.001 (0.00025)	ND<0.00049
鉻	mg/L	0.25	0.5	ND<0.00056	ND<0.00056	ND<0.00028	ND<0.00048	<0.002 (0.00030)	<0.002 (0.00045)	ND<0.00049
銅	mg/L	5	10	ND<0.0011	ND<0.0011	ND<0.00039	<0.005(0.001)	ND<0.00069	0.003	ND<0.00054
鎳	mg/L	0.5	1	<0.01(0.002)	<0.010(0.002)	<0.010(0.003)	<0.010(0.001)	ND<0.0013	<0.005(0.001)	ND<0.0018
鉛	mg/L	0.05	0.1	ND<0.0031	ND<0.0031	ND<0.0027	ND<0.0025	ND<0.0025	ND<0.0027	ND<0.0027
鋅	mg/L	25	50	<0.005(0.004)	<0.005(0.002)	<0.005(0.003)	<0.005(0.002)	ND<0.0011	0.014	<0.002(0.002)
汞	mg/L	0.01	0.02	ND<0.00011	ND<0.00011	<0.0004 (0.0002)	ND<0.00013	ND<0.00013	ND<0.00013	<0.0004 (0.0001)
砷	mg/L	0.25	0.5	0.0324	0.0231	0.0193	0.0239	0.0216	0.0351	0.0248
鐵	mg/L	1.5	*	0.042	0.025	<0.010(0.004)	0.038	0.149	0.846	0.182
錳	mg/L	0.25	*	0.24	0.2	0.268	0.248	0.19	0.183	0.206
油脂	mg/L	*	*	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	0.9	1.2	1.1	0.8	0.8	0.9	0.9
總酚	mg/L	0.14	*	ND<0.0021	ND<0.0021	ND<0.0015	ND<0.0048	ND<0.0048	ND<0.0046	ND<0.0068
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00037	ND<0.00037	ND<0.00079	ND<0.00065	ND<0.00065	ND<0.00079	ND<0.00059
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00057	ND<0.00057	ND<0.00075	ND<0.00053	ND<0.00053	ND<0.00075	ND<0.00057
五氯酚	mg/L	0.04	0.08	ND<0.00041	ND<0.00041	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00036	ND<0.00043
苯	mg/L	0.025	0.05	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00022
甲苯	mg/L	5	10	ND<0.00025	ND<0.00025	ND<0.00022	<0.00100 (0.00041)	<0.00100 (0.00053)	ND<0.00022	<0.00100 (0.00044)
二甲苯	mg/L	50	100	ND<0.00036	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00032
乙苯	mg/L	3.5	7	ND<0.00023	ND<0.00023	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00022
氯苯	mg/L	0.5	1	ND<0.00027	ND<0.00027	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00041	ND<0.00041	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021
苯	mg/L	0.2	0.4	ND<0.00039	ND<0.00039	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00023
氯甲烷	mg/L	0.15	0.3	ND<0.00027	ND<0.00027	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00025
二氯甲烷	mg/L	0.025	0.05	ND<0.00038	ND<0.00038	ND<0.00045	ND<0.00045	ND<0.00045	ND<0.00045	ND<0.00044
氯仿	mg/L	0.5	1	ND<0.00025	ND<0.00025	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00030
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00022	ND<0.00022	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
1,2-二氯乙烷	mg/L	3	6	ND<0.00027	ND<0.00027	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00033	ND<0.00033	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00023
氯乙烯	mg/L	0.01	0.02	ND<0.00022	ND<0.00022	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00028
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00021	ND<0.00021	ND<0.00022	ND<0.00022	ND<0.00022	ND<0.00022	ND<0.00025
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00020	ND<0.00020	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00022
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00028	ND<0.00028	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00020
三氯乙烯	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00020
四氯乙烯	mg/L	0.025	0.05	ND<0.00020	ND<0.00020	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00018
四氯化碳	mg/L	0.025	0.05	ND<0.00022	ND<0.00022	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021
柴油總碳氫化合物	mg/L	*	*	<0.050(0.033)	<0.050(0.016)	<0.050(0.020)	<0.050(0.014)	0.055	<0.050(0.020)	<0.050(0.047)
總石油碳氫化合物	mg/L	5	10	<0.055(0.035)	0.056	<0.039(0.033)	<0.039(0.031)	0.063	<0.039(0.029)	0.055
氯化物	mg/L	0.25	0.5	ND<0.00052	ND<0.00052	ND<0.00048	ND<0.00048	ND<0.00048	ND<0.00048	<0.004 (0.0015)
甲基第三丁基醚	mg/L	0.5	1	ND<0.00021	ND<0.00021	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
甲醛	mg/L	*	*	<0.0286 (0.0229)	ND<0.00628	<0.0286 (0.00645)	<0.0286 (0.00438)	<0.0286 (0.00516)	ND<0.00415	ND<0.00338
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00046	ND<0.00046	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00060	ND<0.00060	ND<0.00082	ND<0.00057	ND<0.00057	ND<0.00082	ND<0.00052
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00021	ND<0.00021	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021

註：1. 「*」表示法規尚未規定，“—”表示並無監測

- 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 10 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	113 年第 3 季	113 年第 4 季	114 年第 1 季				
水溫	℃	*	*	31.9	28.4	24				
pH 值	-	*	*	7.6	7.9	7.6				
濁度	NTU	*	*	10	2.40	2.70				
導電度	umho/cm	*	*	4270	4080	2960				
總溶解固體	mg/L	1250	*	2950	2430	1830				
總硬度	mg/L	750	*	785	387	361				
氯鹽	mg/L	625	*	1050	864	494				
總餘氯	mg/L	*	*	0.06	ND<0.024	ND<0.024				
硫酸鹽	mg/L	625	*	435	448	325				
硫化物	mg/L	*	*	ND<0.0056	ND<0.0056	ND<0.0056				
氯氣	mg/L	0.25	*	1.93	2.19	1.48				
亞硝酸鹽氮	mg/L	5	10	<0.01(0.001)	<0.01(0.005)	ND<0.00014				
硝酸鹽氮	mg/L	50	100	<0.01(0.01)	0.02	0.01				
無機氮含量	mg/L	*	*	1.94	2.21	1.49				
總含氮量	mg/L	*	*	2.05	2.7	2.17				
氯鹽	mg/L	4	8	1.01	1.31	1.25				
鎘	mg/L	0.025	0.05	ND<0.00026	ND<0.00026	ND<0.00026				
鉻	mg/L	0.25	0.5	ND<0.00039	ND<0.00039	ND<0.00039				
銅	mg/L	5	10	ND<0.00044	ND<0.00044	<0.002(0.001)				
鎳	mg/L	0.5	1	<0.005(0.001)	ND<0.00094	ND<0.00094				
鉛	mg/L	0.05	0.1	ND<0.0030	ND<0.0030	ND<0.0030				
鋅	mg/L	25	50	<0.002(0.002)	0.004	0.009				
汞	mg/L	0.01	0.02	ND<0.000071	ND<0.000071	<0.0004 (0.0001)				
砷	mg/L	0.25	0.5	0.0263	0.0205	0.0152				
鐵	mg/L	1.5	*	0.67	0.198	0.389				
錳	mg/L	0.25	*	0.396	0.175	0.152				
油脂	mg/L	*	*	ND<2.0	ND<2.0	ND<2.0				
總有機碳(TOC)	mg/L	10	*	<0.5(0.2)	<0.5(0.5)	0.9				
總酚	mg/L	0.14	*	ND<0.0068	ND<0.0068	ND<0.0068				
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00059	ND<0.00059	ND<0.00059				
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00057	ND<0.00057	ND<0.00057				
五氯酚	mg/L	0.04	0.08	ND<0.00043	ND<0.00043	ND<0.00043				
苯	mg/L	0.025	0.05	ND<0.00022	ND<0.00022	ND<0.00022				
甲苯	mg/L	5	10	<0.00100 (0.00051)	ND<0.00020	<0.00100 (0.00022)				
二甲苯	mg/L	50	100	ND<0.00032	ND<0.00032	ND<0.00032				
乙苯	mg/L	3.5	7	ND<0.00022	ND<0.00022	ND<0.00022				
氯苯	mg/L	0.5	1	ND<0.00022	ND<0.00022	ND<0.00022				
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00021	ND<0.00021	ND<0.00021				
苯	mg/L	0.2	0.4	ND<0.00023	ND<0.00023	ND<0.00023				
氯甲烷	mg/L	0.15	0.3	ND<0.00025	ND<0.00025	ND<0.00025				
二氯甲烷	mg/L	0.025	0.05	ND<0.00044	ND<0.00044	ND<0.00044				
氯仿	mg/L	0.5	1	ND<0.00030	ND<0.00030	ND<0.00030				
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00022	ND<0.00022	ND<0.00022				
1,2-二氯乙烷	mg/L	3	6	ND<0.00025	ND<0.00025	ND<0.00025				
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00023	ND<0.00023	ND<0.00023				
氯乙烯	mg/L	0.01	0.02	ND<0.00028	ND<0.00028	ND<0.00028				
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00025	ND<0.00025	ND<0.00025				
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00022	ND<0.00022	ND<0.00022				
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00020	ND<0.00020	ND<0.00020				
三氯乙烯	mg/L	0.025	0.05	ND<0.00020	ND<0.00020	ND<0.00020				
四氯乙烯	mg/L	0.025	0.05	ND<0.00018	ND<0.00018	ND<0.00018				
四氯化碳	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00021				
柴油總碳氫化合物	mg/L	*	*	<0.050(0.016)	<0.050(0.045)	<0.050(0.028)				
總石油碳氫化合物	mg/L	5	10	<0.038(0.028)	0.056	0.047				
氯化物	mg/L	0.25	0.5	ND<0.0022	ND<0.0022	ND<0.0022				
甲基第三丁基醚	mg/L	0.5	1	ND<0.00022	ND<0.00022	ND<0.00022				
甲醛	mg/L	*	*	ND<0.00338	ND<0.00338	ND<0.00338				
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00021				
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00052	ND<0.00052	ND<0.00052				
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00021	ND<0.00021	ND<0.00021				

註：1. 「*」表示法規尚未規定，“-”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號今發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號今發布。

區外民井

民 1 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	83 年第 2 季	83 年第 4 季	84 年第 1 季	84 年第 2 季	84 年第 3 季	84 年第 4 季
水溫	℃	*	*	23.4	23.4	28.6	26.3	30.6	31
pH 值	-	*	*	-	7.88	8.16	8.04	8.14	7.91
濁度	NTU	*	*	-	4.3	12.3	5.6	6	4.1
導電度	μmho/cm	*	*	-	795	410	635	1280	868
總溶解固體	mg/L	*	*	-	490	249	372	750	590
總硬度	mg/L	*	*	-	224	240	240	480	340
氯鹽	mg/L	*	*	-	51	8	14	54	0.99
總餘氯	mg/L	*	*	-	ND	ND	ND	ND	ND
硫酸鹽	mg/L	*	*	-	55	45	24	361	722
硫化物	mg/L	*	*	0.03	0.02	0.04	0.03	ND	0.02
氨氮	mg/L	*	*	0.86	0.86	0.29	0.22	0.1	0.29
亞硝酸鹽氮	mg/L	*	*	-	0.10425	0.0112	0.02176	0.0705	0.27883
硝酸鹽氮	mg/L	*	*	-	1.02	0.1	0.07	0.29	4.31
無機氯含量	mg/L	*	*	-	1.98	0.4	0.31	0.46	4.88
總含氯量	mg/L	*	*	-	2.91	1.13	3.99	3.58	15.84
氯鹽	mg/L	*	*	-	0.33	0.08	0.33	0.45	0.42
鎘	mg/L	*	*	-	ND	ND	ND	ND	ND
鉻	mg/L	*	*	-	ND	ND	0.006	ND	0.0367
銅	mg/L	*	*	-	ND	0.0026	1.09	0.013	0.004
鎳	mg/L	*	*	-	ND	0.0026	ND	0.0208	ND
鉛	mg/L	*	*	-	ND	ND	ND	ND	ND
鋅	mg/L	*	*	-	ND	0.02265	0.04609	0.01911	0.02999
汞	mg/L	*	*	-	ND	ND	ND	ND	ND
砷	mg/L	*	*	-	0.032	0.0111	0.0381	0.0253	0.0222
鐵	mg/L	*	*	-	0.58	0.08	0.32	0.07	0.07
錳	mg/L	*	*	-	0.04	0.08	0.05	0.05	0.05
油脂	mg/L	*	*	-	4	4.5	ND	ND	8.75
總有機碳	mg/L	*	*	1.5	1.5	1.19	0.99	1.35	1.14
總酚	mg/L	*	*	-	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	-	-	-	-	-	-
2,4,6-三氯酚	mg/L	*	*	-	-	-	-	-	-
五氯酚	mg/L	*	*	-	-	-	-	-	-
苯	mg/L	*	*	-	ND	ND	ND	ND	ND
甲苯	mg/L	*	*	-	ND	ND	ND	ND	ND
二甲苯	mg/L	*	*	-	ND	ND	ND	ND	ND
乙苯	mg/L	*	*	-	ND	ND	ND	ND	ND
氯苯	mg/L	*	*	-	-	-	-	-	-
1,4-二氯苯	mg/L	*	*	-	-	-	-	-	-
萘	mg/L	*	*	-	-	-	-	-	-
氯甲烷	mg/L	*	*	-	-	-	-	-	-
二氯甲烷	mg/L	*	*	-	-	-	-	-	-
氯仿	mg/L	*	*	-	-	-	-	-	-
1,1-二氯乙烷	mg/L	*	*	-	-	-	-	-	-
1,2-二氯乙烷	mg/L	*	*	-	-	-	-	-	-
1,1,2-三氯乙烷	mg/L	*	*	-	-	-	-	-	-
氯乙烯	mg/L	*	*	-	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	*	-	-	-	-	-	-
順-1,2-二氯乙烯	mg/L	*	*	-	-	-	-	-	-
反-1,2-二氯乙烯	mg/L	*	*	-	-	-	-	-	-
三氯乙烯	mg/L	*	*	-	-	-	-	-	-
四氯乙烯	mg/L	*	*	-	-	-	-	-	-
四氯化碳	mg/L	*	*	-	-	-	-	-	-
總石油碳氫化合物	mg/L	*	*	-	-	-	-	-	-
氯化物	mg/L	*	*	-	-	-	-	-	-
甲基第三丁基醚	mg/L	*	*	-	-	-	-	-	-
甲醛	mg/L	*	*	-	-	-	-	-	-
1,2-二氯苯	mg/L	*	*	-	-	-	-	-	-
3,3'-二氯聯苯胺	mg/L	*	*	-	-	-	-	-	-
1,1,1-三氯乙烷	mg/L	*	*	-	-	-	-	-	-
柴油總碳氫化合物	mg/L	*	*	-	-	-	-	-	-

註：1. 「*」表示法規尚未規定，“-”表示無單位

2. 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

民 1 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	85 年第 1 季	85 年第 2 季	85 年第 3 季	85 年第 4 季	86 年第 1 季	86 年第 2 季
水溫	℃	*	*	19.4	31.3	31	20.7	22.4	28.9
pH 值	-	*	*	7.75	7.74	7.74	7.75	7.86	8.12
濁度	NTU	*	*	10.2	8.7	3.6	4.9	19	9.8
導電度	μmho/cm	*	*	1360	1089	751	563	515	614
總溶解固體	mg/L	*	*	1020	720	484	421	345	435
總硬度	mg/L	*	*	500	300	110	300	175	240
氯鹽	mg/L	*	*	77	74	44	11	12	13
總餘氯	mg/L	*	*	-	ND	ND	ND	ND	ND
硫酸鹽	mg/L	*	*	136	118	45	33	17	45
硫化物	mg/L	*	*	0.02	ND	0.03	0.07	ND	0.01
氨氮	mg/L	*	*	16.78	4.72	1.56	1.11	1.28	0.43
亞硝酸鹽氮	mg/L	*	*	0.2693	0.0101	0.0003	0.2236	0.00254	0.06053
硝酸鹽氮	mg/L	*	*	0.34	0.36	0.47	1.15	ND	0.42
無機氯含量	mg/L	*	*	17.39	5.09	2.03	2.49	1.28	0.91
總含氯量	mg/L	*	*	18.49	6.55	3.68	3.16	2.03	1.53
氯鹽	mg/L	*	*	0.37	0.41	0.45	0.44	0.28	0.7
鎘	mg/L	*	*	ND	ND	ND	ND	ND	ND
鎘	mg/L	*	*	ND	ND	ND	ND	ND	ND
銅	mg/L	*	*	0.01	ND	0.0105	ND	0.0041	0.0114
鎳	mg/L	*	*	0.0066	ND	0.0075	ND	0.0076	ND
鉛	mg/L	*	*	ND	ND	ND	ND	ND	ND
鋅	mg/L	*	*	0.0569	0.0185	0.0644	0.058	0.0102	0.0143
汞	mg/L	*	*	ND	ND	ND	ND	ND	ND
砷	mg/L	*	*	0.0174	0.03	0.0317	0.01741	0.0413	0.02475
鐵	mg/L	*	*	ND	ND	0.14	0.25	ND	ND
錳	mg/L	*	*	ND	0.06	0.05	0.1	0.04	ND
油脂	mg/L	*	*	ND	ND	ND	ND	ND	ND
總有機碳	mg/L	*	*	1.92	1.1	2.18	0.94	0.84	1.98
總酚	mg/L	*	*	ND	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	-	-	-	-	-	-
2,4,6-三氯酚	mg/L	*	*	-	-	-	-	-	-
五氯酚	mg/L	*	*	-	-	-	-	-	-
苯	mg/L	*	*	ND	ND	ND	ND	ND	ND
甲苯	mg/L	*	*	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	*	*	ND	ND	ND	ND	ND	ND
乙苯	mg/L	*	*	ND	ND	ND	ND	ND	ND
氯苯	mg/L	*	*	-	-	-	-	-	-
1,4-二氯苯	mg/L	*	*	-	-	-	-	-	-
萘	mg/L	*	*	-	-	-	-	-	-
氯甲烷	mg/L	*	*	-	-	-	-	-	-
二氯甲烷	mg/L	*	*	-	-	-	-	-	-
氯仿	mg/L	*	*	-	-	-	-	-	-
1,1-二氯乙烷	mg/L	*	*	-	-	-	-	-	-
1,2-二氯乙烷	mg/L	*	*	-	-	-	-	-	-
1,1,2-三氯乙烷	mg/L	*	*	-	-	-	-	-	-
氯乙烯	mg/L	*	*	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	*	-	-	-	-	-	-
順-1,2-二氯乙烯	mg/L	*	*	-	-	-	-	-	-
反-1,2-二氯乙烯	mg/L	*	*	-	-	-	-	-	-
三氯乙烯	mg/L	*	*	-	-	-	-	-	-
四氯乙烯	mg/L	*	*	-	-	-	-	-	-
四氯化碳	mg/L	*	*	-	-	-	-	-	-
總石油碳氫化合物	mg/L	*	*	-	-	-	-	-	-
氯化物	mg/L	*	*	-	-	-	-	-	-
甲基第三丁基醚	mg/L	*	*	-	-	-	-	-	-
甲醛	mg/L	*	*	-	-	-	-	-	-
1,2-二氯苯	mg/L	*	*	-	-	-	-	-	-
3,3'-二氯聯苯胺	mg/L	*	*	-	-	-	-	-	-
1,1,1-三氯乙烷	mg/L	*	*	-	-	-	-	-	-
柴油總碳氫化合物	mg/L	*	*	-	-	-	-	-	-

註：1. 「*」表示法規尚未規定，“-”表示無單位

2. 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

民 1 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	86 年第 3 季	86 年第 4 季	87 年第 1 季	87 年第 2 季	87 年第 3 季	87 年第 4 季
水溫	℃	*	*	29.4	26	25.5	30.5	35.1	25.2
pH 值	-	*	*	8.21	7.45	7.82	7.57	8.11	8.06
濁度	NTU	*	*	2.2	5.6	7.2	0.5	0.6	0.8
導電度	μmho/cm	*	*	416	587	584	505	494	490
總溶解固體	mg/L	*	*	291	411	408	354	346	342
總硬度	mg/L	*	*	195	185	175	135	134	152
氯鹽	mg/L	*	*	10	10	13	20	21	19
總餘氯	mg/L	*	*	-	ND	ND	<0.2	ND	ND
硫酸鹽	mg/L	*	*	1	4	20	20	20	21
硫化物	mg/L	*	*	ND	ND	ND	0.01	ND	0.07
氨氮	mg/L	*	*	0.36	0.17	3.05	0.1	0.19	ND
亞硝酸鹽氮	mg/L	*	*	0.01831	0.00565	0.1983	6E-07	0.0031	ND
硝酸鹽氮	mg/L	*	*	0.23	1.92	0.37	0.174	0.44	0.22
無機氯含量	mg/L	*	*	0.61	3.66	3.62	0.24	0.63	0.22
總含氯量	mg/L	*	*	1.44	4.52	4.73	0.53	1.02	0.63
氯鹽	mg/L	*	*	0.26	0.26	0.29	0.12	0.12	0.15
鎘	mg/L	*	*	ND	ND	ND	<0.00572	ND	ND
鎘	mg/L	*	*	ND	0.0096	ND	<0.00406	ND	ND
銅	mg/L	*	*	0.0084	0.0026	0.007	<0.00149	0.0074	0.0017
鎳	mg/L	*	*	ND	ND	ND	<0.00154	ND	ND
鉛	mg/L	*	*	0.0086	ND	ND	<0.00343	ND	ND
鋅	mg/L	*	*	0.0102	0.0199	0.0562	0.0985	0.021	ND
汞	mg/L	*	*	ND	ND	ND	<0.00062	ND	ND
砷	mg/L	*	*	0.0276	0.00294	0.02116	0.00673	0.00118	0.00686
鐵	mg/L	*	*	0.17	3.06	0.16	0.07	ND	0.07
錳	mg/L	*	*	ND	0.96	ND	<0.03	ND	ND
油脂	mg/L	*	*	ND	ND	ND	<2.5	ND	ND
總有機碳	mg/L	*	*	0.77	1	1.16	1.03	0.79	0.64
總酚	mg/L	*	*	ND	ND	ND	<0.0007	ND	ND
2,4,5-三氯酚	mg/L	*	*	-	-	-	-	-	-
2,4,6-三氯酚	mg/L	*	*	-	-	-	-	-	-
五氯酚	mg/L	*	*	-	-	-	-	-	-
苯	mg/L	*	*	ND	ND	ND	<0.0002	ND	ND
甲苯	mg/L	*	*	ND	ND	ND	<0.00006	ND	ND
二甲苯	mg/L	*	*	ND	ND	ND	<0.00006	ND	ND
乙苯	mg/L	*	*	ND	ND	ND	<0.00006	ND	ND
氯苯	mg/L	*	*	-	-	-	-	-	-
1,4-二氯苯	mg/L	*	*	-	-	-	-	-	-
萘	mg/L	*	*	-	-	-	-	-	-
氯甲烷	mg/L	*	*	-	-	-	-	-	-
二氯甲烷	mg/L	*	*	-	-	-	-	-	-
氯仿	mg/L	*	*	-	-	-	-	-	-
1,1-二氯乙烷	mg/L	*	*	-	-	-	-	-	-
1,2-二氯乙烷	mg/L	*	*	-	-	-	-	-	-
1,1,2-三氯乙烷	mg/L	*	*	-	-	-	-	-	-
氯乙烯	mg/L	*	*	ND	ND	ND	<0.0004	ND	ND
1,1-二氯乙烯	mg/L	*	*	-	-	-	-	-	-
順-1,2-二氯乙烯	mg/L	*	*	-	-	-	-	-	-
反-1,2-二氯乙烯	mg/L	*	*	-	-	-	-	-	-
三氯乙烯	mg/L	*	*	-	-	-	-	-	-
四氯乙烯	mg/L	*	*	-	-	-	-	-	-
四氯化碳	mg/L	*	*	-	-	-	-	-	-
總石油碳氫化合物	mg/L	*	*	-	-	-	-	-	-
氯化物	mg/L	*	*	-	-	-	-	-	-
甲基第三丁基醚	mg/L	*	*	-	-	-	-	-	-
甲醛	mg/L	*	*	-	-	-	-	-	-
1,2-二氯苯	mg/L	*	*	-	-	-	-	-	-
3,3'-二氯聯苯胺	mg/L	*	*	-	-	-	-	-	-
1,1,1-三氯乙烷	mg/L	*	*	-	-	-	-	-	-
柴油總碳氫化合物	mg/L	*	*	-	-	-	-	-	-

註：1. 「*」表示法規尚未規定，“-”表示無單位

2. 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

民 1 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	88 年第 2 季	88 年第 3 季	88 年第 4 季	89 年第 1 季	89 年第 2 季	89 年第 3 季	89 年第 4 季
水溫	°C	*	*	27.3	28.4	22.4	21.3	27.7	27.9	28.4
pH 值	-	*	*	8.06	8.11	7.95	7.4	7.75	7.78	8.04
濁度	NTU	*	*	6.5	6.8	7	4.5	9.3	5.1	0.5
導電度	µmho/cm	*	*	681	123	623	582	716	837	436
總溶解固體	mg/L	*	*	482	89	393	367	494	520	277
總硬度	mg/L	*	*	207	199	137	151	323	203	99
氯鹽	mg/L	*	*	40	46	45	34	180	92	57
總餘氯	mg/L	*	*	ND	ND	<0.2	<0.2	<0.2	<0.2	<0.2
硫酸鹽	mg/L	*	*	22	10	19	12	51	21	28
硫化物	mg/L	*	*	0.03	ND	0.02	<0.01	<0.01	<0.01	<0.01
氨氮	mg/L	*	*	5.07	4.2	4.7	3.5	2.65	2.8	0.39
亞硝酸鹽氮	mg/L	*	*	0.046	0.012	0.046	0.029	0.129	0.112	<0.0003
硝酸鹽氮	mg/L	*	*	0.39	0.08	0.74	0.4	0.28	0.49	0.27
無機氯含量	mg/L	*	*	5.51	4.29	5.49	3.93	3.06	3.4	0.66
總含氮量	mg/L	*	*	7.09	4.58	5.55	4.35	3.8	4.48	0.69
氯鹽	mg/L	*	*	0.2	0.14	0.21	0.2	0.21	0.19	0.03
鎘	mg/L	*	*	ND	ND	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572
鉻	mg/L	*	*	ND	ND	0.0051	<0.00406	<0.00406	<0.00406	<0.00406
銅	mg/L	*	*	ND	0.0044	0.0027	0.0059	0.0083	0.0077	0.0141
鎳	mg/L	*	*	0.0038	ND	<0.00154	<0.00154	<0.00154	<0.00154	<0.00154
鉛	mg/L	*	*	ND	ND	<0.00343	0.0045	<0.00343	0.0105	0.0081
鋅	mg/L	*	*	ND	0.0236	0.0227	0.0542	0.0218	0.0073	0.0081
汞	mg/L	*	*	0.003	ND	<0.00062	<0.00062	<0.00062	0.00098	<0.00062
砷	mg/L	*	*	0.01922	0.00859	0.0316	0.00984	0.01219	0.0107	0.00833
鐵	mg/L	*	*	0.48	ND	0.2	0.61	0.32	0.54	<0.04
錳	mg/L	*	*	0.1	0.08	0.04	0.08	0.12	<0.03	<0.03
油脂	mg/L	*	*	ND	ND	<2.5	<2.5	<2.5	<2.5	<2.5
總有機碳	mg/L	*	*	0.62	1.36	1.22	0.8	0.72	0.56	0.65
總酚	mg/L	*	*	ND	ND	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007
2,4,5-三氯酚	mg/L	*	*	-	-	-	-	-	-	-
2,4,6-三氯酚	mg/L	*	*	-	-	-	-	-	-	-
五氯酚	mg/L	*	*	-	-	-	-	-	-	-
苯	mg/L	*	*	ND	ND	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
甲苯	mg/L	*	*	ND	ND	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006
二甲苯	mg/L	*	*	ND	ND	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006
乙苯	mg/L	*	*	ND	ND	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006
氯苯	mg/L	*	*	-	-	-	-	-	-	-
1,4-二氯苯	mg/L	*	*	-	-	-	-	-	-	-
萘	mg/L	*	*	-	-	-	-	-	-	-
氯甲烷	mg/L	*	*	-	-	-	-	-	-	-
二氯甲烷	mg/L	*	*	-	-	-	-	-	-	-
氯仿	mg/L	*	*	-	-	-	-	-	-	-
1,1-二氯乙烷	mg/L	*	*	-	-	-	-	-	-	-
1,2-二氯乙烷	mg/L	*	*	-	-	-	-	-	-	-
1,1,2-三氯乙烷	mg/L	*	*	-	-	-	-	-	-	-
氯乙烯	mg/L	*	*	ND	ND	<0.0004	<0.0004	<0.0004	<0.0004	<0.0004
1,1-二氯乙烯	mg/L	*	*	-	-	-	-	-	-	-
順-1,2-二氯乙烯	mg/L	*	*	-	-	-	-	-	-	-
反-1,2-二氯乙烯	mg/L	*	*	-	-	-	-	-	-	-
三氯乙烯	mg/L	*	*	-	-	-	-	-	-	-
四氯乙烯	mg/L	*	*	-	-	-	-	-	-	-
四氯化碳	mg/L	*	*	-	-	-	-	-	-	-
總石油碳氫化合物	mg/L	*	*	-	-	-	-	-	-	-
氯化物	mg/L	*	*	ND	-	-	-	-	-	-
甲基第三丁基醚	mg/L	*	*	-	-	-	-	-	-	-
甲醛	mg/L	*	*	-	-	-	-	-	-	-
1,2-二氯苯	mg/L	*	*	-	-	-	-	-	-	-
3,3'-二氯聯苯胺	mg/L	*	*	-	-	-	-	-	-	-
1,1,1-三氯乙烷	mg/L	*	*	-	-	-	-	-	-	-
柴油總碳氫化合物	mg/L	*	*	-	-	-	-	-	-	-

註：1. 「*」表示法規尚未規定，“-”表示無單位

2. 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示