

環評井3歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	89年 第2季	89年 第3季	89年 第4季	90年 第1季	90年 第2季	90年 第3季	90年 第4季
水溫	℃	*	*	26	26.6	25.4	26.4	27	25.7	26.4
pH值	-	*	*	8.15	7.75	7.73	7.4	7.41	7.62	7.82
濁度	NTU	*	*	1.4	16	4.2	4.7	8	3.7	3.5
導電度	μmho/cm	*	*	14300	23200	21500	29700	32200	38240	39800
總溶解固體	mg/L	*	*	9720	17450	15530	21580	24060	23120	27860
總硬度	mg/L	*	*	515	2550	2550	3600	3500	1800	2850
氯鹽	mg/L	*	*	3120	6526	6107	8366	8785	7360	9370
總餘氯	mg/L	*	*	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
硫酸鹽	mg/L	*	*	413	1271	1826	1417	1480	1522	1640
硫化物	mg/L	*	*	0.01	0.1	0.12	0.01	0.27	0.03	0.01
氨氮	mg/L	*	*	0.47	2.12	2.1	2.52	3.66	2.67	1.34
亞硝酸鹽氮	mg/L	*	*	0.01	0.001	ND	<0.003	<0.003	0.09	<0.001
硝酸鹽氮	mg/L	*	*	0.19	0.21	0.14	0.23	0.26	1.32	0.35
無機氮含量	mg/L	*	*	0.67	2.33	2.24	2.75	3.92	2.66	1.69
總含氮量	mg/L	*	*	1.21	2.5	2.86	3.06	4.26	4.13	1.81
氯鹽	mg/L	*	*	1.12	0.72	0.85	1.09	0.94	0.95	0.79
鎘	mg/L	*	*	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572
鉻	mg/L	*	*	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406
銅	mg/L	*	*	0.0075	0.0116	0.0118	0.0096	0.0123	0.0039	0.007
鎳	mg/L	*	*	0.0104	0.0165	0.00421	<0.00154	<0.00154	<0.00154	<0.00154
鉛	mg/L	*	*	<0.00343	<0.00343	0.0086	0.0275	0.0079	<0.00343	<0.00343
鋅	mg/L	*	*	0.0832	0.0049	0.0086	0.0414	0.0122	0.0383	0.0163
汞	mg/L	*	*	<0.00062	0.00093	<0.00062	0.00184	<0.00003	<0.00003	<0.0006
砷	mg/L	*	*	0.00347	0.0614	0.03404	0.0176	0.02165	0.00817	0.01753
鐵	mg/L	*	*	3.11	0.93	2.13	0.31	3.11	0.93	2.13
錳	mg/L	*	*	0.11	0.03	0.9	1.39	1.53	1.05	1.26
油脂	mg/L	*	*	2.5	2.5	2.5	2.5	2.5	2.5	2.5
總有機碳(TOC)	mg/L	*	*	2.61	0.55	0.55	0.55	0.55	0.55	0.55
總酚	mg/L	*	*	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—
苯	mg/L	*	*	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
甲苯	mg/L	*	*	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
二甲苯	mg/L	*	*	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
乙苯	mg/L	*	*	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
氯苯	mg/L	*	*	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	*	—	—	—	—	—	—	—
苯	mg/L	*	*	—	—	—	—	—	—	—
氯甲烷	mg/L	*	*	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—
氯仿	mg/L	*	*	—	—	—	—	—	—	—
1,1-二氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
1,2-二氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
氯乙烯	mg/L	*	*	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
1,1-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
順-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
四氯化碳	mg/L	*	*	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—
氰化物	mg/L	*	*	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

環評井3 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	91 年 第 2 季	91 年 第 3 季	91 年 第 4 季	92 年 第 1 季	92 年 第 2 季	92 年 第 3 季	92 年 第 4 季	93 年 第 1 季
水溫	℃	*	*	26.1	26.1	26.1	25.1	25.3	27	25.5	24.7
pH 值	-	*	*	7.14	7.39	7.27	7.27	7.26	7.08	7.39	7.26
濁度	NTU	*	*	3.3	2.4	4.5	8.8	7.1	10	8.3	11
導電度	μmho/cm	*	*	35060	26920	30960	33580	32420	33900	38940	26700
總溶解固體	mg/L	1250	*	16890	12020	15560	16840	14900	17120	19540	15760
總硬度	mg/L	750	*	3450	3400	3100	3500	3000	3400	3300	3500
氯鹽	mg/L	625	*	10075	8913	7382	9824	10144	9238	9653	8525
總餘氯	mg/L	*	*	ND	ND	ND	<0.2	<0.2	<0.2	<0.2	<0.2
硫酸鹽	mg/L	625	*	1673	1684	2256	1647	1698	1458	1475	1866
硫化物	mg/L	*	*	ND	0.07	0.1	0.1	0.1	0.1	0.1	0.01
氨氮	mg/L	0.25	*	2.43	4.19	4.52	3.84	2.43	3.5	1.5	1.44
亞硝酸鹽氮	mg/L	*	10	0.006	0.004	0.018	0.002	0.005	0.012	<0.001	0.005
硝酸鹽氮	mg/L	25	100	0.08	ND	0.56	0.52	0.32	0.41	0.67	0.61
無機氮含量	mg/L	*	*	2.52	4.19	4.23	4.36	2.76	3.92	2.17	2.06
總含氮量	mg/L	*	*	3.11	4.64	4.64	9.73	5.79	4.71	2.96	4.7
氯鹽	mg/L	*	*	0.64	0.79	1.23	0.79	0.55	0.83	1.2	0.18
鎘	mg/L	0.025	0.05	ND	ND	ND	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572
鉻	mg/L	0.25	0.5	ND	ND	ND	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406
銅	mg/L	5	10	ND	0.00325	ND	0.00149	0.00715	0.0082	0.00335	0.00645
鎳	mg/L	*	1	ND	ND	ND	<0.00154	0.004	0.004	<0.00154	<0.00154
鉛	mg/L	0.25	0.5	ND	0.0045	ND	<0.00343	0.01393	<0.00343	<0.00343	<0.00343
鋅	mg/L	25	50	0.02586	0.0532	0.0048	0.0256	0.54	0.00805	0.00933	0.00916
汞	mg/L	*	0.02	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
砷	mg/L	0.25	0.5	0.0047	0.00956	0.00907	0.01323	0.0078	0.00865	0.01768	0.01644
鐵	mg/L	1.5	*	0.31	0.23	1.27	0.47	1.24	0.49	3.22	1.5
錳	mg/L	0.25	*	1.3	0.9	1.19	1.06	1.1	1.39	1.6	1.97
油脂	mg/L	*	*	ND	ND	ND	2.5	2.5	2.5	2.5	2.5
總有機碳(TOC)	mg/L	10	*	3.73	ND	ND	1.42	2.39	1.66	0.58	1.37
總酚	mg/L	*	0.14	ND	ND	ND	<0.007	<0.007	<0.007	<0.007	<0.007
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	<0.002	<0.002	<0.002	<0.002	<0.002
甲苯	mg/L	*	10	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
二甲苯	mg/L	*	*	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
乙苯	mg/L	*	*	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
氯苯	mg/L	*	1	—	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	—	—	—	—
萘	mg/L	*	0.4	—	—	—	—	—	—	—	—
氯甲烷	mg/L	*	0.3	—	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—
氯仿	mg/L	*	1	—	—	—	—	—	—	—	—
1,1-二氯乙烷	mg/L	*	8.5	—	—	—	—	—	—	—	—
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—
氯乙烯	mg/L	*	0.02	ND	ND	ND	<0.004	<0.004	<0.004	<0.004	<0.004
1,1-二氯乙烯	mg/L	*	0.07	—	—	—	—	—	—	—	—
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—
四氯化碳	mg/L	*	0.05	—	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—
氰化物	mg/L	*	*	—	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：90.11.21 環署水字第 0073680 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井3 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	93 年 第 2 季	93 年 第 3 季	93 年 第 4 季	94 年 第 1 季	94 年 第 2 季	94 年 第 3 季	94 年 第 4 季	95 年 第 1 季	95 年 第 2 季	95 年 第 3 季
水溫	℃	*	*	25.7	25.9	28.1	20.6	20.3	27.3	26.8	19.7	29.1	23.4
pH 值	-	*	*	7.22	7.6	7.4	7.2	7.6	7.4	8.4	7.7	7.8	7.6
濁度	NTU	*	*	27.2	2	3.4	40	29	5.2	1.9	7.2	8	9.2
導電度	umho/cm	*	*	36420	2670	4350	880	872	8920	3504	13400	5670	1890
總溶解固體	mg/L	1250	*	18340	4360	2880	1230	5960	5720	2430	3330	3310	769
總硬度	mg/L	750	*	3800	2450	4200	324	1310	1290	239	826	777	520
氯鹽	mg/L	625	*	9998	1840	14900	306	2450	2790	877	1610	1570	1400
總餘氯	mg/L	*	*	<0.2	<0.2	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036
硫酸鹽	mg/L	625	*	1687	265	1940	287	367	283	246	291	365	148
硫化物	mg/L	*	*	0.01	0.005	0.005	0.01	0.02	0.01	0.01	0.01	0.02	0.01
氨氮	mg/L	0.25	*	1.2	1.36	1.24	3.78	5.26	1.87	0.07	0.12	1.12	0.19
亞硝酸鹽氮	mg/L	*	10	<0.001	0.09	0.01	0.01	0.22	0.31	0.003	0.02	0.022	0.017
硝酸鹽氮	mg/L	25	100	0.44	0.84	0.35	0.07	6.97	0.29	0.19	0.79	0.38	2.78
無機氮含量	mg/L	*	*	1.64	2.29	1.59	3.85	12.45	2.47	0.263	0.93	1.52	2.99
總含氮量	mg/L	*	*	4.21	7.61	3.41	4.5	14.6	3.02	0.56	1.69	2.23	3.5
氯鹽	mg/L	*	*	0.53	0.3	0.51	0.29	0.56	0.13	2.41	1.34	0.96	0.32
鎘	mg/L	0.025	0.05	<0.00572	<0.031	<0.031	<0.031	0.012	<0.002	<0.002	<0.002	<0.002	<0.002
鉻	mg/L	0.25	0.5	<0.00406	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	ND
銅	mg/L	5	10	0.00496	0.00216	<0.0042	<0.0042	<0.0042	<0.0042	<0.03	0.03	<0.019	0.03
鎳	mg/L	*	1	0.006	<0.041	<0.041	<0.041	<0.041	0.049	0.037	<0.041	<0.041	<0.018
鉛	mg/L	0.25	0.5	<0.00343	<0.041	<0.041	<0.041	<0.041	<0.019	<0.019	<0.019	<0.019	ND
鋅	mg/L	25	50	0.01428	<0.045	<0.045	<0.045	<0.045	0.076	0.046	0.057	<0.032	<0.032
汞	mg/L	*	0.02	<0.0006	<0.001	0.0018	<0.001	<0.001	0.0007	0.0034	0.0012	0.001	0.0005
砷	mg/L	0.25	0.5	0.00498	0.0131	0.0014	0.0291	0.0184	0.0242	0.0193	0.0166	0.0093	0.0051
鐵	mg/L	1.5	*	<0.04	2.18	0.203	2.39	0.041	2.87	0.296	2.13	0.609	0.767
錳	mg/L	0.25	*	1.48	0.621	1.39	0.259	0.384	0.81	0.136	1.01	0.244	0.838
油脂	mg/L	*	*	2.5	0.3	0.5	4.9	5.2	0.2	1.6	1.9	9.8	0.1
總有機碳(TOC)	mg/L	10	*	0.55	7.79	1.23	3.99	1.49	5.41	44.2	2.51	1.64	2.17
總酚	mg/L	*	0.14	<0.007	<0.0006	<0.0006	<0.0006	<0.0006	0.0015	0.0026	<0.001	0.004	0.0017
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
苯	mg/L	*	0.05	<0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
甲苯	mg/L	*	10	<0.0006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
二甲苯	mg/L	*	*	<0.0006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
乙苯	mg/L	*	*	<0.0006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
氯苯	mg/L	*	1	—	—	—	—	—	—	—	—	-	—
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	—	—	—	—	-	—
萘	mg/L	*	0.4	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
氯甲烷	mg/L	*	0.3	—	—	—	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
氯仿	mg/L	*	1	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
1,1,1-二氯乙烷	mg/L	*	8.5	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
1,1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
氯乙烯	mg/L	*	0.02	<0.004	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
1,1-二氯乙烯	mg/L	*	0.07	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
四氯化碳	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
氯化物	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，「—」表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：90.11.21 環署水字第 0073680 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井3 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	95 年 第 4 季	96 年 第 1 季	96 年 第 2 季	96 年 第 3 季	96 年 第 4 季	97 年 第 1 季	97 年 第 2 季	97 年 第 3 季	97 年 第 4 季
水溫	°C	*	*	22.5	24.5	23.5	24.3	24.7	24.6	25.1	25.1	27
pH 值	-	*	*	7.6	7.4	7.2	7.3	7.4	7.2	7.3	7.3	6.9
濁度	NTU	*	*	6.4	6	9.3	16	16	4	1.1	1.1	150
導電度	umho/cm	*	*	4930	4830	2450	2500	3300	1590	2320	2320	24300
總溶解固體	mg/L	1250	*	2540	1330	1560	3860	2180	698	1280	1280	969
總硬度	mg/L	750	*	561	392	470	793	632	425	307	307	288
氯鹽	mg/L	625	*	1180	407	639	1720	865	167	360	360	492
總餘氯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	ND
硫酸鹽	mg/L	625	*	253	162	118	183	127	85.6	101	101	252
硫化物	mg/L	*	*	ND	0.021	ND	ND	ND	0.03	0.02	0.02	ND
氨氮	mg/L	0.25	*	0.6	0.11	1.25	2.2	0.52	0.15	0.1	0.1	0.23
亞硝酸鹽氮	mg/L	*	10	0.446	0.044	0.017	0.923	1.32	0.03	<0.001	<0.001	0.02
硝酸鹽氮	mg/L	25	100	1.06	1.17	2.13	2.37	0.77	2.95	1.03	1.03	0.07
無機氮含量	mg/L	*	*	2.11	1.32	3.4	5.49	2.61	3.13	1.14	1.14	0.32
總含氮量	mg/L	*	*	2.18	1.95	4	8.04	2.83	3.37	1.91	1.91	10.3
氯鹽	mg/L	*	*	0.65	0.98	0.26	0.24	0.75	0.21	0.65	0.65	0.87
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	<0.007	<0.007	ND	ND	<0.007	<0.007	ND
銅	mg/L	5	10	<0.018	ND	ND	<0.01	ND	ND	<0.015	<0.015	ND
鎳	mg/L	*	1	0.056	ND	0.009	0.0087	ND	ND	0.072	0.072	0.007
鉛	mg/L	0.25	0.5	ND	ND	<0.01	ND	<0.0127	<0.0127	ND	ND	0.015
鋅	mg/L	25	50	0.039	0.066	0.016	0.024	0.016	0.007	0.016	0.016	0.014
汞	mg/L	*	0.02	0.0013	ND	<0.00045	<0.0009	0.0011	0.0011	<0.0009	<0.0009	ND
砷	mg/L	0.25	0.5	0.0271	0.0084	0.0069	0.0154	0.0089	0.0026	0.0135	0.0135	0.0292
鐵	mg/L	1.5	*	0.95	0.309	1.04	1.7	0.734	0.459	0.203	0.203	1.88
錳	mg/L	0.25	*	0.396	0.698	0.533	0.416	0.513	0.792	0.036	0.036	1.13
油脂	mg/L	*	*	0.1	0.1	0.1	0.5	0.6	0.6	1.1	1.1	<1.0
總有機碳(TOC)	mg/L	10	*	1.73	1.39	1.9	1.63	1.66	1.32	1.47	1.47	1.6
總酚	mg/L	*	0.14	0.0018	ND	0.008	ND	0.0099	0.008	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	ND
乙苯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	—	—	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	—	—	—	—	—
萘	mg/L	*	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	—	—	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯仿	mg/L	*	1	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
四氯化碳	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯化物	mg/L	*	*	—	—	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—	—	ND
甲醛	mg/L	*	*	—	—	—	—	—	—	—	—	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：90.11.21 環署水字第 0073680 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 3 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	98 年 第 1 季	98 年 第 2 季	98 年 第 3 季	98 年 第 4 季	99 年 第 1 季	99 年 第 2 季
水溫	℃	*	*	26.5	27.7	28	26.2	25.5	26.4
pH 值	-	*	*	6.8	7	7.2	7.2	7.4	7.3
濁度	NTU	*	*	95	650	22	23	750	2700
導電度	μmho/cm	*	*	21600	59800	18400	20900	21000	20300
總溶解固體	mg/L	1250	*	1210	44700	12500	13700	14400	13500
總硬度	mg/L	750	*	705	726	2120	2970	2540	2440
氯鹽	mg/L	625	*	617	524	591	6880	6910	6800
總餘氯	mg/L	*	*	ND	<0.02	0.03	0.04	0.17	0.14
硫酸鹽	mg/L	625	*	120	497	589	938	932	887
硫化物	mg/L	*	*	ND	ND	ND	ND	ND	ND
氯氣	mg/L	0.25	*	0.24	0.24	0.22	2.46	2.56	1.57
亞硝酸鹽氮	mg/L	*	10	0.02	<0.001	<0.01	ND	<0.01	<0.01
硝酸鹽氮	mg/L	25	100	0.02	0.02	0.07	ND	0.02	0.02
無機氮含量	mg/L	*	*	0.28	3.38	0.29	2.46	2.58	1.59
總含氮量	mg/L	*	*	7.79	1	3.94	2.7	6.88	2
氯鹽	mg/L	*	*	0.74	0.78	0.71	0.66	0.57	0.77
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	ND	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND	ND	ND
鎳	mg/L	*	1	0.052	ND	0.005	ND	ND	ND
鉛	mg/L	0.25	0.5	ND	0.006	0.006	ND	ND	ND
鋅	mg/L	25	50	0.016	0.014	0.064	<0.020(0.014)	0.02	0.012
汞	mg/L	*	0.02	ND	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0027	0.0036	0.006	0.0061	0.0055	0.0093
鐵	mg/L	1.5	*	3.67	0.041	0.039	ND	<0.100(0.087)	0.2
錳	mg/L	0.25	*	1.57	1.57	1.41	1.18	1.44	1.54
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	2.5	1	0.6	0.2	2.2	1.6
總酚	mg/L	*	0.14	0.0054	ND	0.0122	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	—	—	—	—	ND	ND
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	ND	ND
苯	mg/L	*	0.4	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	—	—	—	—	ND	ND
二氯甲烷	mg/L	*	0.05	—	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	—	—	—	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	ND	ND
三氯乙烯	mg/L	*	0.05	—	—	—	—	ND	ND
四氯乙烯	mg/L	*	0.05	—	—	—	—	ND	ND
四氯化碳	mg/L	*	0.05	—	—	—	—	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—
氯化物	mg/L	*	0.5	—	—	—	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	0.001	0.001	ND	ND	ND
甲醛	mg/L	*	*	ND<3.0	ND	ND	ND	ND	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	—	<0.5	<0.50	<0.50	<0.50	<0.50

註：1. 「*」表示法規尚未規定，「—」表示並無監測

2. 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3. 第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4. 第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井3歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	99 年 第 3 季	99 年 第 4 季	100 年 第 1 季	100 年 第 2 季	100 年 第 3 季	100 年 第 4 季
水溫	℃	*	*	26.7	25.8	24.8	25.3	26.5	25.6
pH 值	-	*	*	7.2	7.2	7.2	7.2	7.2	7.1
濁度	NTU	*	*	260	450	1800	450	400	600
導電度	μmho/cm	*	*	16000	17300	18400	24900	27600	24000
總溶解固體	mg/L	1250	*	13200	11500	12000	16900	18700	16200
總硬度	mg/L	750	*	2300	2100	2370	2290	3340	3170
氯鹽	mg/L	625	*	5360	5090	5340	6070	9330	7400
總餘氯	mg/L	*	*	0.17	0.08	0.13	0.18	0.21	0.15
硫酸鹽	mg/L	625	*	804	769	889	1120	1310	1150
硫化物	mg/L	*	*	ND	0.01	0.21	<0.04(0.01)	<0.04(0.03)	<0.04(0.02)
氨氮	mg/L	0.25	*	3.07	2.57	1.73	1.81	1.65	1.86
亞硝酸鹽氮	mg/L	*	10	0.01	<0.01	<0.01(0.003)	<0.01(0.002)	<0.01(0.002)	<0.01(0.002)
硝酸鹽氮	mg/L	25	100	0.01	0.02	ND	<0.05(0.02)	0.06	<0.05(0.01)
無機氯含量	mg/L	*	*	3.09	2.59	1.73	1.832	1.71	1.86
總含氮量	mg/L	*	*	3.44	3.41	2.26	2.62	1.94	2.9
氯鹽	mg/L	*	*	0.67	0.66	0.71	0.72	0.67	0.64
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	<0.020(0.003)	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND	ND	ND
鎳	mg/L	*	1	<0.020(0.005)	ND	<0.02(0.007)	<0.020(0.006)	<0.02(0.008)	<0.02(0.006)
鉛	mg/L	0.25	0.5	ND	ND	<0.02(0.005)	<0.020(0.006)	ND	ND
鋅	mg/L	25	50	ND	ND	<0.02(0.017)	<0.020(0.011)	ND	<0.02(0.010)
汞	mg/L	*	0.02	ND	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0048	0.0085	0.0104	0.0116	0.0101	0.009
鎘	mg/L	1.5	*	<0.100(0.074)	0.034	<0.1(0.079)	<0.100(0.049)	<0.100(0.043)	<0.100(0.081)
錳	mg/L	0.25	*	1.16	1.23	1.42	1.34	1.290	1.310
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	1.4	2.9	0.8	0.8	0.3	0.3
總酚	mg/L	*	0.14	ND	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—
氯化物	mg/L	*	0.5	ND	ND	ND	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	ND	ND	ND	ND	ND	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.50	<0.5	<0.50	<0.500	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井3 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	101 年 第 1 季	101 年 第 2 季	101 年 第 3 季	101 年 第 4 季	102 年 第 1 季	102 年 第 2 季	102 年 第 3 季	102 年 第 4 季
水溫	℃	*	*	24.4	25.6	27.7	26.2	22.2	25.1	27.7	26.6
pH 值	-	*	*	7.1	7.3	7.0	7.4	7	6.8	7	7.2
濁度	NTU	*	*	850.0	90.0	45.0	21.0	65	12	7.6	4.9
導電度	μmho/cm	*	*	25700.0	30500.0	9690.0	15300.0	19400	9480	6330	33100
總溶解固體	mg/L	1250	*	18600.0	24300.0	7280.0	11100.0	12200	5490	3340	22400
總硬度	mg/L	750	*	3210.0	3800.0	1600.0	2300.0	2480	1580	1090	3920
氯鹽	mg/L	625	*	7000.0	10600.0	2760.0	4760.0	6250	2500	1790	11000
總餘氯	mg/L	*	*	0.1	0.2	<0.02	0.0	0.04	0.04	0.04	0.04
硫酸鹽	mg/L	625	*	1050.0	1460.0	450.0	731.0	1010	467	317	1440
硫化物	mg/L	*	*	ND	ND	ND	<0.04 (0.01)	ND	ND	ND	<0.04 (0.01)
氬氣	mg/L	0.25	*	2.5	1.7	1.8	1.6	1.81	1.31	1.25	2.28
亞硝酸鹽氮	mg/L	*	10	<0.01 (0.001)	ND	0.4	0.0	0.01	0.04	0.02	<0.01 (0.002)
硝酸鹽氮	mg/L	25	100	ND	<0.0 5(0.02)	0.3	0.1	<0.05 (0.03)	0.17	0.12	<0.05 (0.01)
無機氯含量	mg/L	*	*	2.5	1.8	2.5	1.8	1.85	1.52	1.39	2.29
總含氯量	mg/L	*	*	2.6	1.8	3.4	1.8	1.86	1.72	1.77	2.35
氯鹽	mg/L	*	*	0.6	0.6	0.5	0.7	0.6	0.49	0.47	0.63
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	<0.02(0.03)	ND	ND	ND	ND	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND	ND	ND	ND	ND
鎳	mg/L	*	1	<0.02(0.05)	<0.02(0.05)	<0.02(0.05)	ND	ND	ND	<0.020(0.004)	ND
鉛	mg/L	0.25	0.5	<0.02(0.05)	ND	<0.02(0.05)	ND	<0.02(0.010)	ND	<0.020(0.008)	ND
鋅	mg/L	25	50	ND	0.0	<0.02(0.012)	ND	ND	<0.020(0.009)	<0.020(0.012)	ND
汞	mg/L	*	0.02	ND	ND	ND	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0	0.0	0.0	0.0	0.0069	0.005	0.0043	0.0024
鐵	mg/L	1.5	*	<0.100(0.046)	<0.100(0.030)	<0.100(0.046)	0.1	<0.100(0.049)	0.184	<0.100(0.049)	ND
錳	mg/L	0.25	*	1.6	1.3	1.0	0.8	0.761	0.394	0.503	1.88
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	3.3	0.2	0.2	0.1	<0.2(0.1)	0.5	1.2	0.3
總酚	mg/L	*	0.14	ND	ND	ND	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	0.0	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND	ND	ND	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—
氧化物	mg/L	*	0.5	ND	ND	ND	ND	ND	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	0.0	ND	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井3 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	103 年 第 1 季	103 年 第 2 季	103 年 第 3 季	103 年 第 4 季	104 年 第 1 季	104 年 第 2 季	104 年 第 3 季
水溫	°C	*	*	25.1	24	27.1	24.5	24.6	29.3	29.9
pH 值	-	*	*	7.2	7.3	7.1	7.3	7.7	7.3	7
濁度	NTU	*	*	20	12	17	5.2	23	160	14
導電度	umho/cm	*	*	30000	6140	28100	19800	28800	19700	10700
總溶解固體	mg/L	1250	*	18700	4070	20100	11900	21400	9260	13900
總硬度	mg/L	750	*	3220	963	3260	2010	790	1780	1480
氯鹽	mg/L	625	*	11000	1550	8640	389	11800	4990	6410
總餘氯	mg/L	*	*	0.05	0.23	0.04	ND	0.27	ND	0.05
硫酸鹽	mg/L	625	*	1430	362	1180	824	1370	646	887
硫化物	mg/L	*	*	0.08	0.05	<0.04(0.03)	ND	ND	ND	ND
氨氮	mg/L	0.25	*	2.37	0.87	1.84	1.33	2.77	0.15	3.16
亞硝酸鹽氮	mg/L	5	10	<0.01(0.002)	<0.01(0.002)	0.05	0.52	0.01	1.48	0.03
硝酸鹽氮	mg/L	50	100	ND	<0.05(0.02)	<0.05(0.03)	0.78	ND	0.17	0.01
無機氮含量	mg/L	*	*	2.38	0.89	1.92	2.63	2.78	1.8	3.2
總含氮量	mg/L	*	*	2.48	1.44	2.11	2.68	0.95	2.15	3.82
氯鹽	mg/L	4	8	0.57	0.64	0.64	0.76	0.66	0.65	0.57
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	ND	ND	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND	ND	ND	ND
鎳	mg/L	0.5	1	<0.020(0.006)	<0.020(0.005)	<0.020(0.004)	ND	ND	ND	ND
鉛	mg/L	0.05	0.1	ND	ND	ND	ND	ND	ND	0.008
鋅	mg/L	25	50	ND	ND	0.038	0.013	ND	ND	0.009
汞	mg/L	0.01	0.02	ND	ND	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0117	<0.0020(0.0011)	0.0033	0.0069	0.0051	0.004	0.0098
鐵	mg/L	1.5	*	<0.100(0.082)	0.115	<0.100(0.060)	0.395	0.468	0.12	0.215
錳	mg/L	0.25	*	1.33	0.613	0.868	0.671	1.2	0.721	2.3
油脂	mg/L	*	*	1.2	<1.0	<1.0	1.2	1.7	4.6	3.6
總有機碳(TOC)	mg/L	10	*	0.3	0.4	0.4	3.5	3.5	2.6	3.3
總酚	mg/L	0.14	*	ND	ND	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	1.85	3.7	—	—	—	ND	ND	ND	ND
2,4,6-三氯酚	mg/L	0.05	0.1	—	—	—	ND	ND	ND	ND
五氯酚	mg/L	0.04	0.08	—	—	—	ND	ND	ND	ND
苯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
甲苯	mg/L	5	10	ND	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	50	100	ND	ND	ND	ND	ND	ND	ND
乙苯	mg/L	3.5	7	ND	ND	ND	ND	ND	ND	ND
氯苯	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	0.375	0.75	ND	ND	ND	ND	ND	ND	ND
萘	mg/L	0.2	0.4	ND	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	0.15	0.3	ND	ND	ND	ND	ND	ND	ND
二氯甲烷	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
氯仿	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	4.25	8.5	ND	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	3	6	ND	ND	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
氯乙烯	mg/L	0.01	0.02	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	0.035	0.07	ND	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND	ND	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
三氯乙烯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
四氯乙烯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
四氯化碳	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	5	10	—	<0.500	<0.500	ND	ND	ND	ND
氯化物	mg/L	0.25	0.5	ND	ND	0.01	ND	ND	ND	ND
甲基第三丁基醚	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	<1.00	<1.00	<1.00	0.00118	0.00128	0.00178	ND
1,2-二氯苯	mg/L	0.025	0.05	—	ND	ND	ND	ND	ND	ND
3,3'-二氯聯苯胺	mg/L	0.05	0.1	—	—	—	ND	ND	ND	ND
1,1,1-三氯乙烷	mg/L	1	2	—	—	—	ND	ND	ND	ND
柴油總碳氫化合物	mg/L	*	*	<0.500	<0.500	<0.500	ND	ND	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井3 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	104 年 第 4 季	105 年 第 1 季	105 年 第 2 季	105 年 第 3 季	105 年 第 4 季	106 年 第 1 季	106 年 第 2 季
水溫	℃	*	*	28.6	23.7	25.6	29.3	26.5	24	24.6
pH 值	-	*	*	7	7.3	7.2	7.1	7.1	7.3	7.3
濁度	NTU	*	*	2.9	6.7	9	30	12	5.8	3.9
導電度	μmho/cm	*	*	1200	12300	1620	3380	1850	4120	3700
總溶解固體	mg/L	1250	*	726	8890	2980	4030	1220	2330	3400
總硬度	mg/L	750	*	878	1640	650	784	597	914	852
氯鹽	mg/L	625	*	78.4	4140	1100	1490	552	1510	1350
總餘氯	mg/L	*	*	ND<0.04	0.05	0.54	0.61	0.55	ND<0.04	ND<0.04
硫酸鹽	mg/L	625	*	44.8	270	267	372	74.1	517	544
硫化物	mg/L	*	*	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.007	0.02	ND<0.015
氨氮	mg/L	0.25	*	0.53	1.38	0.06	0.52	0.68	0.6	0.89
亞硝酸鹽氮	mg/L	5	10	0.14	ND<0.001	0.08	0.66	0.02	0.01	ND<0.001
硝酸鹽氮	mg/L	50	100	0.48	0.01	0.07	0.38	0.16	0.02	0.01
無機氮含量	mg/L	*	*	1.15	1.39	0.21	1.56	0.86	0.63	0.9
總含氮量	mg/L	*	*	1.57	1.61	0.64	2.39	1.64	1.04	1.14
氯鹽	mg/L	4	8	0.33	0.63	0.36	0.44	0.47	0.66	0.64
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.0003	ND<0.002	ND<0.002
鉻	mg/L	0.25	0.5	ND<0.002	0.003	ND<0.002	ND<0.002	0.005	ND<0.002	ND<0.002
銅	mg/L	5	10	ND<0.005	ND<0.005	0.008	ND<0.005	0.009	0.079	ND<0.005
鎳	mg/L	0.5	1	ND<0.002	0.005	0.005	ND<0.003	0.008	ND<0.003	ND<0.003
鉛	mg/L	0.05	0.1	ND<0.006	ND<0.006	ND<0.005	ND<0.005	0.006	0.014	0.007
鋅	mg/L	25	50	0.007	0.125	0.042	0.007	0.033	0.007	0.011
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0002	ND<0.0003	ND<0.0003
砷	mg/L	0.25	0.5	0.0029	0.0094	0.037	0.0084	0.0193	0.0117	0.0038
鐵	mg/L	1.5	*	0.134	0.062	6.54	0.029	6.75	0.687	0.04
錳	mg/L	0.25	*	0.386	1.3	0.357	0.86	0.527	0.557	0.621
油脂	mg/L	*	*	1.1	1.3	2.7	0.5	0.6	0.3	0.5
總有機碳(TOC)	mg/L	10	*	2.6	3.3	4.2	4.6	4.2	3.2	3.6
總酚	mg/L	0.14	*	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0016	0.0051	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00294	0.00491	0.00485	ND	0.00417	ND<0.00296	ND<0.00198
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00157	ND<0.00157	ND<0.00037	ND<0.00037	ND<0.00054	ND<0.00054	ND<0.00191
五氯酚	mg/L	0.04	0.08	ND<0.00213	ND<0.0014	ND<0.0014	ND<0.0014	ND<0.00140	ND<0.00140	ND<0.00173
苯	mg/L	0.025	0.05	ND<0.00168	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00014
甲苯	mg/L	5	10	ND<0.00169	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00014
二甲苯	mg/L	50	100	ND<0.00187	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00051
乙苯	mg/L	3.5	7	ND<0.0016	ND<0.00160	ND<0.00037	ND<0.00037	ND<0.00050	ND<0.00050	ND<0.00016
氯苯	mg/L	0.5	1	ND<0.00141	ND<0.00141	ND<0.00017	ND<0.00017	ND<0.00014	ND<0.00014	ND<0.00036
1,4-二氯苯	mg/L	0.375	0.75	ND<0.002	ND<0.00200	ND<0.001	ND<0.001	ND<0.00082	ND<0.00082	ND<0.00036
萘	mg/L	0.2	0.4	ND<0.00144	ND<0.00144	ND<0.00017	ND<0.00017	ND<0.00014	ND<0.00014	ND<0.00033
氯甲烷	mg/L	0.15	0.3	ND<0.00153	ND<0.00153	ND<0.00155	ND<0.00155	ND<0.00161	ND<0.00161	ND<0.00149
二氯甲烷	mg/L	0.025	0.05	ND<0.00152	ND<0.00152	ND<0.00036	ND<0.00036	ND<0.00055	ND<0.00055	ND<0.00044
氯仿	mg/L	0.5	1	ND<0.00153	ND<0.00153	ND<0.00018	ND<0.00018	ND<0.00014	ND<0.00014	ND<0.00040
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00155	ND<0.00155	ND<0.00167	ND<0.00167	ND<0.00182	ND<0.00182	ND<0.00036
1,2-二氯乙烷	mg/L	3	6	0.013	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.00037
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00153	ND<0.00153	ND<0.00039	ND<0.00039	ND<0.00063	ND<0.00063	ND<0.00035
氯乙烯	mg/L	0.01	0.02	ND<0.00152	ND<0.00152	ND<0.0004	ND<0.0004	ND<0.00062	ND<0.00062	ND<0.00164
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00165	ND<0.00165	ND<0.00017	ND<0.00017	ND<0.00016	ND<0.00016	ND<0.00153
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00159	ND<0.00159	ND<0.00168	ND<0.00168	ND<0.00159	ND<0.00159	ND<0.00035
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00171	ND<0.00171	ND<0.00169	ND<0.00169	ND<0.00197	ND<0.00197	ND<0.00169
三氯乙烯	mg/L	0.025	0.05	ND<0.00166	ND<0.00166	ND<0.00161	ND<0.00161	ND<0.00196	ND<0.00196	ND<0.00175
四氯乙烯	mg/L	0.025	0.05	ND<0.00174	ND<0.00174	ND<0.00167	ND<0.00167	ND<0.00161	ND<0.00161	ND<0.00039
四氯化碳	mg/L	0.025	0.05	ND<0.00171	ND<0.00171	ND<0.00037	ND<0.00037	ND<0.00065	ND<0.00065	ND<0.00158
總石油碳氫化合物	mg/L	5	10	ND<0.00147	ND<0.00147	ND<0.00036	ND<0.00036	ND<0.00059	ND<0.00059	ND<0.184
氯化物	mg/L	0.25	0.5	ND<0.00158	ND<0.00158	ND<0.00163	ND<0.00163	ND<0.00173	ND<0.00173	ND<0.002
甲基第三丁基醚	mg/L	0.5	1	ND<0.00169	ND<0.00169	ND<0.00039	ND<0.00039	ND<0.00017	ND<0.00017	ND<0.00134
甲醛	mg/L	*	*	ND<0.171	ND<0.171	ND<0.186	ND<0.152	ND<0.186	ND<0.186	ND<0.00266
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00169	ND<0.00169	ND<0.00037	ND<0.00037	ND<0.00065	ND<0.00065	ND<0.00035
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00147	ND<0.00147	ND<0.00037	ND<0.00037	ND<0.00020	ND<0.00020	ND<0.00137
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00142	ND<0.00142	ND<0.0004	ND<0.0004	ND<0.00050	ND<0.00050	ND<0.00161
柴油總碳氫化合物	mg/L	*	*	—	ND<0.142	ND<0.156	ND<0.122	ND<0.156	ND<0.122	ND<0.122

註：1.「*」表示法規尚未規定，「—」表示並無監測

- 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井3歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	106 年第 3 季	106 年第 4 季	107 年第 1 季	107 年第 2 季	107 年第 3 季	107 年第 4 季	108 年第 1 季
水溫	℃	*	*	26.7	27	25.1	25.9	25.5	26	25.5
pH 值	-	*	*	7	7.3	7.3	7.2	7.2	7.2	7.4
濁度	NTU	*	*	4	6.2	2.1	2.6	0.3	11	19
導電度	μmho/cm	*	*	1400	4110	3780	5210	4480	6500	29900
總溶解固體	mg/L	1250	*	3670	3070	3020	6180	714	12000	22500
總硬度	mg/L	750	*	582	988	988	1020	406	2370	3750
氯鹽	mg/L	625	*	1310	1410	1400	2740	50.2	1830	12200
總餘氯	mg/L	*	*	0.06	ND<0.04	0.05	ND<0.04	0.05	ND<0.04	0.09
硫酸鹽	mg/L	625	*	214	312	409	622	250	910	1130
硫化物	mg/L	*	*	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01
氯氣	mg/L	0.25	*	0.35	1.05	0.66	1.16	1.58	0.67	1.37
亞硝酸鹽氮	mg/L	5	10	0.03	0.02	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
硝酸鹽氮	mg/L	50	100	0.49	0.01	0.01	0.02	0.01	0.01	0.01
無機氮含量	mg/L	*	*	0.87	1.08	0.67	1.18	1.59	0.68	1.38
總含氮量	mg/L	*	*	1.39	1.16	1.01	1.2	1.65	1.08	1.64
氯鹽	mg/L	4	8	0.37	0.63	0.68	0.62	0.53	0.52	0.54
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.002	0.003	ND<0.002	ND<0.002	ND<0.002	ND<0.002
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
銅	mg/L	5	10	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005
鎳	mg/L	0.5	1	ND<0.003	ND<0.003	ND<0.003	ND<0.003	ND<0.003	ND<0.003	ND<0.003
鉛	mg/L	0.05	0.1	0.007	0.008	ND<0.006	ND<0.006	0.014	ND<0.006	ND<0.006
鋅	mg/L	25	50	0.008	0.007	0.006	0.034	0.025	0.009	0.008
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.003	ND<0.0003
砷	mg/L	0.25	0.5	0.0042	0.0084	0.0038	0.0085	0.001	0.0311	0.0109
鐵	mg/L	1.5	*	0.042	0.122	0.183	0.405	0.121	0.115	0.937
錳	mg/L	0.25	*	0.198	0.242	0.509	0.563	0.24	1.29	0.77
油脂	mg/L	*	*	0.8	3.1	2.8	0.7	0.1	5.8	<0.1
總有機碳(TOC)	mg/L	10	*	5.3	4.4	1.2	2	1.4	1.4	0.8
總酚	mg/L	0.14	*	0.0043	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00198	ND<0.00198	ND<0.00198	ND<0.00150	ND<0.00150	ND<0.00150	ND<0.00150
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00191	ND<0.00191	ND<0.00191	ND<0.00156	ND<0.00156	ND<0.00156	ND<0.00156
五氯酚	mg/L	0.04	0.08	ND<0.00173	ND<0.00173	ND<0.00173	ND<0.00162	ND<0.00162	ND<0.00162	ND<0.00162
苯	mg/L	0.025	0.05	ND<0.00055	ND<0.00014	ND<0.00014	ND<0.00052	ND<0.00013	ND<0.00013	ND<0.00013
甲苯	mg/L	5	10	ND<0.00014	ND<0.00014	ND<0.00014	ND<0.00015	ND<0.00013	ND<0.00013	ND<0.00013
二甲苯	mg/L	50	100	ND<0.00082	ND<0.00051	ND<0.00051	ND<0.00081	ND<0.00049	ND<0.00049	ND<0.00049
乙苯	mg/L	3.5	7	ND<0.00013	ND<0.00016	ND<0.00016	ND<0.00014	ND<0.00013	ND<0.00013	ND<0.00013
氯苯	mg/L	0.5	1	ND<0.00135	ND<0.00036	ND<0.00036	ND<0.00140	ND<0.00036	ND<0.00036	ND<0.00036
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00049	ND<0.00036	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
苯	mg/L	0.2	0.4	ND<0.00019	ND<0.00033	ND<0.00033	ND<0.00018	ND<0.00035	ND<0.00035	ND<0.00035
氯甲烷	mg/L	0.15	0.3	ND<0.00152	ND<0.00149	ND<0.00149	ND<0.00157	ND<0.00134	ND<0.00134	ND<0.00134
二氯甲烷	mg/L	0.025	0.05	ND<0.00065	ND<0.00044	ND<0.00044	ND<0.00052	ND<0.00049	ND<0.00049	ND<0.00049
氯仿	mg/L	0.5	1	ND<0.00063	ND<0.00040	ND<0.00040	ND<0.00046	ND<0.00039	ND<0.00039	ND<0.00039
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00059	ND<0.00036	ND<0.00036	ND<0.00042	ND<0.00036	ND<0.00036	ND<0.00036
1,2-二氯乙烷	mg/L	3	6	ND<0.00015	ND<0.00037	ND<0.00037	ND<0.00016	ND<0.00037	ND<0.00037	ND<0.00037
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00144	ND<0.00035	ND<0.00035	ND<0.00165	ND<0.00034	ND<0.00034	ND<0.00034
氯乙烷	mg/L	0.01	0.02	ND<0.00157	ND<0.00164	ND<0.00164	ND<0.00155	ND<0.00130	ND<0.00130	ND<0.00130
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00169	ND<0.00153	ND<0.00153	ND<0.00138	ND<0.00130	ND<0.00130	ND<0.00130
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00135	ND<0.00035	ND<0.00035	ND<0.00156	ND<0.00033	ND<0.00033	ND<0.00033
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00065	ND<0.00169	ND<0.00169	ND<0.00046	ND<0.00130	ND<0.00130	ND<0.00130
三氯乙烯	mg/L	0.025	0.05	ND<0.00055	ND<0.00175	ND<0.00175	ND<0.00037	ND<0.00172	ND<0.00172	ND<0.00172
四氯乙烯	mg/L	0.025	0.05	ND<0.00139	ND<0.00039	ND<0.00039	ND<0.00164	ND<0.00040	ND<0.00040	ND<0.00040
四氯化碳	mg/L	0.025	0.05	ND<0.00015	ND<0.00158	ND<0.00158	ND<0.00016	ND<0.00118	ND<0.00118	ND<0.00118
柴油總碳氫化合物	mg/L	*	*	ND<0.122	ND<0.132	ND<0.132	ND<0.132	ND<0.132	ND<0.132	ND<0.132
總石油碳氫化合物	mg/L	5	10	ND<0.184	ND<0.184	ND<0.184	ND<0.198	ND<0.198	ND<0.198	ND<0.198
氯化物	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
甲基第三丁基醚	mg/L	0.5	1	ND<0.00049	ND<0.00134	ND<0.00134	ND<0.00036	ND<0.00087	ND<0.00087	ND<0.00087
甲醛	mg/L	*	*	0.00315	ND<0.00266	ND<0.00266	ND<0.00484	ND<0.00484	0.00553	ND<0.00484
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00051	ND<0.00035	ND<0.00035	ND<0.00045	ND<0.00036	ND<0.00036	ND<0.00036
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00137	ND<0.00137	ND<0.00137	ND<0.00158	ND<0.00158	ND<0.00158	ND<0.00158
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00017	ND<0.00161	ND<0.00161	ND<0.00015	ND<0.00127	ND<0.00127	ND<0.00127

註：1.「*」表示法規尚未規定，“*”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井3 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	108 年第 2 季	108 年第 3 季	108 年第 4 季	109 年第 1 季	109 年第 2 季	109 年第 3 季	109 年第 4 季
水溫	℃	*	*	27	27	28.9	24.8	24.5	27	26.3
pH 值	-	*	*	7.1	7.2	7.4	7.1	7.2	7.2	7.3
濁度	NTU	*	*	16	65	50	8.5	19	12	19
導電度	umho/cm	*	*	28600	27100	14000	16600	22900	5830	31900
總溶解固體	mg/L	1250	*	2480	18800	10200	9250	34200	4500	22500
總硬度	mg/L	750	*	3390	3430	1930	1630	3020	1020	4010
氯鹽	mg/L	625	*	11100	8830	4330	5190	7960	1640	11100
總餘氯	mg/L	*	*	ND<0.04	0.02	ND<0.019	ND<0.019	ND<0.019	0.05	0.04
硫酸鹽	mg/L	625	*	1020	1210	661	812	1150	325	1510
硫化物	mg/L	*	*	ND<0.01	<0.02(0.01)	ND<0.0048	ND<0.0048	<0.02(0.01)	<0.02(0.01)	<0.02(0.01)
氨氮	mg/L	0.25	*	1.82	1.39	1.13	1.14	1.58	0.51	1.84
亞硝酸鹽氮	mg/L	5	10	ND<0.001	<0.01(0.004)	<0.01(0.002)	ND<0.00015	<0.01(0.003)	<0.01(0.004)	<0.01(0.002)
硝酸鹽氮	mg/L	50	100	<0.012(0.01)	0.08	0.02	0.03	0.01	0.04	0.01
無機氮含量	mg/L	*	*	1.83	1.47	1.15	1.17	1.59	0.55	1.85
總含氮量	mg/L	*	*	1.95	1.56	1.56	0.99	3.54	0.57	1.99
氯鹽	mg/L	4	8	0.45	0.44	0.38	0.4	<1(0.6050)	0.31	0.55
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.00041	ND<0.00041	ND<0.00041	ND<0.00019	ND<0.00019	ND<0.00019
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.00048	ND<0.00048	ND<0.00048	ND<0.00037	ND<0.00037	<0.0025 (0.001)
銅	mg/L	5	10	ND<0.005	<0.005(0.002)	ND<0.00090	ND<0.0009	ND<0.00053	<0.0025 (0.002)	ND<0.00053
鎳	mg/L	0.5	1	ND<0.003	<0.01(0.002)	<0.01(0.004)	<0.01(0.004)	<0.005 (0.0038)	<0.005 (0.003)	<0.005 (0.004)
鉛	mg/L	0.05	0.1	ND<0.006	<0.01(0.004)	ND<0.0030	ND<0.003	ND<0.0024	ND<0.0024	ND<0.0024
鋅	mg/L	25	50	0.009	<0.02(0.008)	<0.005(0.002)	<0.005 (0.003)	0.004	0.008	0.003
汞	mg/L	0.01	0.02	ND<0.0003	<0.0004 (0.0001)	ND<0.000081	ND<0.000081	ND<0.000084	<0.0004 (0.0001)	ND<0.000084
砷	mg/L	0.25	0.5	0.008	0.0494	0.0186	0.0063	0.0175	0.0091	0.0106
鐵	mg/L	1.5	*	0.202	7.13	0.063	0.404	1.46	0.757	1.98
錳	mg/L	0.25	*	0.961	1.15	0.646	0.597	0.864	1.71	1.23
油脂	mg/L	*	*	0.8	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	0.7	0.8	1.2	<1.0(0.8)	0.6	0.8	3.7
總酚	mg/L	0.14	*	ND<0.0021	<0.03(0.0104)	ND<0.0042	<0.03(0.0052)	<0.03(0.0161)	ND<0.0038	ND<0.0038
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00197	ND<0.00039	ND<0.00039	ND<0.00039	ND<0.00051	ND<0.00051	ND<0.00051
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00205	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
五氯酚	mg/L	0.04	0.08	ND<0.00152	ND<0.00042	ND<0.00042	ND<0.00042	ND<0.00073	ND<0.00073	ND<0.00073
苯	mg/L	0.025	0.05	ND<0.00044	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00028	ND<0.00028	ND<0.00028
甲苯	mg/L	5	10	ND<0.00015	ND<0.00022	ND<0.00022	ND<0.00022	<0.001(0.00050)	ND<0.00031	ND<0.00031
二甲苯	mg/L	50	100	ND<0.00107	ND<0.00016	ND<0.00016	ND<0.00016	ND<0.00038	ND<0.00038	ND<0.00038
乙苯	mg/L	3.5	7	ND<0.00015	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
氯苯	mg/L	0.5	1	ND<0.00177	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.00025	ND<0.00025	ND<0.00025
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00034	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
萘	mg/L	0.2	0.4	ND<0.00014	ND<0.00020	ND<0.00020	ND<0.00020	ND<0.00027	ND<0.00027	ND<0.00027
氯甲烷	mg/L	0.15	0.3	ND<0.00184	ND<0.000080	ND<0.000080	ND<0.000080	ND<0.00038	ND<0.00038	ND<0.00038
二氯甲烷	mg/L	0.025	0.05	ND<0.00044	<0.0005 (0.00016)	ND<0.00015	<0.001 (0.0005)	ND<0.00041	ND<0.00041	ND<0.00041
氯仿	mg/L	0.5	1	ND<0.00041	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00025	ND<0.00025	ND<0.00025
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00037	ND<0.00007	ND<0.00007	ND<0.00007	ND<0.00027	ND<0.00027	ND<0.00027
1,2-二氯乙烷	mg/L	3	6	ND<0.00019	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00196	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00025	ND<0.00025	ND<0.00025
氯乙烷	mg/L	0.01	0.02	ND<0.00201	ND<0.00078	ND<0.00078	ND<0.00078	ND<0.00029	ND<0.00029	ND<0.00029
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00192	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00029	ND<0.00029	ND<0.00029
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00218	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00027	ND<0.00027	ND<0.00027
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00035	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00025	ND<0.00025	ND<0.00025
三氯乙烯	mg/L	0.025	0.05	ND<0.00036	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.00026	ND<0.00026	ND<0.00026
四氯乙烯	mg/L	0.025	0.05	ND<0.00202	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00027	ND<0.00027	ND<0.00027
四氯化碳	mg/L	0.025	0.05	ND<0.00016	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00025	ND<0.00025	ND<0.00025
柴油總碳氫化合物	mg/L	*	*	ND<0.149	<0.050(0.015)	<0.050(0.021)	<0.050(0.034)	<0.050(0.028)	<0.050 (0.017)	<0.050 (0.018)
總石油碳氫化合物	mg/L	5	10	ND<0.205	<0.055(0.029)	<0.055(0.034)	<0.075(0.054)	<0.062(0.045)	<0.055 (0.035)	<0.046 (0.037)
氯化物	mg/L	0.25	0.5	ND<0.002	ND<0.00045	ND<0.00045	ND<0.00045	<0.004(0.0005)	ND<0.00048	ND<0.00048
甲基第三丁基醚	mg/L	0.5	1	ND<0.00035	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.0003	ND<0.0003	0.0384
甲醛	mg/L	*	*	<0.0124 (0.00563)	ND<0.00782	ND<0.00782	<0.0286 (0.00824)	<0.0286 (0.00869)	<0.0286 (0.0119)	<0.0286 (0.00751)
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00039	ND<0.00014	ND<0.00014	ND<0.00014	ND<0.00027	ND<0.00027	ND<0.00027
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00196	ND<0.00290	ND<0.00290	ND<0.00290	ND<0.00053	ND<0.00053	ND<0.00053
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00017	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00025	ND<0.00025	ND<0.00025

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井3 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	110 年第 1 季	110 年第 2 季	110 年第 3 季	110 年第 4 季	111 年第 1 季	111 年第 2 季	111 年第 3 季
水溫	℃	*	*	25.4	27	27.7	26.6	24.7	30.4	28.5
pH 值	-	*	*	7	7.1	7.3	7	7.2	7.6	7.8
濁度	NTU	*	*	9.8	12	33	14	6.8	14	7.3
導電度	μmho/cm	*	*	21000	20900	20300	16500	9030	3140	2360
總溶解固體	mg/L	1250	*	12000	14000	13600	10600	5350	5000	17300
總硬度	mg/L	750	*	2260	2650	2700	2040	1100	1250	3030
氯鹽	mg/L	625	*	5680	6210	6380	4180	2460	2250	7170
總餘氯	mg/L	*	*	0.06	0.05	0.04	0.07	ND<0.018	ND<0.020	ND<0.020
硫酸鹽	mg/L	625	*	832	883	948	628	579	426	1110
硫化物	mg/L	*	*	ND<0.0036	<0.02(0.01)	<0.02(0.01)	<0.02(0.02)	<0.02(0.01)	<0.02(0.015)	0.02
氨氣	mg/L	0.25	*	1.24	1.78	0.44	1.03	7.17	0.52	1.16
亞硝酸鹽氮	mg/L	5	10	<0.01(0.003)	<0.01(0.003)	<0.01(0.005)	<0.01(0.003)	<0.01(0.005)	<0.01(0.003)	<0.01(0.001)
硝酸鹽氮	mg/L	50	100	0.03	0.01	0.07	<0.01(0.07)	0.1	0.02	ND<0.0015
無機氮含量	mg/L	*	*	1.27	1.79	0.52	1.04	7.28	0.54	1.16
總含氮量	mg/L	*	*	1.39	1.8	0.62	1.07	7.3	0.59	1.2
氯鹽	mg/L	4	8	0.52	0.58	0.39	0.49	0.64	0.55	0.54
鎘	mg/L	0.025	0.05	ND<0.00019	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.0009	ND<0.00037	ND<0.00037
鉻	mg/L	0.25	0.5	ND<0.00037	ND<0.00054	ND<0.00054	ND<0.00054	ND<0.00054	<0.005(0.001)	<0.005(0.001)
銅	mg/L	5	10	ND<0.00053	ND<0.0011	0.003	ND<0.0011	<0.005(0.002)	ND<0.0011	ND<0.0011
鎳	mg/L	0.5	1	<0.005(0.002)	<0.005(0.002)	ND<0.0014	<0.01	0.012	<0.01(0.002)	<0.01(0.002)
鉛	mg/L	0.05	0.1	ND<0.0024	ND<0.0032	ND<0.0032	ND<0.0032	ND<0.0032	ND<0.0031	ND<0.0031
鋅	mg/L	25	50	0.005	0.008	0.013	<0.005	0.027	<0.005(0.005)	<0.005(0.004)
汞	mg/L	0.01	0.02	ND<0.000084	ND<0.000094	0.0004	<0.0004 (0.0002)	ND<0.000094	ND<0.00011	ND<0.00011
砷	mg/L	0.25	0.5	0.0047	0.0054	0.0186	0.0075	0.0058	0.0078	0.0048
鐵	mg/L	1.5	*	0.292	0.458	0.046	0.128	0.33	0.611	0.472
錳	mg/L	0.25	*	0.774	1.1	1.17	2.41	0.289	0.984	2.09
油脂	mg/L	*	*	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	<0.5(0.2)	<2.5(1.5)	<2.5(0.5)	<2.5(1.7)	1.2	<0.5(0.3)	<0.5(0.4)
總酚	mg/L	0.14	*	<0.03(0.0061)	ND<0.0049	ND<0.0029	<0.03(0.0217)	<0.03(0.0074)	ND<0.0021	<0.03(0.0095)
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00037	ND<0.00037
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00038	ND<0.00056	ND<0.00056	ND<0.00056	ND<0.00056	ND<0.00057	ND<0.00057
五氯酚	mg/L	0.04	0.08	ND<0.00073	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00041	ND<0.00041
苯	mg/L	0.025	0.05	ND<0.00028	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00023	ND<0.00023
甲苯	mg/L	5	10	ND<0.00031	ND<0.00029	ND<0.00029	<0.001 (0.00076)	ND<0.00029	ND<0.00025	ND<0.00025
二甲苯	mg/L	50	100	ND<0.00038	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00036	ND<0.00036
乙苯	mg/L	3.5	7	ND<0.00027	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00023	ND<0.00023
氯苯	mg/L	0.5	1	ND<0.00025	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00027	ND<0.00027
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00027	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00041	ND<0.00041
苯	mg/L	0.2	0.4	ND<0.00027	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00039	ND<0.00039
氯甲烷	mg/L	0.15	0.3	ND<0.00038	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00027	ND<0.00027
二氯甲烷	mg/L	0.025	0.05	ND<0.00041	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
氯仿	mg/L	0.5	1	ND<0.00025	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00025	ND<0.00025
1,1,2-二氯乙烷	mg/L	4.25	8.5	ND<0.00027	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00022	ND<0.00022
1,2-二氯乙烷	mg/L	3	6	ND<0.00027	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00027	ND<0.00027
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00025	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033
氯乙烯	mg/L	0.01	0.02	ND<0.00029	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00022	ND<0.00022
1,1,2-二氯乙烯	mg/L	0.035	0.07	ND<0.00029	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00021	ND<0.00021
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00027	ND<0.00026	ND<0.00026	ND<0.00026	ND<0.00026	ND<0.00020	ND<0.00020
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00025	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00028	ND<0.00028
三氯乙烯	mg/L	0.025	0.05	ND<0.00026	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021	ND<0.00021
四氯乙烯	mg/L	0.025	0.05	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00020	ND<0.00020
四氯化碳	mg/L	0.025	0.05	ND<0.00025	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00022	ND<0.00022
柴油總碳氫化合物	mg/L	*	*	<0.050(0.022)	<0.050(0.019)	<0.050(0.029)	<0.050(0.022)	0.06	<0.050(0.019)	<0.050(0.030)
總石油碳氫化合物	mg/L	5	10	<0.055(0.029)	<0.038(0.036)	0.045	0.043	<0.1(0.086)	<0.055(0.032)	<0.056(0.037)
氟化物	mg/L	0.25	0.5	<0.004 (0.0019)	ND<0.00053	ND<0.00053	ND<0.00053	ND<0.00053	<0.004 (0.0007)	<0.004 (0.0013)
甲基第三丁基醚	mg/L	0.5	1	ND<0.0003	ND<0.00024	ND<0.00024	<0.001 (0.00024)	0.0123	ND<0.00021	ND<0.00021
甲醛	mg/L	*	*	<0.0286 (0.00743)	<0.0286 (0.00654)	ND<0.00625	<0.0286 (0.0137)	ND<0.00625	ND<0.00628	<0.0286 (0.00724)
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00027	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00046	ND<0.00046
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00053	ND<0.00055	ND<0.00055	ND<0.00055	ND<0.00055	ND<0.00060	ND<0.00060
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021	ND<0.00021

註：1.「*」表示法規尚未規定，“-”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井3 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	111 年第 4 季	112 年第 1 季	112 年第 2 季	112 年第 3 季	112 年第 4 季	113 年第 1 季	113 年第 2 季
水溫	℃	*	*	26.8	25.7	26.7	29.4	27.1	24.9	33.7
pH 值	-	*	*	8	7	7.1	7.2	7	7.1	7.4
濁度	NTU	*	*	8.5	9.6	30	12	36	50	65
導電度	μmho/cm	*	*	29200	32700	39300	11400	14400	38000	40000
總溶解固體	mg/L	1250	*	20700	23400	29600	7700	11600	29400	30400
總硬度	mg/L	750	*	4400	3950	4820	1730	2430	4830	5020
氯鹽	mg/L	625	*	9450	12000	14200	3110	5330	13000	14300
總餘氯	mg/L	*	*	ND(<0.020)	ND<0.020	ND<0.023	ND<0.023	ND<0.023	ND<0.023	ND<0.024
硫酸鹽	mg/L	625	*	1300	1570	1940	514	777	1820	1960
硫化物	mg/L	*	*	ND(<0.0025)	ND<0.0025	ND<0.0038	ND<0.0038	ND<0.0038	ND<0.0038	<0.02(0.016)
氨氣	mg/L	0.25	*	1.1	1.24	1.9	0.48	0.63	1.86	1.72
亞硝酸鹽氮	mg/L	5	10	<0.01(0.001)	ND<0.00015	<0.01(0.002)	<0.01(0.003)	<0.01(0.001)	<0.01(0.003)	<0.01(0.003)
硝酸鹽氮	mg/L	50	100	0.02	0.01	<0.01(0.005)	<0.01(0.005)	0.02	<0.01(0.01)	0.08
無機氮含量	mg/L	*	*	1.12	1.25	1.91	0.49	0.65	1.87	1.8
總含氮量	mg/L	*	*	1.74	1.46	2.1	0.63	0.87	1.99	2.09
氯鹽	mg/L	4	8	0.62	0.56	0.58	0.51	0.54	0.63	0.61
鎘	mg/L	0.025	0.05	ND(<0.00037)	<0.002 (0.001)	ND<0.00024	ND<0.00053	<0.001 (0.00030)	ND<0.00024	ND<0.00049
鉻	mg/L	0.25	0.5	<0.005(0.001)	ND<0.00056	<0.005(0.002)	<0.005 (0.001)	<0.002(0.001)	ND<0.00028	ND<0.00049
銅	mg/L	5	10	ND(<0.0011)	0.018	ND<0.00039	ND<0.00069	ND<0.00069	ND<0.00039	<0.002 (0.001)
鎳	mg/L	0.5	1	<0.01(0.002)	ND<0.0017	<0.010(0.002)	<0.010 (0.003)	<0.005(0.001)	<0.005(0.001)	ND<0.0018
鉛	mg/L	0.05	0.1	ND(<0.0031)	<0.010 (0.004)	ND<0.0027	ND<0.0025	ND<0.0025	ND<0.0027	<0.005 (0.004)
鋅	mg/L	25	50	0.006	0.16	0.012	<0.005(0.001)	<0.002(0.002)	0.003	0.005
汞	mg/L	0.01	0.02	<0.0004 (0.0001)	<0.0004 (0.0003)	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00013	<0.0004(0.0002)
砷	mg/L	0.25	0.5	0.0033	0.0053	0.0087	0.0054	0.0075	0.0126	0.019
鐵	mg/L	1.5	*	0.101	0.511	1.58	0.031	0.241	1.23	4.36
錳	mg/L	0.25	*	1.47	0.934	0.987	0.972	0.9	1.27	1.47
油脂	mg/L	*	*	ND(<2.0)	2.2	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	<1.0(0.8)	<1.0(0.4)	<1.0(0.8)	1.5	1.4	<1.0(1.0)	<1.2(0.9)
總酚	mg/L	0.14	*	<0.03(0.0057)	ND(<0.0021)	ND<0.0015	ND<0.0048	ND<0.0048	ND<0.0046	<0.0300 (0.0093)
2,4,5-三氯酚	mg/L	1.85	3.7	ND(<0.00037)	ND<0.00037	ND<0.00079	ND<0.00079	ND<0.00065	ND<0.00079	ND<0.00059
2,4,6-三氯酚	mg/L	0.05	0.1	ND(<0.00057)	ND<0.00057	ND<0.00075	ND<0.00075	ND<0.00053	ND<0.00075	ND<0.00057
五氯酚	mg/L	0.04	0.08	ND(<0.00041)	ND<0.00041	ND<0.00036	ND<0.00036	ND<0.00038	ND<0.00036	ND<0.00043
苯	mg/L	0.025	0.05	ND(<0.00023)	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00022
甲苯	mg/L	5	10	ND(<0.00025)	ND<0.00025	ND<0.00022	ND<0.00022	<0.00100 (0.00028)	<0.00100 (0.00055)	<0.00100 (0.00026)
二甲苯	mg/L	50	100	ND(<0.00036)	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00032
乙苯	mg/L	3.5	7	ND(<0.00023)	ND<0.00023	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00022
氯苯	mg/L	0.5	1	ND(<0.00027)	ND<0.00027	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
1,4-二氯苯	mg/L	0.375	0.75	ND(<0.00041)	ND<0.00041	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021
萘	mg/L	0.2	0.4	ND(<0.00039)	ND<0.00039	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00023
氯甲烷	mg/L	0.15	0.3	ND(<0.00027)	ND<0.00027	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00025
二氯甲烷	mg/L	0.025	0.05	ND(<0.00038)	<0.00100 (0.00045)	ND<0.00045	ND<0.00045	ND<0.00045	ND<0.00045	ND<0.00044
氯仿	mg/L	0.5	1	ND(<0.00025)	<0.00100 (0.00027)	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00030
1,1,2-二氯乙烷	mg/L	4.25	8.5	ND(<0.00022)	ND<0.00022	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
1,2-二氯乙烷	mg/L	3	6	ND(<0.00027)	ND<0.00027	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND(<0.00033)	ND<0.00033	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00023
氯乙烯	mg/L	0.01	0.02	ND(<0.00022)	ND<0.00022	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00028
1,1-二氯乙烯	mg/L	0.035	0.07	ND(<0.00021)	ND<0.00021	ND<0.00022	ND<0.00022	ND<0.00022	ND<0.00022	ND<0.00025
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND(<0.00020)	ND<0.00020	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00022
反-1,2-二氯乙烯	mg/L	0.5	1	ND(<0.00028)	ND<0.00028	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00020
三氯乙烯	mg/L	0.025	0.05	ND(<0.00021)	ND<0.00021	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00020
四氯乙烯	mg/L	0.025	0.05	ND(<0.00020)	ND<0.00020	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00018
四氯化碳	mg/L	0.025	0.05	ND(<0.00022)	ND<0.00022	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021
柴油總碳氫化合物	mg/L	*	*	<0.050(0.042)	<0.050 (0.047)	<0.050(0.028)	<0.050 (0.022)	<0.050(0.020)	<0.050(0.023)	<0.050 (0.047)
總石油碳氫化合物	mg/L	5	10	<0.060(0.046)	0.093	<0.039(0.039)	<0.039 (0.030)	<0.039(0.037)	<0.039(0.036)	0.076
氯化物	mg/L	0.25	0.5	ND(<0.00052)	ND<0.00052	ND<0.00048	ND<0.00048	ND<0.00048	<0.004 (0.0038)	<0.004 (0.0011)
甲基第三丁基醚	mg/L	0.5	1	ND(<0.00021)	ND<0.00021	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
甲醛	mg/L	*	*	ND(<0.00628)	ND(<0.00628)	ND<0.00415	ND<0.00415	<0.0286 (0.00481)	ND<0.00415	ND<0.00338
1,2-二氯苯	mg/L	0.025	0.05	ND(<0.00046)	ND<0.00046	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND(<0.00060)	ND<0.00060	ND<0.00082	ND<0.00057	ND<0.00057	ND<0.00082	ND<0.00052
1,1,1-三氯乙烷	mg/L	1	2	ND(<0.00021)	ND<0.00021	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021

註：1.「*」表示法規尚未規定，「-」表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以「<檢測報告最低位數單位值」表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井3歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	113 年第 3 季	113 年第 4 季	114 年第 1 季			
水溫	℃	*	*	30.6	26.7	25.2			
pH 值	-	*	*	6.7	6.9	7.1			
濁度	NTU	*	*	85	35.00	26.00			
導電度	umho/cm	*	*	39800	19900	11100			
總溶解固體	mg/L	1250	*	12400	13600	8450			
總硬度	mg/L	750	*	3020	2580	1670			
氯鹽	mg/L	625	*	6870	6220	3700			
總銨氮	mg/L	*	*	ND<0.024	ND<0.024	0.03			
硫酸鹽	mg/L	625	*	967	922	596			
硫化物	mg/L	*	*	ND<0.0056	ND<0.0056	ND<0.0056			
氨氮	mg/L	0.25	*	0.76	0.6	0.8			
亞硝酸鹽氮	mg/L	5	10	0.04	<0.01(0.007)	<0.01(0.001)			
硝酸鹽氮	mg/L	50	100	0.43	0.07	0.02			
無機氮含量	mg/L	*	*	1.23	0.68	0.82			
總含氮量	mg/L	*	*	1.59	0.92	1.01			
氯鹽	mg/L	4	8	0.55	0.42	0.65			
鎘	mg/L	0.025	0.05	<0.001 (0.0004)	ND<0.00026	ND<0.00026			
鉻	mg/L	0.25	0.5	<0.002(0.001)	<0.002(0.001)	<0.002 (0.00040)			
銅	mg/L	5	10	0.019	<0.002(0.001)	ND<0.00044			
鎳	mg/L	0.5	1	<0.005(0.004)	<0.005(0.002)	<0.005(0.001)			
鉛	mg/L	0.05	0.1	<0.005(0.004)	ND<0.0030	ND<0.0030			
鋅	mg/L	25	50	0.031	0.011	0.004			
汞	mg/L	0.01	0.02	ND<0.000071	ND<0.000071	ND<0.000071			
砷	mg/L	0.25	0.5	0.0611	0.0057	0.0266			
鐵	mg/L	1.5	*	16.7	0.994	2.290			
錳	mg/L	0.25	*	1.52	0.808	0.734			
油脂	mg/L	*	*	ND<2.0	ND<2.0	ND<2.0			
總有機碳(TOC)	mg/L	10	*	2.2	1.3	1			
總酚	mg/L	0.14	*	<0.0300 (0.0120)	ND<0.0068	ND<0.0068			
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00059	ND<0.00059	ND<0.00059			
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00057	ND<0.00057	ND<0.00057			
五氯酚	mg/L	0.04	0.08	ND<0.00043	ND<0.00043	ND<0.00043			
苯	mg/L	0.025	0.05	ND<0.00022	ND<0.00022	ND<0.00022			
甲苯	mg/L	5	10	ND<0.00020	ND<0.00020	<0.00100 (0.00029)			
二甲苯	mg/L	50	100	ND<0.00032	ND<0.00032	ND<0.00032			
乙苯	mg/L	3.5	7	ND<0.00022	ND<0.00022	ND<0.00022			
氯苯	mg/L	0.5	1	ND<0.00022	ND<0.00022	ND<0.00022			
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00021	ND<0.00021	ND<0.00021			
萘	mg/L	0.2	0.4	ND<0.00023	ND<0.00023	ND<0.00023			
氯甲烷	mg/L	0.15	0.3	ND<0.00025	ND<0.00025	ND<0.00025			
二氯甲烷	mg/L	0.025	0.05	ND<0.00044	ND<0.00044	ND<0.00044			
氯仿	mg/L	0.5	1	ND<0.00030	ND<0.00030	ND<0.00030			
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00022	ND<0.00022	ND<0.00022			
1,2-二氯乙烷	mg/L	3	6	ND<0.00025	ND<0.00025	ND<0.00025			
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00023	ND<0.00023	ND<0.00023			
氯乙烯	mg/L	0.01	0.02	ND<0.00028	ND<0.00028	ND<0.00028			
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00025	ND<0.00025	ND<0.00025			
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00022	ND<0.00022	ND<0.00022			
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00020	ND<0.00020	ND<0.00020			
三氯乙烯	mg/L	0.025	0.05	ND<0.00020	ND<0.00020	ND<0.00020			
四氯乙烯	mg/L	0.025	0.05	ND<0.00018	ND<0.00018	ND<0.00018			
四氯化碳	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00021			
柴油總碳氫化合物	mg/L	*	*	<0.050(0.028)	<0.050(0.032)	<0.050(0.029)			
總石油碳氫化合物	mg/L	5	10	0.042	0.048	0.047			
氯化物	mg/L	0.25	0.5	ND<0.0022	ND<0.0022	ND<0.0022			
甲基第三丁基醚	mg/L	0.5	1	ND<0.00022	ND<0.00022	ND<0.00022			
甲醛	mg/L	*	*	<0.0286 (0.00410)	<0.0286 (0.00418)	ND<0.00338			
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00021			
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00052	ND<0.00052	ND<0.00052			
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00021	ND<0.00021	ND<0.00021			

註：1.「*」表示法規尚未規定，「-」表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 4 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	85 年 第 2 季	85 年 第 3 季	85 年 第 4 季	86 年 第 1 季	86 年 第 2 季	86 年 第 3 季	86 年 第 4 季	87 年 第 1 季	87 年 第 2 季
水溫	℃	*	*	23.6	24.6	25.4	23.1	25.6	26.6	25.3	25.1	26
pH 值	-	*	*	7.38	7.6	7.35	7.47	7.68	7.96	7.5	8.13	7.2
濁度	NTU	*	*	23	19	32	73	29	24	20.5	3.7	36
導電度	μmho/cm	*	*	58500	52100	51700	53700	47800	12860	34600	19680	43900
總溶解固體	mg/L	*	*	47400	44600	47000	45500	42500	10340	30560	16160	42800
總硬度	mg/L	*	*	2600	2750	5700	5200	5200	1650	4100	1800	4900
氯鹽	mg/L	*	*	15765	15285	15698	14871	14451	3710	11426	5789	15362
總餘氯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	<0.2
硫酸鹽	mg/L	*	*	2544	2546	2634	2177	2237	810	1976	1326	2332
硫化物	mg/L	*	*	ND	0.06	0.05	ND	ND	ND	0.014	ND	0.04
氨氮	mg/L	*	*	2.06	2.08	0.85	0.84	2.24	2.2	2.04	0.11	3.19
亞硝酸鹽氮	mg/L	*	*	0.0006	0.00015	0.00468	0.01125	ND	0.04599	0.00548	0.01632	0.0076
硝酸鹽氮	mg/L	*	*	0.47	0.32	0.37	0.47	0.46	0.16	0.34	0.00119	0.1
無機氮含量	mg/L	*	*	2.53	2.4	1.23	1.33	2.7	2.41	2.39	1.32	3.29
總含氮量	mg/L	*	*	4.03	4.09	1.89	1.86	3.07	2.71	2.91	4.42	3.67
氯鹽	mg/L	*	*	0.79	0.8	0.79	0.91	1.11	0.78	0.77	0.97	0.7
鎘	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	<0.00572
鉻	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	<0.00406
銅	mg/L	*	*	ND	ND	ND	0.0162	0.0154	0.0937	0.0347	0.0099	0.0137
鎳	mg/L	*	*	0.0109	0.0045	ND	0.009	ND	ND	0.0041	0.0347	<0.00154
鉛	mg/L	*	*	ND	ND	ND	ND	ND	0.0208	0.0188	ND	<0.00343
鋅	mg/L	*	*	0.0164	0.0333	0.0819	0.0819	0.0959	0.006	0.2452	0.0466	0.0499
汞	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	<0.00062
砷	mg/L	*	*	0.00758	0.0147	0.00917	0.005	0.00387	0.00985	0.00472	0.00726	0.0088
鐵	mg/L	*	*	ND	0.14	0.32	0.23	0.19	0.38	0.36	ND	0.12
錳	mg/L	*	*	2.45	2.6	2.2	0.92	1.38	0.75	2.19	0.12	3.35
油脂	mg/L	*	*	ND	ND	3	ND	ND	ND	ND	ND	<2.5
總有機碳(TOC)	mg/L	*	*	0.74	ND	ND	ND	ND	ND	0.94	ND	<0.55
總酚	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	<0.007
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
苯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	<0.002
甲苯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	<0.0006
二甲苯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	<0.0006
乙苯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	<0.0006
氯苯	mg/L	*	*	—	—	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—	—
萘	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯仿	mg/L	*	*	—	—	—	—	—	—	—	—	—
1,1-二氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
1,2-二氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯乙烯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	<0.004
1,1-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—	—	—
順-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	*	—	—	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	*	—	—	—	—	—	—	—	—	—
四氯化碳	mg/L	*	*	—	—	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯化物	mg/L	*	*	—	—	—	—	—	—	—	—	—
甲基第三基醚	mg/L	*	*	—	—	—	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—

註：1. 「*」表示法規尚未規定，「—」表示並無監測

2. 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

環評井 4 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	87 年 第 3 季	87 年 第 4 季	88 年 第 2 季	88 年 第 3 季	88 年 第 4 季	89 年 第 1 季
水溫	°C	*	*	25.9	24.7	26.1	26.2	22.5	22.5
pH 值	-	*	*	7.82	7.35	7.36	7.3	7.77	7.6
濁度	NTU	*	*	14	35	16	23	16	1.2
導電度	µmho/cm	*	*	20100	45400	42200	12160	26800	19900
總溶解固體	mg/L	*	*	17990	40050	30420	7160	16880	12840
總硬度	mg/L	*	*	2400	5200	3800	1450	1950	670
氯鹽	mg/L	*	*	6483	16082	15705	2297	6815	5731
總餘氯	mg/L	*	*	ND	ND	ND	ND	<0.002	<0.2
硫酸鹽	mg/L	*	*	1234	2386	2457	720	1371	420
硫化物	mg/L	*	*	0.04	0.17	0.02	ND	0.05	0.03
氨氮	mg/L	*	*	1.43	3.08	3.91	2.96	2.69	0.07
亞硝酸鹽氮	mg/L	*	*	0.0184	0.004	0.002	0.057	0.004	0.002
硝酸鹽氮	mg/L	*	*	0.33	0.43	0.41	0.18	0.18	0.74
無機氮含量	mg/L	*	*	1.78	3.51	4.32	3.2	2.88	0.81
總含氮量	mg/L	*	*	2.79	3.93	5.61	3.29	3	1.32
氯鹽	mg/L	*	*	0.94	0.66	0.69	0.62	0.78	0.44
鎘	mg/L	*	*	ND	ND	ND	ND	<0.00572	<0.00572
鉻	mg/L	*	*	ND	ND	ND	ND	<0.00406	<0.00406
銅	mg/L	*	*	0.0105	0.0115	ND	0.008	0.008	0.0113
鎳	mg/L	*	*	ND	ND	0.0051	0.0065	0.0166	0.0034
鉛	mg/L	*	*	ND	0.0201	ND	0.016	<0.00343	0.0086
鋅	mg/L	*	*	0.0446	0.0624	0.0492	0.0398	0.0453	0.1239
汞	mg/L	*	*	ND	ND	ND	ND	<0.00062	<0.00062
砷	mg/L	*	*	0.00653	0.0119	0.00683	0.00913	0.00707	0.00126
鐵	mg/L	*	*	0.23	0.22	0.53	ND	0.8	0.6
錳	mg/L	*	*	1.24	3.92	2.79	0.82	1.97	0.03
油脂	mg/L	*	*	ND	ND	ND	ND	2.5	2.5
總有機碳(TOC)	mg/L	*	*	ND	0.79	0.62	0.55	0.29	1.33
總酚	mg/L	*	*	ND	ND	ND	ND	<0.007	<0.007
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—
苯	mg/L	*	*	ND	ND	ND	ND	<0.002	<0.002
甲苯	mg/L	*	*	ND	ND	ND	ND	<0.0006	<0.0006
二甲苯	mg/L	*	*	ND	ND	ND	ND	<0.0006	<0.0006
乙苯	mg/L	*	*	ND	ND	ND	ND	<0.0006	<0.0006
氯苯	mg/L	*	*	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	*	—	—	—	—	—	—
萘	mg/L	*	*	—	—	—	—	—	—
氯甲烷	mg/L	*	*	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—
氯仿	mg/L	*	*	—	—	—	—	—	—
1,1-二氯乙烷	mg/L	*	*	—	—	—	—	—	—
1,2-二氯乙烷	mg/L	*	*	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—
氯乙烯	mg/L	*	*	ND	ND	ND	ND	<0.004	<0.004
1,1-二氯乙烯	mg/L	*	*	—	—	—	—	—	—
順-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—
三氯乙烯	mg/L	*	*	—	—	—	—	—	—
四氯乙烯	mg/L	*	*	—	—	—	—	—	—
四氯化碳	mg/L	*	*	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—
氯化物	mg/L	*	*	—	—	ND	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—

註：1. 「*」表示法規尚未規定，“—”表示並無監測

2. 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

環評井 4 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	89 年 第 2 季	89 年 第 3 季	89 年 第 4 季	90 年 第 1 季	90 年 第 2 季	90 年 第 3 季	90 年 第 4 季
水溫	℃	*	*	25	26.4	25.4	25.3	25.4	26.2	25.9
pH 值	-	*	*	8.14	7.4	7.83	7.64	7.69	7.69	8.12
濁度	NTU	*	*	4.7	4.5	6.3	3	5.7	2.4	3.2
導電度	μmho/cm	*	*	17500	9560	9650	9400	8500	22560	17712
總溶解固體	mg/L	*	*	12420	7760	6870	6940	6150	13680	8880
總硬度	mg/L	*	*	965	1325	1175	1250	1450	1050	1320
氯鹽	mg/L	*	*	4150	3105	2730	2397	2163	3940	4240
總餘氯	mg/L	*	*	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
硫酸鹽	mg/L	*	*	804	1619	1281	524	730	699	695
硫化物	mg/L	*	*	0.01	0.01	0.01	0.01	0.01	0.05	0.01
氨氮	mg/L	*	*	0.77	1.75	1.68	2.1	1.48	1.28	1.1
亞硝酸鹽氮	mg/L	*	*	0.023	0.001	0.002	<0.003	0.002	0.058	<0.001
硝酸鹽氮	mg/L	*	*	0.91	0.14	0.1	0.1	0.09	1.08	0.3
無機氮含量	mg/L	*	*	1.7	1.89	1.78	2.2	1.57	1.1	1.4
總含氮量	mg/L	*	*	2.84	2.01	2.55	2.31	8.19	2.72	1.67
氯鹽	mg/L	*	*	0.83	0.98	1.14	1.19	1.13	1.02	1.07
鎘	mg/L	*	*	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572
鉻	mg/L	*	*	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406
銅	mg/L	*	*	0.0106	0.0059	0.0055	0.0031	0.0016	0.0061	0.0044
鎳	mg/L	*	*	0.0056	0.0045	ND	<0.00154	<0.00154	<0.00154	0.00482
鉛	mg/L	*	*	0.0055	0.0054	0.0095	0.009	<0.00343	0.014	<0.00343
鋅	mg/L	*	*	0.0384	0.0015	0.0092	0.0337	0.0384	0.0367	0.026
汞	mg/L	*	*	<0.00062	0.00125	<0.00062	0.0012	<0.00003	<0.00003	<0.0006
砷	mg/L	*	*	0.00279	0.00805	0.01057	0.01223	0.01047	0.0054	0.00696
鐵	mg/L	*	*	1.11	0.29	0.54	0.05	1.11	0.29	0.54
錳	mg/L	*	*	0.12	0.03	0.59	0.61	0.6	0.71	0.41
油脂	mg/L	*	*	2.5	2.5	2.5	2.5	2.5	2.5	2.5
總有機碳(TOC)	mg/L	*	*	0.83	0.55	0.55	0.55	0.55	0.55	0.55
總酚	mg/L	*	*	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—
苯	mg/L	*	*	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
甲苯	mg/L	*	*	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
二甲苯	mg/L	*	*	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
乙苯	mg/L	*	*	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
氯苯	mg/L	*	*	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	*	—	—	—	—	—	—	—
苯	mg/L	*	*	—	—	—	—	—	—	—
氯甲烷	mg/L	*	*	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—
氯仿	mg/L	*	*	—	—	—	—	—	—	—
1,1-二氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
1,2-二氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
氯乙烯	mg/L	*	*	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
1,1-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
順-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
四氯化碳	mg/L	*	*	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—
氰化物	mg/L	*	*	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

環評井 4 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	91 年 第 2 季	91 年 第 3 季	91 年 第 4 季	92 年 第 1 季	92 年 第 2 季	92 年 第 3 季	92 年 第 4 季	93 年 第 1 季
水溫	℃	*	*	26.3	25.8	25.9	25.1	23.6	25.8	25.4	24.4
pH 值	-	*	*	7.42	7.44	7.75	7.77	7.56	7.25	7.82	7.8
濁度	NTU	*	*	3.9	3.5	4	3.5	3.9	1.9	1.9	2.6
導電度	μmho/cm	*	*	7770	6690	6610	6740	7190	5830	7060	8800
總溶解固體	mg/L	1250	*	3770	2290	3320	3390	3180	2950	3540	4400
總硬度	mg/L	750	*	840	960	640	760	680	720	640	720
氯鹽	mg/L	625	*	2298	1558	2040	1542	1514	1287	1429	1475
總餘氯	mg/L	*	*	ND	ND	ND	<0.2	<0.2	<0.2	<0.2	<0.2
硫酸鹽	mg/L	625	*	625	750	470	601	508	352	427	505
硫化物	mg/L	*	*	ND	ND	0.1	0.1	0.1	0.1	0.1	0.01
氨氮	mg/L	0.25	*	1.22	2.57	1.29	1.54	1.28	1.35	0.78	2.02
亞硝酸鹽氮	mg/L	*	10	0.026	0.006	0.14	<0.001	0.004	0.028	0.004	0.003
硝酸鹽氮	mg/L	25	100	0.17	ND	0.24	0.25	0.1	0.8	0.37	0.3
無機氮含量	mg/L	*	*	1.42	2.58	2.5	1.79	1.38	2.18	1.15	2.33
總含氮量	mg/L	*	*	1.5	2.82	2.82	6.37	1.68	6.93	5.61	2.76
氯鹽	mg/L	*	*	1.13	1.19	1.33	0.98	1.5	1.19	1.4	0.47
鎘	mg/L	0.025	0.05	ND	ND	ND	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572
鉻	mg/L	0.25	0.5	ND	ND	ND	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406
銅	mg/L	5	10	ND	0.00253	ND	0.00149	0.00319	0.00978	0.00509	0.00755
鎳	mg/L	*	1	ND	ND	ND	<0.00154	0.0012	0.00596	<0.00154	<0.00154
鉛	mg/L	0.25	0.5	ND	ND	ND	<0.00343	0.0088	<0.00343	<0.00343	<0.00343
鋅	mg/L	25	50	0.01638	0.0175	0.025	0.046	0.1352	0.00685	0.02286	0.01778
汞	mg/L	*	0.02	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
砷	mg/L	0.25	0.5	0.00258	0.00589	0.00513	0.00636	0.00287	0.00531	0.00441	0.0057
鐵	mg/L	1.5	*	0.05	0.1	ND	0.21	0.2	0.18	0.38	0.19
錳	mg/L	0.25	*	0.35	0.25	0.16	0.27	0.32	0.37	0.34	0.49
油脂	mg/L	*	*	ND	ND	ND	2.5	2.5	2.5	2.5	2.5
總有機碳(TOC)	mg/L	10	*	5.7	ND	2.02	0.55	2.56	3.39	1.86	1.35
總酚	mg/L	*	0.14	ND	ND	ND	<0.007	<0.007	<0.007	<0.007	<0.007
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	<0.002	<0.002	<0.002	<0.002	<0.002
甲苯	mg/L	*	10	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
二甲苯	mg/L	*	*	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
乙苯	mg/L	*	*	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
氯苯	mg/L	*	1	—	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	—	—	—	—
苯	mg/L	*	0.4	—	—	—	—	—	—	—	—
氯甲烷	mg/L	*	0.3	—	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—
氯仿	mg/L	*	1	—	—	—	—	—	—	—	—
1,1-二氯乙烷	mg/L	*	8.5	—	—	—	—	—	—	—	—
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—
氯乙烯	mg/L	*	0.02	ND	ND	ND	<0.004	<0.004	<0.004	<0.004	<0.004
1,1-二氯乙烯	mg/L	*	0.07	—	—	—	—	—	—	—	—
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—
四氯化碳	mg/L	*	0.05	—	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—
氰化物	mg/L	*	*	—	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：90.11.21 環署水字第 0073680 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 4 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	93 年 第 2 季	93 年 第 3 季	93 年 第 4 季	94 年 第 1 季	94 年 第 2 季	94 年 第 3 季	94 年 第 4 季	95 年 第 1 季	95 年 第 2 季	95 年 第 3 季
水溫	℃	*	*	24.1	26.4	26.7	19.6	21.3	26.9	26.3	21.7	27.3	25.3
pH 值	-	*	*	7.74	7.6	7.5	7.5	7.7	7.1	7.8	7.5	7.7	7.7
濁度	NTU	*	*	1.5	2.3	9.2	40	25	7.2	2.2	2.8	2.1	1.8
導電度	μmho/cm	*	*	6300	2770	3790	1290	805	9250	2496	12800	7090	620
總溶解固體	mg/L	1250	*	3160	4800	28200	1830	5310	6050	1790	3020	4470	535
總硬度	mg/L	750	*	760	1820	4220	314	1200	1880	1200	806	1080	210
氯鹽	mg/L	625	*	1315	1950	14500	776	2160	2550	485	1400	2060	2030
總餘氯	mg/L	*	*	<0.2	<0.2	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036
硫酸鹽	mg/L	625	*	1006	504	2160	292	322	305	170	244	493	117
硫化物	mg/L	*	*	0.01	0.005	0.005	0.01	0.02	0.04	0.01	0.01	0.01	0.01
氨氮	mg/L	0.25	*	1.07	1.39	1.68	5.38	5.94	5.98	0.07	2.05	0.14	0.2
亞硝酸鹽氮	mg/L	*	10	<0.001	0.17	0.01	0.01	0.19	1.28	0.015	0.03	0.026	<0.001
硝酸鹽氮	mg/L	25	100	0.21	0.49	0.68	0.09	7.1	1.72	0.14	0.54	0.8	0.11
無機氮含量	mg/L	*	*	1.28	2.05	2.36	5.47	13.23	8.98	0.225	2.62	0.97	0.31
總含氮量	mg/L	*	*	2.69	7.18	3.71	5.76	13.8	6.7	0.54	2.88	1.29	0.55
氯鹽	mg/L	*	*	1.14	0.51	0.47	0.24	0.72	0.21	0.91	1.13	0.82	0.88
鎘	mg/L	0.025	0.05	<0.00572	<0.031	<0.031	<0.031	0.019	<0.002	0.006	<0.002	<0.002	<0.002
鉻	mg/L	0.25	0.5	<0.00406	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	ND
銅	mg/L	5	10	0.00286	<0.00149	<0.0042	<0.0042	<0.0042	<0.0042	<0.03	0.074	<0.019	0.039
鎳	mg/L	*	1	0.00683	0.046	<0.041	<0.041	<0.041	0.127	0.041	<0.041	<0.041	<0.018
鉛	mg/L	0.25	0.5	<0.00343	<0.041	<0.041	<0.041	<0.041	<0.019	<0.019	<0.019	<0.019	ND
鋅	mg/L	25	50	0.01236	<0.045	<0.045	<0.045	<0.045	0.055	0.034	0.037	<0.032	<0.032
汞	mg/L	*	0.02	<0.0006	0.0011	0.0013	<0.001	<0.001	0.0008	0.0034	0.0025	0.001	0.0009
砷	mg/L	0.25	0.5	0.01064	0.003	0.0014	0.0312	0.0226	0.0661	0.0051	0.02	0.0017	0.0011
鐵	mg/L	1.5	*	<0.04	1.5	0.506	2.51	0.041	2.94	0.179	0.465	0.081	0.043
錳	mg/L	0.25	*	0.14	0.751	1.32	0.349	0.322	0.88	0.039	0.456	0.033	0.058
油脂	mg/L	*	*	2.5	0.2	0.4	6.7	5.7	0.2	1.2	1.7	7.7	0.1
總有機碳(TOC)	mg/L	10	*	0.55	6.38	1.89	3.35	1.87	4.4	56.7	6.8	1.67	1.39
總酚	mg/L	*	0.14	<0.007	<0.0006	<0.0006	0.004	0.0039	0.0058	0.0052	<0.001	0.0039	0.01
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
苯	mg/L	*	0.05	<0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
甲苯	mg/L	*	10	<0.0006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
二甲苯	mg/L	*	*	<0.0006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
乙苯	mg/L	*	*	<0.0006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
氯苯	mg/L	*	1	—	—	—	—	—	—	—	—	-	—
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	—	—	—	—	-	—
萘	mg/L	*	0.4	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
氯甲烷	mg/L	*	0.3	—	—	—	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
氯仿	mg/L	*	1	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
1,1-二氯乙烷	mg/L	*	8.5	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
氯乙烯	mg/L	*	0.02	<0.004	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
1,1-二氯乙烯	mg/L	*	0.07	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
四氯化碳	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
氰化物	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，「—」表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：90.11.21 環署水字第 0073680 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 4 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	95 年 第 4 季	96 年 第 1 季	96 年 第 2 季	96 年 第 3 季	96 年 第 4 季	97 年 第 1 季	97 年 第 2 季	97 年 第 3 季	97 年 第 4 季
水溫	℃	*	*	22.8	23.5	25.5	25.3	24.1	24.3	24	24	25.9
pH 值	-	*	*	7.6	7.5	7.9	7.3	7.5	7.6	7.1	7.1	7.6
濁度	NTU	*	*	2.2	3.3	11.2	6.5	2.6	27	13	13	8.1
導電度	μmho/cm	*	*	6610	6160	5760	1690	1920	6060	5410	5410	1720
總溶解固體	mg/L	1250	*	1640	1970	778	1970	712	4710	797	797	1000
總硬度	mg/L	750	*	444	438	446	623	438	1020	509	509	426
氯鹽	mg/L	625	*	590	730	554	762	144	406	60.1	60.1	311
總餘氯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	ND
硫酸鹽	mg/L	625	*	248	216	157	170	112	215	153	153	95.7
硫化物	mg/L	*	*	ND	0.02	0.01	0.02	ND	0.03	0.02	0.02	ND
氨氮	mg/L	0.25	*	0.29	0.47	0.18	0.97	0.023	1.83	0.52	0.52	0.24
亞硝酸鹽氮	mg/L	*	10	0.09	ND	0.028	0.333	0.57	0.03	<0.001	<0.001	<0.001
硝酸鹽氮	mg/L	25	100	0.39	0.28	3.5	2.77	0.34	0.09	0.12	0.12	0.05
無機氮含量	mg/L	*	*	0.77	0.75	3.71	4.07	0.91	1.95	0.65	0.65	0.29
總含氮量	mg/L	*	*	0.83	1.37	3.97	4.4	1.54	2.51	0.81	0.81	1.08
氯鹽	mg/L	*	*	0.98	0.78	0.3	0.28	0.8	0.17	0.27	0.27	0.66
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	<0.007	<0.007	ND	ND	<0.007	<0.007	ND
銅	mg/L	5	10	<0.018	ND	ND	<0.01	ND	ND	<0.015	<0.015	ND
鎳	mg/L	*	1	ND	ND	0.009	ND	ND	ND	0.019	0.019	ND
鉛	mg/L	0.25	0.5	ND	ND	<0.01	ND	<0.0127	<0.0127	ND	ND	ND
鋅	mg/L	25	50	0.026	ND	0.016	0.016	0.016	0.01	0.042	0.042	ND
汞	mg/L	*	0.02	0.0013	ND	<0.00045	<0.0009	0.001	0.0013	<0.0009	<0.0009	ND
砷	mg/L	0.25	0.5	0.0053	0.0063	0.003	0.0074	0.0013	0.0116	0.0104	0.0104	0.0128
鐵	mg/L	1.5	*	0.175	0.155	0.955	1.46	0.105	1.62	2.07	2.07	ND
錳	mg/L	0.25	*	0.163	0.244	0.769	0.604	0.122	0.692	0.359	0.359	0.2
油脂	mg/L	*	*	0.1	0.1	0.2	0.4	0.5	0.5	0.6	0.6	<1.0
總有機碳(TOC)	mg/L	10	*	1.4	1.33	2.14	1.93	1.31	1.17	1.16	1.16	1.1
總酚	mg/L	*	0.14	0.0024	ND	0.008	0.0085	0.0089	0.008	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	ND
乙苯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	—	—	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	—	—	—	—	—
萘	mg/L	*	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	—	—	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯仿	mg/L	*	1	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
四氯化碳	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯化物	mg/L	*	*	—	—	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—	—	ND
甲醛	mg/L	*	*	—	—	—	—	—	—	—	—	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：90.11.21 環署水字第 0073680 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 4 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	98 年 第 1 季	98 年 第 2 季	98 年 第 3 季	98 年 第 4 季	99 年 第 1 季	99 年 第 2 季
水溫	°C	*	*	25.5	26.3	27.8	25.9	25.9	25.7
pH 值	-	*	*	7.6	7.6	7.7	7.6	7.9	7.9
濁度	NTU	*	*	38	2.9	5.2	2.3	45	65
導電度	µmho/cm	*	*	3650	4120	4160	4710	3900	3820
總溶解固體	mg/L	1250	*	1000	2120	2360	2440	1980	2040
總硬度	mg/L	750	*	472	389	417	498	359	349
氯鹽	mg/L	625	*	197	598	493	1130	791	797
總餘氯	mg/L	*	*	ND	<0.02	0.03	0.02	0.13	0.03
硫酸鹽	mg/L	625	*	282	356	280	356	279	275
硫化物	mg/L	*	*	ND	ND	ND	ND	ND	ND
氨氮	mg/L	0.25	*	0.2	0.24	1.24	1.29	1.19	1
亞硝酸鹽氮	mg/L	*	10	<0.01	<0.001	<0.01	<0.01	0.01	0.01
硝酸鹽氮	mg/L	25	100	0.01	0.01	0.02	ND	0.03	0.01
無機氮含量	mg/L	*	*	0.21	0.28	1.26	1.29	1.23	1.02
總含氮量	mg/L	*	*	1.37	2.93	1.75	1.65	3.52	1.24
氯鹽	mg/L	*	*	0.86	0.97	0.97	1.17	1.06	1.48
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	ND	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND	ND	ND
鎳	mg/L	*	1	ND	ND	ND	ND	ND	ND
鉛	mg/L	0.25	0.5	ND	0.009	ND	ND	ND	ND
鋅	mg/L	25	50	ND	0.007	0.02	ND	<0.020(0.018)	ND
汞	mg/L	*	0.02	ND	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.009	0.0102	0.012	0.0064	0.0064	0.0064
鐵	mg/L	1.5	*	0.067	0.039	0.053	ND	<0.100(0.064)	0.254
錳	mg/L	0.25	*	0.219	0.171	0.212	0.199	0.149	0.105
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	1.8	0.9	1.2	0.7	2.2	2.2
總酚	mg/L	*	0.14	0.0128	ND	0.0253	0.0009	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	—	—	—	—	ND	ND
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	—	—	—	—	ND	ND
二氯甲烷	mg/L	*	0.05	—	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	—	—	—	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	ND	ND
三氯乙烯	mg/L	*	0.05	—	—	—	—	ND	ND
四氯乙烯	mg/L	*	0.05	—	—	—	—	ND	ND
四氯化碳	mg/L	*	0.05	—	—	—	—	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—
氯化物	mg/L	*	0.5	—	—	—	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	ND	0.001	ND	ND	ND
甲醛	mg/L	*	*	ND<3.0	ND	ND	ND	ND	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	—	<0.5	<0.50	<0.50	<0.50	<0.50

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 4 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	99 年 第 3 季	99 年 第 4 季	100 年 第 1 季	100 年 第 2 季	100 年 第 3 季	100 年 第 4 季
水溫	℃	*	*	26.6	25.5	24.3	24.9	26	25.1
pH 值	-	*	*	7.2	7.6	7.6	7.8	8.0	7.8
濁度	NTU	*	*	0.07	85	360	32	45	40
導電度	μmho/cm	*	*	2280	3320	3540	3350	2190	3050
總溶解固體	mg/L	1250	*	1480	1960	1900	1800	1700	1760
總硬度	mg/L	750	*	800	399	1060	392	360	348
氯鹽	mg/L	625	*	394	638	643	638	637	592
總餘氯	mg/L	*	*	0.13	0.06	0.11	0.14	0.04	0.09
硫酸鹽	mg/L	625	*	134	262	279	302	319	315
硫化物	mg/L	*	*	ND	0.02	0.19	<0.04(0.02)	<0.04(0.03)	<0.04(0.02)
氨氮	mg/L	0.25	*	0.08	0.69	0.88	1.03	0.95	0.99
亞硝酸鹽氮	mg/L	*	10	0.49	<0.01	0.01	0.01	<0.01(0.003)	<0.01(0.003)
硝酸鹽氮	mg/L	25	100	0	0.02	<0.05(0.02)	<0.05(0.03)	<0.05(0.02)	ND
無機氯含量	mg/L	*	*	0.57	0.71	0.89	1.07	0.95	0.99
總含氮量	mg/L	*	*	0.56	1.23	1.03	1.36	1.39	1.1
氯鹽	mg/L	*	*	0.6	1.1	1.08	1.2	1.22	1.25
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	<0.020(0.003)	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND	ND	ND
鎳	mg/L	*	1	ND	ND	ND	ND	<0.020(0.006)	ND
鉛	mg/L	0.25	0.5	ND	ND	ND	ND	<0.020(0.006)	ND
鋅	mg/L	25	50	<0.020(0.012)	ND	<0.02(0.015)	ND	<0.020(0.018)	<0.020(0.0016)
汞	mg/L	*	0.02	ND	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0014	0.0007	0.0016	0.003	0.0033	0.0028
鐵	mg/L	1.5	*	<0.100(0.082)	0.043	<0.1(0.089)	<0.100(0.042)	<0.100(0.047)	<0.100(0.025)
錳	mg/L	0.25	*	0.296	0.244	0.218	0.141	0.132	0.116
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	4	0.9	0.9	3.2	1.4	0.7
總酚	mg/L	*	0.14	ND	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	0.00073	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—
氯化物	mg/L	*	0.5	ND	ND	ND	ND	ND	<0.01(0.001)
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	ND	ND	ND	ND	ND	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.50	<0.5	<0.50	<0.500	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 4 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	101 年 第 1 季	101 年 第 2 季	101 年 第 3 季	101 年 第 4 季	102 年 第 1 季	102 年 第 2 季	102 年 第 3 季	102 年 第 4 季
水溫	℃	*	*	24	25.3	26.1	25.1	23.8	24.6	26.9	25.9
pH 值	-	*	*	7.7	7.8	7.3	7.7	7.8	7.8	7.1	7.6
濁度	NTU	*	*	18	1.1	0.65	1.1	1	0.7	1.6	3.8
導電度	μmho/cm	*	*	3380	2930	2530	2940	2220	2290	4490	1880
總溶解固體	mg/L	1250	*	1950	2120	1850	1800	1070	1280	2300	1030
總硬度	mg/L	750	*	473	352	672	481	251	285	1160	630
氯鹽	mg/L	625	*	640	573	505	554	366	358	1050	310
總餘氯	mg/L	*	*	0.11	0.08	0.07	0.06	0.05	0.18	0.02	0.15
硫酸鹽	mg/L	625	*	313	296	170	291	254	268	305	110
硫化物	mg/L	*	*	ND	ND	ND	0.04	ND	<0.04(0.01)	ND	<0.04(0.01)
氨氮	mg/L	0.25	*	1.04	1.11	0.07	1.32	1.02	1.01	0.05	0.26
亞硝酸鹽氮	mg/L	*	10	0.01	ND	0.01	ND	ND	ND	<0.01(0.005)	<0.01(0.003)
硝酸鹽氮	mg/L	25	100	ND	ND	0.05	<0.05(0.01)	0.62	ND	<0.05(0.01)	<0.05(0.02)
無機氮含量	mg/L	*	*	1.05	1.11	0.13	1.32	1.64	1.64	0.06	0.28
總含氮量	mg/L	*	*	1.14	1.48	0.46	1.35	1.64	1.07	0.46	0.31
氯鹽	mg/L	*	*	1.14	1.1	0.63	1.26	1.26	1.11	0.72	0.63
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	<0.02(0.003)	ND	ND	ND	ND	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND	ND	ND	ND	ND
鎳	mg/L	*	1	ND	ND	ND	ND	ND	ND	<0.02(0.003)	ND
鉛	mg/L	0.25	0.5	<0.02(0.004)	<0.02(0.004)	<0.02(0.005)	ND	ND	ND	<0.02(0.007)	ND
鋅	mg/L	25	50	ND	0.022	0.023	ND	<0.02(0.014)	<0.02(0.008)	<0.02(0.012)	<0.02(0.009)
汞	mg/L	*	0.02	ND	ND	ND	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0023	0.0045	<0.00(0.006)	<0.00(0.0018)	<0.00(0.0013)	<0.00(0.0017)	<0.00(0.007)	ND
鐵	mg/L	1.5	*	<0.10(0.031)	<0.10(0.024)	<0.10(0.032)	<0.10(0.038)	<0.10(0.030)	<0.10(0.034)	<0.10(0.031)	<0.10(0.023)
錳	mg/L	0.25	*	0.184	0.169	0.621	0.379	0.161	0.16	1.35	0.81
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	0.9	0.5	0.3	0.4	0.5	0.5	0.9	1.1
總酚	mg/L	*	0.14	ND	ND	ND	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND	ND	ND	ND	ND
苯	mg/L	*	0.4	ND	ND	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—
氯化物	mg/L	*	0.5	<0.01(0.001)	ND	ND	<0.01(0.002)	<0.01(0.001)	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 4 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	103 年 第 1 季	103 年 第 2 季	103 年 第 3 季	103 年 第 4 季	104 年 第 1 季	104 年 第 2 季	104 年 第 3 季
水溫	℃	*	*	21.7	24.9	25.3	28.6	24.6	25.8	28.1
pH 值	-	*	*	7.5	7.6	7.1	7.7	8.5	7.7	7.4
濁度	NTU	*	*	1.4	0.5	1.2	0.25	0.4	21	3.8
導電度	umho/cm	*	*	2590	2230	5510	2390	1860	2380	4200
總溶解固體	mg/L	1250	*	1460	1490	4340	1480	1220	1440	1880
總硬度	mg/L	750	*	450	398	1190	419	393	388	902
氯鹽	mg/L	625	*	469	357	1140	7980	279	284	532
總餘氯	mg/L	*	*	0.03	0.24	0.03	ND	ND	ND	ND
硫酸鹽	mg/L	625	*	321	289	426	311	317	316	474
硫化物	mg/L	*	*	<0.04(0.02)	ND	<0.04(0.02)	ND	ND	ND	ND
氨氮	mg/L	0.25	*	1.15	0.94	0.41	1.14	0.85	1.25	1.19
亞硝酸鹽氮	mg/L	5	10	<0.01(0.003)	ND	0.01	0.04	ND	0.02	ND
硝酸鹽氮	mg/L	50	100	ND	<0.05(0.02)	0.07	0.22	ND	0.15	ND
無機氮含量	mg/L	*	*	1.16	0.96	0.49	1.4	0.85	1.42	1.19
總含氮量	mg/L	*	*	1.24	1.36	0.77	1.52	1.23	2.05	1.43
氯鹽	mg/L	4	8	0.81	0.97	0.6	0.96	0.98	1.02	0.88
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	ND	0.007	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND	0.006	ND	ND
鎳	mg/L	0.5	1	<0.020(0.007)	ND	ND	ND	0.036	ND	0.004
鉛	mg/L	0.05	0.1	ND	ND	ND	ND	ND	ND	0.009
鋅	mg/L	25	50	ND	ND	0.098	0.017	0.005	ND	0.005
汞	mg/L	0.01	0.02	ND	ND	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	<0.0020(0.0004)	0.0098	<0.0020(0.0005)	0.0016	0.001	0.0017	0.0059
鐵	mg/L	1.5	*	<0.100(0.029)	ND	ND	0.042	0.078	0.029	0.317
錳	mg/L	0.25	*	0.35	0.275	0.928	0.249	0.225	0.234	0.735
油脂	mg/L	*	*	2.3	<1.0	<1.0	1	3.3	2.1	5.4
總有機碳(TOC)	mg/L	10	*	0.5	0.7	0.7	3.3	4.8	3	2.9
總酚	mg/L	0.14	*	ND	ND	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	1.85	3.7	—	—	—	ND	ND	ND	ND
2,4,6-三氯酚	mg/L	0.05	0.1	—	—	—	ND	ND	ND	ND
五氯酚	mg/L	0.04	0.08	—	—	—	ND	ND	ND	ND
苯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
甲苯	mg/L	5	10	ND	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	50	100	ND	ND	ND	ND	ND	ND	ND
乙苯	mg/L	3.5	7	ND	ND	ND	ND	ND	ND	ND
氯苯	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	0.375	0.75	ND	ND	ND	ND	ND	ND	ND
萘	mg/L	0.2	0.4	ND	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	0.15	0.3	ND	ND	ND	ND	ND	ND	ND
二氯甲烷	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
氯仿	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
1,1,2-二氯乙烷	mg/L	4.25	8.5	ND	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	3	6	ND	ND	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
氯乙烯	mg/L	0.01	0.02	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	0.035	0.07	ND	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND	ND	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
三氯乙烯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
四氯乙烯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
四氯化碳	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	5	10	—	<0.500	<0.500	ND	ND	ND	ND
氯化物	mg/L	0.25	0.5	ND	ND	ND	ND	ND	ND	ND
甲基第三丁基醚	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	<1.00	<1.00	<1.00	0.00123	0.00161	0.00561	0.0244
1,2-二氯苯	mg/L	0.025	0.05	—	ND	ND	ND	ND	ND	ND
3,3'-二氯聯苯胺	mg/L	0.05	0.1	—	—	—	ND	ND	ND	ND
1,1,1-三氯乙烷	mg/L	1	2	—	—	—	ND	ND	ND	ND
柴油總碳氫化合物	mg/L	*	*	<0.500	<0.500	<0.500	ND	ND	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 4 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	104 年 第 4 季	105 年 第 1 季	105 年 第 2 季	105 年 第 3 季	105 年 第 4 季	106 年 第 1 季	106 年 第 2 季
水溫	℃	*	*	28	23.7	24.8	27.1	25.1	23.3	25
pH 值	-	*	*	7.1	7.6	7.4	7.1	7.6	7.6	7.6
濁度	NTU	*	*	0.55	1.8	3.7	1.5	1.7	6.3	1.4
導電度	μmho/cm	*	*	5250	2300	6260	8470	2600	2800	2800
總溶解固體	mg/L	1250	*	3480	1590	5390	5610	1590	1720	1560
總硬度	mg/L	750	*	990	457	1440	1510	519	579	652
氯鹽	mg/L	625	*	1160	477	2120	2240	475	553	478
總餘氯	mg/L	*	*	ND<0.04	ND<0.04	ND<0.04	ND<0.04	ND<0.04	ND<0.04	0.05
硫酸鹽	mg/L	625	*	506	344	1070	972	462	485	487
硫化物	mg/L	*	*	0.02	ND<0.01	ND<0.01	ND<0.01	ND<0.007	ND<0.01	ND<0.015
氨氮	mg/L	0.25	*	0.07	1.24	0.62	0.3	1.07	1.27	1.04
亞硝酸鹽氮	mg/L	5	10	0.67	0.01	0.01	0.01	ND<0.001	ND<0.001	ND<0.001
硝酸鹽氮	mg/L	50	100	2.09	0.01	0.01	0.01	0.01	0.01	0.02
無機氮含量	mg/L	*	*	2.83	1.26	0.64	0.32	1.08	1.28	1.06
總含氮量	mg/L	*	*	3.09	1.42	0.95	0.64	1.39	1.49	1.54
氯鹽	mg/L	4	8	0.76	0.85	0.73	0.74	0.94	0.94	0.84
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.0003	ND<0.002	ND<0.002
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	0.003	ND<0.0027	ND<0.002	ND<0.002
銅	mg/L	5	10	ND<0.005	ND<0.005	ND<0.005	ND<0.005	0.007	0.007	ND<0.005
鎳	mg/L	0.5	1	0.008	0.006	0.004	ND<0.003	ND<0.0027	ND<0.003	ND<0.003
鉛	mg/L	0.05	0.1	ND<0.006	ND<0.006	ND<0.005	ND<0.005	ND<0.0024	0.009	0.007
鋅	mg/L	25	50	0.016	0.085	0.017	0.029	0.015	0.009	0.007
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0002	ND<0.0003	ND<0.0003
砷	mg/L	0.25	0.5	0.0003	0.0012	0.0018	0.0025	0.0043	0.0038	0.002
鐵	mg/L	1.5	*	0.023	0.022	0.433	0.297	0.48	0.374	0.055
錳	mg/L	0.25	*	1.3	0.371	1.52	1.74	0.373	0.575	0.188
油脂	mg/L	*	*	2.6	1	0.7	0.6	0.6	0.3	0.4
總有機碳(TOC)	mg/L	10	*	2.5	3.6	4.9	4.6	2.2	3.1	3.2
總酚	mg/L	0.14	*	ND<0.0021	ND<0.0021	0.0051	ND<0.0021	ND<0.0016	ND<0.0021	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00168	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00198
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00169	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00191
五氯酚	mg/L	0.04	0.08	ND<0.00187	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00173
苯	mg/L	0.025	0.05	ND<0.0016	ND<0.00160	ND<0.00037	ND<0.00037	ND<0.00050	ND<0.00050	ND<0.00014
甲苯	mg/L	5	10	ND<0.00141	ND<0.00141	ND<0.00017	ND<0.00017	ND<0.00014	ND<0.00014	ND<0.00014
二甲苯	mg/L	50	100	ND<0.002	ND<0.00200	ND<0.001	ND<0.001	ND<0.00082	ND<0.00082	ND<0.00051
乙苯	mg/L	3.5	7	ND<0.00144	ND<0.00144	ND<0.00017	ND<0.00017	ND<0.00014	ND<0.00014	ND<0.00016
氯苯	mg/L	0.5	1	ND<0.00153	ND<0.00153	ND<0.00155	ND<0.00155	ND<0.00161	ND<0.00161	ND<0.00036
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00152	ND<0.00152	ND<0.00036	ND<0.00036	ND<0.00055	ND<0.00055	ND<0.00036
萘	mg/L	0.2	0.4	ND<0.00153	ND<0.00153	ND<0.00018	ND<0.00018	ND<0.00014	ND<0.00014	ND<0.00033
氯甲烷	mg/L	0.15	0.3	ND<0.00155	ND<0.00155	ND<0.00167	ND<0.00167	ND<0.00182	ND<0.00182	ND<0.00149
二氯甲烷	mg/L	0.025	0.05	ND<0.00169	ND<0.00169	ND<0.00037	ND<0.00037	ND<0.00065	ND<0.00065	ND<0.00044
氯仿	mg/L	0.5	1	ND<0.00153	ND<0.00153	ND<0.00039	ND<0.00039	ND<0.00063	ND<0.00063	ND<0.00040
1,1,2-二氯乙烷	mg/L	4.25	8.5	ND<0.00152	ND<0.00152	ND<0.0004	ND<0.0004	ND<0.00062	ND<0.00062	ND<0.00036
1,2-二氯乙烷	mg/L	3	6	ND<0.00157	ND<0.00157	ND<0.00037	ND<0.00037	ND<0.00054	ND<0.00054	ND<0.00037
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00159	ND<0.00159	ND<0.00168	ND<0.00168	ND<0.00159	ND<0.00159	ND<0.00035
氯乙烯	mg/L	0.01	0.02	ND<0.00171	ND<0.00171	ND<0.00169	ND<0.00169	ND<0.00197	ND<0.00197	ND<0.00164
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00166	ND<0.00166	ND<0.00161	ND<0.00161	ND<0.00196	ND<0.00196	ND<0.00153
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00174	ND<0.00174	ND<0.00167	ND<0.00167	ND<0.00161	ND<0.00161	ND<0.00035
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00171	ND<0.00171	ND<0.00037	ND<0.00037	ND<0.00065	ND<0.00065	ND<0.00169
三氯乙烯	mg/L	0.025	0.05	ND<0.00147	ND<0.00147	ND<0.00036	ND<0.00036	ND<0.00059	ND<0.00059	ND<0.00175
四氯乙烯	mg/L	0.025	0.05	ND<0.00158	ND<0.00158	ND<0.00163	ND<0.00163	ND<0.00173	ND<0.00173	ND<0.00039
四氯化碳	mg/L	0.025	0.05	ND<0.00169	ND<0.00169	ND<0.00039	ND<0.00039	ND<0.00017	ND<0.00017	ND<0.00158
總石油碳氫化合物	mg/L	5	10	ND<0.171	ND<0.171	ND<0.186	ND<0.152	ND<0.186	ND<0.186	ND<0.184
氯化物	mg/L	0.25	0.5	0.009	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
甲基第三丁基醚	mg/L	0.5	1	ND<0.00142	ND<0.00142	ND<0.0004	ND<0.0004	ND<0.00050	ND<0.00050	ND<0.00134
甲醛	mg/L	*	*	ND<0.00294	0.0104	0.0114	0.00947	0.0037	ND<0.00296	0.00683
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00165	ND<0.00165	ND<0.00017	ND<0.00017	ND<0.00016	ND<0.00016	ND<0.00035
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00213	ND<0.0014	ND<0.0014	ND<0.0014	ND<0.00140	ND<0.00140	ND<0.00137
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00147	ND<0.00147	ND<0.00037	ND<0.00037	ND<0.00020	ND<0.00020	ND<0.00161
柴油總碳氫化合物	mg/L	*	*	—	ND<0.142	ND<0.156	ND<0.122	ND<0.156	ND<0.122	ND<0.122

註：1.「*」表示法規尚未規定，「—」表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 4 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	106 年第 3 季	106 年第 4 季	107 年第 1 季	107 年第 2 季	107 年第 3 季	107 年第 4 季	108 年第 1 季
水溫	℃	*	*	25.6	26.9	23.7	25	26.4	26.4	24.4
pH 值	-	*	*	7.3	7.3	7.6	7.2	7.1	7.1	7.8
濁度	NTU	*	*	9.2	1.8	0.4	0.15	0.15	7.4	1
導電度	μmho/cm	*	*	4380	4080	2330	2140	1870	3330	2110
總溶解固體	mg/L	1250	*	3020	3780	1540	1390	734	11500	1270
總硬度	mg/L	750	*	831	847	755	508	412	2400	441
氯鹽	mg/L	625	*	1000	1750	472	201	64.6	6800	326
總餘氯	mg/L	*	*	ND<0.04	ND<0.04	ND<0.04	ND<0.04	0.07	ND<0.04	0.07
硫酸鹽	mg/L	625	*	328	342	32.8	326	224	847	383
硫化物	mg/L	*	*	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01
氯氣	mg/L	0.25	*	0.24	1.02	1.46	1.09	1.65	0.72	0.91
亞硝酸鹽氮	mg/L	5	10	1.08	0.01	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
硝酸鹽氮	mg/L	50	100	4.95	0.01	0.01	ND<0.004	0.01	0.01	0.02
無機氮含量	mg/L	*	*	6.27	1.04	1.47	1.09	1.66	0.73	0.93
總含氮量	mg/L	*	*	6.55	1.19	1.54	1.12	1.7	1.11	1.19
氯鹽	mg/L	4	8	0.78	0.62	0.86	0.87	0.54	0.53	0.9
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
銅	mg/L	5	10	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005
鎳	mg/L	0.5	1	ND<0.003	ND<0.003	ND<0.003	ND<0.003	ND<0.003	ND<0.003	ND<0.003
鉛	mg/L	0.05	0.1	0.007	0.007	0.007	ND<0.006	ND<0.006	ND<0.006	ND<0.006
鋅	mg/L	25	50	0.008	ND<0.003	0.004	0.039	0.006	0.004	0.011
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003
砷	mg/L	0.25	0.5	0.0007	0.0057	0.0003	0.0006	0.0008	0.0093	0.0021
鐵	mg/L	1.5	*	0.027	0.219	0.074	0.1	0.044	0.456	0.04
錳	mg/L	0.25	*	0.822	0.298	0.212	0.195	0.243	0.946	0.167
油脂	mg/L	*	*	<0.1(0.0)	3	1.6	0.2	<0.1	0.4	0.2
總有機碳(TOC)	mg/L	10	*	3.4	3	1.7	1.7	1.3	1.1	1.1
總酚	mg/L	0.14	*	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00198	ND<0.00198	ND<0.00198	ND<0.00150	ND<0.00150	ND<0.00150	ND<0.00150
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00191	ND<0.00191	ND<0.00191	ND<0.00156	ND<0.00156	ND<0.00156	ND<0.00156
五氯酚	mg/L	0.04	0.08	ND<0.00173	ND<0.00173	ND<0.00173	ND<0.00162	ND<0.00162	ND<0.00162	ND<0.00162
苯	mg/L	0.025	0.05	ND<0.00055	ND<0.00014	ND<0.00014	ND<0.00052	ND<0.00013	ND<0.00013	ND<0.00013
甲苯	mg/L	5	10	ND<0.00014	ND<0.00014	ND<0.00014	ND<0.00015	ND<0.00013	ND<0.00013	ND<0.00013
二甲苯	mg/L	50	100	ND<0.00082	ND<0.00051	ND<0.00051	ND<0.00081	ND<0.00049	ND<0.00049	ND<0.00049
乙苯	mg/L	3.5	7	ND<0.00013	ND<0.00016	ND<0.00016	ND<0.00014	ND<0.00013	ND<0.00013	ND<0.00013
氯苯	mg/L	0.5	1	ND<0.00135	ND<0.00036	ND<0.00036	ND<0.00140	ND<0.00036	ND<0.00036	ND<0.00036
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00049	ND<0.00036	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
萘	mg/L	0.2	0.4	ND<0.00019	ND<0.00033	ND<0.00033	ND<0.00018	ND<0.00035	ND<0.00035	ND<0.00035
氯甲烷	mg/L	0.15	0.3	ND<0.00152	ND<0.00149	ND<0.00149	ND<0.00157	ND<0.00134	ND<0.00134	ND<0.00134
二氯甲烷	mg/L	0.025	0.05	ND<0.00065	ND<0.00044	ND<0.00044	ND<0.00052	ND<0.00049	ND<0.00049	ND<0.00049
氯仿	mg/L	0.5	1	ND<0.00063	ND<0.00040	ND<0.00040	ND<0.00046	ND<0.00039	ND<0.00039	ND<0.00039
1,1,2-二氯乙烷	mg/L	4.25	8.5	ND<0.00059	ND<0.00036	ND<0.00036	ND<0.00042	ND<0.00036	ND<0.00036	ND<0.00036
1,2-二氯乙烷	mg/L	3	6	ND<0.00015	ND<0.00037	ND<0.00037	ND<0.00016	ND<0.00037	ND<0.00037	ND<0.00037
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00144	ND<0.00035	ND<0.00035	ND<0.00165	ND<0.00034	ND<0.00034	ND<0.00034
氯乙烯	mg/L	0.01	0.02	ND<0.00157	ND<0.00164	ND<0.00164	ND<0.00155	ND<0.00130	ND<0.00130	ND<0.00130
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00169	ND<0.00153	ND<0.00153	ND<0.00138	ND<0.00130	ND<0.00130	ND<0.00130
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00135	ND<0.00035	ND<0.00035	ND<0.00156	ND<0.00033	ND<0.00033	ND<0.00033
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00065	ND<0.00169	ND<0.00169	ND<0.00046	ND<0.00130	ND<0.00130	ND<0.00130
三氯乙烯	mg/L	0.025	0.05	ND<0.00055	ND<0.00175	ND<0.00175	ND<0.00037	ND<0.00172	ND<0.00172	ND<0.00172
四氯乙烯	mg/L	0.025	0.05	ND<0.00139	ND<0.00039	ND<0.00039	ND<0.00164	ND<0.00040	ND<0.00040	ND<0.00040
四氯化碳	mg/L	0.025	0.05	ND<0.00015	ND<0.00158	ND<0.00158	ND<0.00016	ND<0.00118	ND<0.00118	ND<0.00118
柴油總碳氫化合物	mg/L	*	*	ND<0.122	ND<0.132	ND<0.132	ND<0.132	ND<0.132	ND<0.132	ND<0.132
總石油碳氫化合物	mg/L	5	10	ND<0.184	ND<0.184	ND<0.184	ND<0.198	ND<0.198	ND<0.198	ND<0.198
氯化物	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
甲基第三丁基醚	mg/L	0.5	1	ND<0.00049	ND<0.00134	ND<0.00134	ND<0.00036	ND<0.00087	ND<0.00087	ND<0.00087
甲醛	mg/L	*	*	ND<0.00266	0.00329	0.00298	ND<0.00484	0.00542	0.00927	ND<0.00484
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00051	ND<0.00035	ND<0.00035	ND<0.00045	ND<0.00036	ND<0.00036	ND<0.00036
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00137	ND<0.00137	ND<0.00137	ND<0.00158	ND<0.00158	ND<0.00158	ND<0.00158
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00017	ND<0.00161	ND<0.00161	ND<0.00015	ND<0.00127	ND<0.00127	ND<0.00127

註：1.「*」表示法規尚未規定，「ND」表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 4 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	108 年第 2 季	108 年第 3 季	108 年第 4 季	109 年第 1 季	109 年第 2 季	109 年第 3 季	109 年第 4 季
水溫	℃	*	*	28.4	25.6	28.9	24.6	24.5	29	25.3
pH 值	-	*	*	7.1	6.2	7.2	7.5	7.8	7.3	7.9
濁度	NTU	*	*	27	3.6	3	2.8	3.5	5.7	3.6
導電度	μmho/cm	*	*	3070	5140	3650	2230	2270	3150	2520
總溶解固體	mg/L	1250	*	1580	3650	2420	1380	1410	1850	1590
總硬度	mg/L	750	*	450	937	671	452	454	562	533
氯鹽	mg/L	625	*	112	1140	791	403	403	562	523
總餘氯	mg/L	*	*	ND<0.04	ND<0.019	ND<0.019	ND<0.019	ND<0.019	0.05	0.05
硫酸鹽	mg/L	625	*	422	560	370	328	312	331	309
硫化物	mg/L	*	*	ND<0.01	<0.02(0.01)	<0.02(0.01)	<0.02(0.01)	ND<0.0036	<0.02(0.02)	<0.02(0.01)
氯氣	mg/L	0.25	*	1.05	1.26	1.5	1.68	1.38	1.33	1.47
亞硝酸鹽氮	mg/L	5	10	0.02	<0.01(0.001)	<0.01(0.002)	<0.01(0.0002)	<0.01(0.001)	<0.01(0.009)	<0.01(0.002)
硝酸鹽氮	mg/L	50	100	0.08	0.11	0.21	0.02	<0.01(0.01)	0.16	<0.01(0.01)
無機氮含量	mg/L	*	*	1.15	1.37	1.71	1.7	1.39	1.5	1.48
總含氮量	mg/L	*	*	1.63	1.51	2.04	2.1	1.54	1.55	1.73
氯鹽	mg/L	4	8	0.78	0.72	0.81	0.83	1.06	0.76	0.83
鎘	mg/L	0.025	0.05	ND<0.00017	ND<0.00041	ND<0.00041	ND<0.00041	ND<0.00019	<0.001(0.0002)	ND<0.00019
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.00048	ND<0.00048	ND<0.00048	ND<0.00037	<0.0025(0.0007)	ND<0.00037
銅	mg/L	5	10	ND<0.005	ND<0.00090	ND<0.00090	ND<0.0009	ND<0.00053	0.005	ND<0.00053
鎳	mg/L	0.5	1	ND<0.003	<0.01(0.002)	<0.01(0.004)	<0.01(0.002)	ND<0.00087	0.006	<0.005(0.002)
鉛	mg/L	0.05	0.1	0.00646	ND<0.0030	ND<0.0030	ND<0.003	ND<0.0024	ND<0.0024	ND<0.0024
鋅	mg/L	25	50	0.015	<0.02(0.002)	<0.005(0.005)	ND<0.00076	<0.0025(0.0020)	0.036	0.003
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.000081	<0.0004(0.0001)	ND<0.000081	ND<0.000084	<0.0004(0.0001)	ND<0.000084
砷	mg/L	0.25	0.5	0.0098	0.0029	0.0033	0.0061	0.0074	0.008	0.006
鐵	mg/L	1.5	*	2.86	0.231	0.038	0.057	0.426	0.748	0.301
錳	mg/L	0.25	*	0.834	0.802	0.506	0.18	0.189	0.436	0.207
油脂	mg/L	*	*	0.2	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	1.6	1.4	<2.5(2.1)	0.9	0.9	2.7	4.8
總酚	mg/L	0.14	*	<0.0063(0.0051)	ND<0.0039	ND<0.0042	ND<0.0042	ND<0.0038	ND<0.0038	<0.02(0.0110)
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00197	ND<0.00039	ND<0.00039	ND<0.00039	ND<0.00051	ND<0.00051	ND<0.00051
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00205	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
五氯酚	mg/L	0.04	0.08	ND<0.00152	ND<0.00042	ND<0.00042	ND<0.00042	ND<0.00073	ND<0.00073	ND<0.00073
苯	mg/L	0.025	0.05	ND<0.00044	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00028	ND<0.00028	ND<0.00028
甲苯	mg/L	5	10	ND<0.00015	ND<0.00022	ND<0.00022	ND<0.00022	<0.001(0.00036)	ND<0.00031	ND<0.00031
二甲苯	mg/L	50	100	ND<0.00107	ND<0.00016	ND<0.00016	ND<0.00016	ND<0.00038	ND<0.00038	ND<0.00038
乙苯	mg/L	3.5	7	ND<0.00015	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
氯苯	mg/L	0.5	1	ND<0.00177	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.00025	ND<0.00025	ND<0.00025
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00034	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
萘	mg/L	0.2	0.4	ND<0.00014	ND<0.00020	ND<0.00020	ND<0.00020	ND<0.00027	ND<0.00027	ND<0.00027
氯甲烷	mg/L	0.15	0.3	ND<0.00184	ND<0.00080	ND<0.00080	ND<0.00080	ND<0.00038	ND<0.00038	ND<0.00038
二氯甲烷	mg/L	0.025	0.05	ND<0.00044	<0.0005(0.00018)	ND<0.00015	<0.001(0.00021)	ND<0.00041	ND<0.00041	ND<0.00041
氯仿	mg/L	0.5	1	ND<0.00042	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00025	ND<0.00025	0.00824
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00037	ND<0.000070	ND<0.000070	ND<0.000070	ND<0.00027	ND<0.00027	ND<0.00027
1,2-二氯乙烷	mg/L	3	6	ND<0.00019	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00196	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00025	ND<0.00025	ND<0.00025
氯乙烯	mg/L	0.01	0.02	ND<0.00201	ND<0.000078	ND<0.000078	ND<0.000078	ND<0.00029	ND<0.00029	ND<0.00029
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00192	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00029	ND<0.00029	ND<0.00029
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00218	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00027	ND<0.00027	ND<0.00027
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00035	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00025	ND<0.00025	ND<0.00025
三氯乙烯	mg/L	0.025	0.05	ND<0.00036	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.00026	ND<0.00026	ND<0.00026
四氯乙烯	mg/L	0.025	0.05	ND<0.00202	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00027	ND<0.00027	ND<0.00027
四氯化碳	mg/L	0.025	0.05	ND<0.00016	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00025	ND<0.00025	ND<0.00025
柴油總碳氫化合物	mg/L	*	*	ND<0.149	<0.050(0.016)	<0.050(0.026)	<0.050(0.026)	0.296	0.072	<0.050(0.026)
總石油碳氫化合物	mg/L	5	10	ND<0.205	<0.055(0.029)	<0.055(0.033)	<0.065(0.045)	<0.366(0.352)	0.108	<0.034(0.032)
氯化物	mg/L	0.25	0.5	ND<0.002	<0.004(0.001)	<0.004(0.0009)	<0.004(0.0006)	<0.004(0.0005)	<0.004(0.0006)	ND<0.00048
甲基第三丁基醚	mg/L	0.5	1	ND<0.00035	ND<0.00010	ND<0.00010	<0.001(0.00013)	ND<0.0003	ND<0.0003	ND<0.0003
甲醛	mg/L	*	*	ND<0.00414	ND<0.00782	ND<0.00782	ND<0.00782	<0.0286(0.00878)	<0.0286(0.0153)	<0.0286(0.0138)
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00039	ND<0.00014	ND<0.00014	ND<0.00014	ND<0.00027	ND<0.00027	ND<0.00027
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00196	ND<0.00290	ND<0.00290	ND<0.00290	ND<0.00053	ND<0.00053	ND<0.00053
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00017	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00025	ND<0.00025	ND<0.00025

註：1.「*」表示法規尚未規定，“-”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 4 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	110 年第 1 季	110 年第 2 季	110 年第 3 季	110 年第 4 季	111 年第 1 季	111 年第 2 季	111 年第 3 季
水溫	℃	*	*	24.3	25.4	27.4	21.9	21.5	28.3	30.8
pH 值	-	*	*	7.7	7.8	7.4	7.48	7.6	7.6	7.8
濁度	NTU	*	*	3.2	4.5	2.5	3.34	0.4	0.45	1.8
導電度	μmho/cm	*	*	2360	2430	3430	5740	3160	2610	5890
總溶解固體	mg/L	1250	*	1450	1280	2100	2970	1870	1590	3700
總硬度	mg/L	750	*	480	431	445	853	549	460	1000
氯鹽	mg/L	625	*	390	359	940	948	630	428	1290
總餘氯	mg/L	*	*	0.03	0.03	0.04	0.24	ND<0.018	ND<0.020	ND<0.020
硫酸鹽	mg/L	625	*	275	256	163	710	364	287	473
硫化物	mg/L	*	*	<0.02(0.01)	<0.02(0.01)	<0.02(0.02)	0.03	0.02	<0.02(0.0086)	<0.02(0.0059)
氯氣	mg/L	0.25	*	1.3	1.2	0.08	1.53	1.67	1.22	1.41
亞硝酸鹽氮	mg/L	5	10	<0.01(0.001)	<0.01(0.002)	<0.01(0.002)	ND<0.0016	<0.01(0.001)	<0.01(0.010)	<0.01(0.001)
硝酸鹽氮	mg/L	50	100	0.03	0.09	0.07	ND<0.0128	0.04	0.06	<0.01(0.01)
無機氮含量	mg/L	*	*	1.33	1.29	0.15	1.53	1.71	1.29	1.42
總含氮量	mg/L	*	*	1.51	1.3	0.26	3.11	1.71	1.48	1.42
氟鹽	mg/L	4	8	0.82	0.66	0.1	1.03	0.74	0.75	0.66
鎘	mg/L	0.025	0.05	ND<0.00019	<0.001(0.0004)	ND<0.00037	ND<0.0017	ND<0.0009	ND<0.00037	ND<0.00037
鉻	mg/L	0.25	0.5	ND<0.00037	ND<0.00054	ND<0.00054	ND<0.0024	<0.005(0.0009)	<0.005(0.001)	ND<0.00056
銅	mg/L	5	10	ND<0.00053	<0.0025(0.002)	<0.0025(0.002)	ND<0.0022	ND<0.0011	ND<0.0011	ND<0.0011
鎳	mg/L	0.5	1	<0.005(0.002)	<0.005(0.004)	ND<0.0014	ND<0.0021	<0.01(0.0036)	<0.01(0.002)	<0.01(0.002)
鉛	mg/L	0.05	0.1	ND<0.0024	<0.005(0.002)	<0.005(0.002)	ND<0.0020	<0.01(0.0037)	ND<0.0031	ND<0.0031
鋅	mg/L	25	50	0.003	0.026	0.02	4.16	0.011	0.01	0.008
汞	mg/L	0.01	0.02	ND<0.000084	ND<0.000094	0.0004	<0.0002(0.0001)	ND<0.000094	ND<0.00011	ND<0.00011
砷	mg/L	0.25	0.5	0.0065	0.0074	0.0023	0.0015	<0.001(0.0008)	0.0014	0.0023
鐵	mg/L	1.5	*	0.231	0.542	0.353	0.153	0.061	0.118	0.233
錳	mg/L	0.25	*	0.187	0.191	0.139	0.237	0.244	0.271	0.685
油脂	mg/L	*	*	ND<2.0	ND<2.0	ND<2.0	ND<0.5	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	0.8	1.5	<0.5(0.4)	2	1	0.9	0.7
總酚	mg/L	0.14	*	<0.02(0.0078)	ND<0.0029	ND<0.0029	ND<0.0035	ND<0.0029	ND<0.0021	<0.02(0.0096)
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00120	ND<0.00051	ND<0.00037	ND<0.00037
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00038	ND<0.00056	ND<0.00056	ND<0.00089	ND<0.00056	ND<0.00057	ND<0.00057
五氯酚	mg/L	0.04	0.08	ND<0.00073	ND<0.00043	ND<0.00043	ND<0.00066	ND<0.00043	ND<0.00041	ND<0.00041
苯	mg/L	0.025	0.05	ND<0.00028	ND<0.00027	ND<0.00027	ND<0.00026	ND<0.00027	ND<0.00023	ND<0.00023
甲苯	mg/L	5	10	ND<0.00031	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	<0.001(0.00026)	ND<0.00025
二甲苯	mg/L	50	100	ND<0.00038	ND<0.00043	ND<0.00043	ND<0.00052	ND<0.00043	ND<0.00036	ND<0.00036
乙苯	mg/L	3.5	7	ND<0.00027	ND<0.00028	ND<0.00028	ND<0.00020	ND<0.00028	ND<0.00023	ND<0.00023
氯苯	mg/L	0.5	1	ND<0.00025	ND<0.00029	ND<0.00029	ND<0.0003	ND<0.00029	ND<0.00027	ND<0.00027
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00027	ND<0.00038	ND<0.00038	ND<0.00021	ND<0.00038	ND<0.00041	ND<0.00041
荼	mg/L	0.2	0.4	ND<0.00027	ND<0.00037	ND<0.00037	ND<0.00026	ND<0.00037	ND<0.00039	ND<0.00039
氯甲烷	mg/L	0.15	0.3	ND<0.00038	ND<0.00030	ND<0.00030	ND<0.00021	ND<0.00030	ND<0.00027	ND<0.00027
二氯甲烷	mg/L	0.025	0.05	ND<0.00041	ND<0.00038	ND<0.00038	ND<0.00031	ND<0.00038	ND<0.00038	ND<0.00038
氯仿	mg/L	0.5	1	ND<0.00025	ND<0.00029	0.00131	ND<0.00024	ND<0.00029	ND<0.00025	ND<0.00025
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00027	ND<0.00028	ND<0.00028	ND<0.00023	ND<0.00028	ND<0.00022	ND<0.00022
1,2-二氯乙烷	mg/L	3	6	ND<0.00027	ND<0.00030	ND<0.00030	ND<0.00029	ND<0.00030	ND<0.00027	ND<0.00027
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00025	ND<0.00033	ND<0.00033	ND<0.00020	ND<0.00033	ND<0.00033	ND<0.00033
氯乙烯	mg/L	0.01	0.02	ND<0.00029	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00022	ND<0.00022
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00029	ND<0.00023	ND<0.00023	ND<0.00024	ND<0.00023	ND<0.00021	ND<0.00021
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00027	ND<0.00026	ND<0.00026	ND<0.00029	ND<0.00026	ND<0.00020	ND<0.00020
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00025	ND<0.00027	ND<0.00027	ND<0.00028	ND<0.00027	ND<0.00028	ND<0.00028
三氯乙烯	mg/L	0.025	0.05	ND<0.00026	ND<0.00025	ND<0.00025	ND<0.00021	ND<0.00025	ND<0.00021	ND<0.00021
四氯乙烯	mg/L	0.025	0.05	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00024	ND<0.00027	ND<0.00020	ND<0.00020
四氯化碳	mg/L	0.025	0.05	ND<0.00025	ND<0.00027	ND<0.00027	ND<0.00032	ND<0.00027	ND<0.00022	ND<0.00022
柴油總碳氫化合物	mg/L	*	*	<0.050(0.023)	0.061	<0.050(0.033)	ND<0.038	<0.050(0.023)	0.058	<0.050(0.025)
總石油碳氫化合物	mg/L	5	10	<0.034(0.026)	0.094	0.045	ND<0.073	<0.038(0.032)	0.07	<0.057(0.038)
氰化物	mg/L	0.25	0.5	<0.004(0.0015)	ND<0.00053	ND<0.00053	ND<0.0014	ND<0.00053	ND<0.00052	<0.004(0.0015)
甲基第三丁基醚	mg/L	0.5	1	ND<0.0003	ND<0.00024	ND<0.00024	ND<0.00030	ND<0.00024	ND<0.00021	ND<0.00021
甲醛	mg/L	*	*	<0.0286(0.00723)	<0.0286(0.00734)	ND<0.00625	ND<0.0119	ND<0.00625	ND<0.00628	ND<0.00628
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00027	ND<0.00043	ND<0.00043	ND<0.00024	ND<0.00043	ND<0.00046	ND<0.00046
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00053	ND<0.00055	ND<0.00055	ND<0.00086	ND<0.00055	ND<0.00060	ND<0.00060
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00022	ND<0.00025	ND<0.00021	ND<0.00021

註：1. 「*」表示法規尚未規定，“-”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 4 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	111 年第 4 季	112 年第 1 季	112 年第 2 季	112 年第 3 季	112 年第 4 季	113 年第 1 季	113 年第 2 季
水溫	℃	*	*	26.4	22.9	27.6	29.5	28.6	25.4	24.8
pH 值	-	*	*	8.1	7.8	8.1	7.5	8	7.6	8
濁度	NTU	*	*	0.75	2.5	2.1	1.3	1.6	45	120
導電度	μmho/cm	*	*	2670	2660	3290	7000	3990	3850	4060
總溶解固體	mg/L	1250	*	1630	1630	1650	4950	2500	2450	2570
總硬度	mg/L	750	*	477	442	297	1170	177	174	173
氯鹽	mg/L	625	*	432	468	455	1500	447	466	490
總餘氯	mg/L	*	*	ND<0.020	ND<0.020	ND<0.023	ND<0.023	ND<0.023	ND<0.023	ND<0.024
硫酸鹽	mg/L	625	*	249	284	283	623	108	121	81.8
硫化物	mg/L	*	*	ND<0.0025	ND<0.0025	<0.02(0.0087)	ND<0.0038	ND<0.0038	ND<0.0038	ND<0.0056
氯氣	mg/L	0.25	*	1.1	1.04	1.61	1.73	0.77	0.47	0.34
亞硝酸鹽氮	mg/L	5	10	<0.01(0.002)	<0.01(0.001)	0.01	0.01	<0.01(0.001)	0.01	<0.01(0.008)
硝酸鹽氮	mg/L	50	100	0.06	0.16	0.03	0.02	<0.01(0.009)	ND<0.0020	0.02
無機氮含量	mg/L	*	*	1.16	1.2	1.65	1.76	0.78	0.48	0.37
總含氮量	mg/L	*	*	1.48	1.63	1.84	1.94	1.01	0.72	0.94
氟鹽	mg/L	4	8	0.86	0.89	0.9	0.8	1.98	1.72	1.91
鎘	mg/L	0.025	0.05	ND<0.00037	ND<0.00037	ND<0.00024	ND<0.00053	ND<0.00024	ND<0.00024	ND<0.00049
鉻	mg/L	0.25	0.5	ND<0.00056	ND<0.00056	ND<0.00028	ND<0.00048	ND<0.00028	ND<0.00028	<0.002 (0.0016)
銅	mg/L	5	10	<0.005(0.002)	0.008	ND<0.00039	ND<0.00069	<0.002(0.001)	<0.002(0.002)	0.003
鎳	mg/L	0.5	1	<0.01(0.005)	<0.010(0.003)	<0.010(0.002)	<0.010(0.003)	<0.005(0.001)	<0.005(0.001)	<0.005(0.004)
鉛	mg/L	0.05	0.1	ND<0.0031	ND<0.0031	ND<0.0027	ND<0.0025	ND<0.0027	ND<0.0027	<0.005 (0.0046)
鋅	mg/L	25	50	0.009	0.096	0.018	0.007	<0.002(0.002)	0.003	0.008
汞	mg/L	0.01	0.02	<0.0004(0.0001)	ND<0.00011	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00013	<0.0004 (0.0002)
砷	mg/L	0.25	0.5	0.0032	0.0051	0.0039	0.0045	0.0125	0.0141	0.0112
鐵	mg/L	1.5	*	0.056	0.224	0.258	0.061	0.061	0.425	2.24
錳	mg/L	0.25	*	0.235	0.265	0.172	0.654	0.083	0.069	0.114
油脂	mg/L	*	*	ND(<2.0)	ND(<2.0)	ND<2.0	ND<2.0	ND<2.0	2.4	ND<2.0
總有機碳(TOC)	mg/L	10	*	1.9	7.6	2.8	0.8	4.6	4.2	4.8
總酚	mg/L	0.14	*	<0.02(0.0085)	ND<0.0021	ND<0.0015	ND<0.0048	<0.0200 (0.0065)	ND<0.0046	ND<0.0068
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00037	ND<0.00037	ND<0.00079	ND<0.00079	ND<0.00079	ND<0.00079	ND<0.00059
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00057	ND<0.00057	ND<0.00075	ND<0.00075	ND<0.00075	ND<0.00075	ND<0.00057
五氯酚	mg/L	0.04	0.08	ND<0.00041	ND<0.00041	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00043
苯	mg/L	0.025	0.05	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00022
甲苯	mg/L	5	10	ND<0.00025	ND<0.00025	ND<0.00022	ND<0.00022	<0.00100 (0.00067)	<0.00100 (0.00050)	ND<0.00020
二甲苯	mg/L	50	100	ND<0.00036	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00032
乙苯	mg/L	3.5	7	ND<0.00023	ND<0.00023	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00022
氯苯	mg/L	0.5	1	ND<0.00027	ND<0.00027	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00041	ND<0.00041	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021
萘	mg/L	0.2	0.4	ND<0.00039	ND<0.00039	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00023
氯甲烷	mg/L	0.15	0.3	ND<0.00027	ND<0.00027	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00025
二氯甲烷	mg/L	0.025	0.05	ND<0.00038	ND<0.00038	ND<0.00045	ND<0.00045	0.00108	ND<0.00045	ND<0.00044
氯仿	mg/L	0.5	1	ND<0.00025	<0.00100 (0.00033)	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00030
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00022	ND<0.00022	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
1,2-二氯乙烷	mg/L	3	6	ND<0.00027	ND<0.00027	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00033	ND<0.00033	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00023
氯乙烯	mg/L	0.01	0.02	ND<0.00022	ND<0.00022	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00028
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00021	ND<0.00021	ND<0.00022	ND<0.00022	ND<0.00022	ND<0.00022	ND<0.00025
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00020	ND<0.00020	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00022
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00028	ND<0.00028	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00020
三氯乙烯	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00020
四氯乙烯	mg/L	0.025	0.05	ND<0.00020	ND<0.00020	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00018
四氯化碳	mg/L	0.025	0.05	ND<0.00022	ND<0.00022	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021
柴油總碳氫化合物	mg/L	*	*	<0.050(0.042)	0.053	<0.050(0.017)	<0.050(0.016)	<0.050(0.027)	<0.050(0.018)	<0.050(0.033)
總石油碳氫化合物	mg/L	5	10	<0.069(0.052)	0.099	ND(<0.0276)	ND<0.0276	<0.039(0.037)	<0.039(0.031)	0.063
氰化物	mg/L	0.25	0.5	ND<0.00052	ND<0.00052	ND<0.00048	ND<0.00048	ND<0.00048	ND<0.00048	<0.004 (0.0006)
甲基第三丁基醚	mg/L	0.5	1	ND<0.00021	ND<0.00021	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00022
甲醛	mg/L	*	*	ND<0.00628	ND<0.00628	<0.0286 (0.00568)	<0.0286 (0.00492)	<0.0286 (0.00447)	ND<0.00415	ND<0.00338
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00046	ND<0.00046	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00060	ND<0.00060	ND<0.00082	ND<0.00057	ND<0.00082	ND<0.00082	ND<0.00052
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00021	ND<0.00021	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00021

註：1.「*」表示法規尚未規定，“-”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 4 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	113 年第 3 季	113 年第 4 季	114 年第 1 季			
水溫	℃	*	*	26.4	26.2	23.1			
pH 值	-	*	*	7.6	7.5	7.8			
濁度	NTU	*	*	65	7.90	180.00			
導電度	μmho/cm	*	*	4000	3860	3660			
總溶解固體	mg/L	1250	*	2490	2280	2300			
總硬度	mg/L	750	*	356	540	268			
氯鹽	mg/L	625	*	610	843	447			
總餘氯	mg/L	*	*	ND<0.024	ND<0.024	ND<0.024			
硫酸鹽	mg/L	625	*	174	273	120			
硫化物	mg/L	*	*	ND<0.0056	ND<0.0056	ND<0.0056			
氯氣	mg/L	0.25	*	0.48	0.9	0.36			
亞硝酸鹽氮	mg/L	5	10	0.01	<0.01(0.001)	<0.01(0.005)			
硝酸鹽氮	mg/L	50	100	0.05	<0.01(0.004)	0.02			
無機氮含量	mg/L	*	*	0.54	0.9	0.38			
總含氮量	mg/L	*	*	0.87	1.14	1.16			
氯鹽	mg/L	4	8	1.3	0.96	1.45			
鎘	mg/L	0.025	0.05	ND<0.00026	ND<0.00026	ND<0.00026			
鉻	mg/L	0.25	0.5	<0.002 (0.0004)	ND<0.00039	ND<0.00039			
銅	mg/L	5	10	0.006	<0.002(0.001)	0.004			
鎳	mg/L	0.5	1	<0.005(0.003)	<0.005(0.001)	<0.005(0.003)			
鉛	mg/L	0.05	0.1	ND<0.0030	ND<0.0030	<0.005(0.003)			
鋅	mg/L	25	50	0.011	0.007	0.01			
汞	mg/L	0.01	0.02	ND<0.000071	<0.0004 (0.0001)	<0.0004 (0.0001)			
砷	mg/L	0.25	0.5	0.0085	0.0154	0.0236			
鐵	mg/L	1.5	*	0.486	0.431	1.130			
錳	mg/L	0.25	*	0.17	0.164	0.112			
油脂	mg/L	*	*	ND<2.0	ND<2.0	ND<2.0			
總有機碳(TOC)	mg/L	10	*	1.5	0.9	6.7			
總酚	mg/L	0.14	*	<0.0300 (0.0052)	ND<0.0068	<0.0200 (0.0152)			
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00059	ND<0.00059	ND<0.00059			
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00057	ND<0.00057	ND<0.00057			
五氯酚	mg/L	0.04	0.08	ND<0.00043	ND<0.00043	ND<0.00043			
苯	mg/L	0.025	0.05	ND<0.00022	ND<0.00022	ND<0.00022			
甲苯	mg/L	5	10	<0.00100 (0.00035)	ND<0.00020	ND<0.00020			
二甲苯	mg/L	50	100	ND<0.00032	ND<0.00032	ND<0.00032			
乙苯	mg/L	3.5	7	ND<0.00022	ND<0.00022	ND<0.00022			
氯苯	mg/L	0.5	1	ND<0.00022	ND<0.00022	ND<0.00022			
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00021	ND<0.00021	ND<0.00021			
萘	mg/L	0.2	0.4	ND<0.00023	ND<0.00023	ND<0.00023			
氯甲烷	mg/L	0.15	0.3	ND<0.00025	ND<0.00025	ND<0.00025			
二氯甲烷	mg/L	0.025	0.05	ND<0.00044	ND<0.00044	ND<0.00044			
氯仿	mg/L	0.5	1	ND<0.00030	ND<0.00030	ND<0.00030			
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00022	ND<0.00022	ND<0.00022			
1,2-二氯乙烷	mg/L	3	6	ND<0.00025	ND<0.00025	ND<0.00025			
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00023	ND<0.00023	ND<0.00023			
氯乙烯	mg/L	0.01	0.02	ND<0.00028	ND<0.00028	ND<0.00028			
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00025	ND<0.00025	ND<0.00025			
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00022	ND<0.00022	ND<0.00022			
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00020	ND<0.00020	ND<0.00020			
三氯乙烯	mg/L	0.025	0.05	ND<0.00020	ND<0.00020	ND<0.00020			
四氯乙烯	mg/L	0.025	0.05	ND<0.00018	ND<0.00018	ND<0.00018			
四氯化碳	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00021			
柴油總碳氫化合物	mg/L	*	*	<0.050(0.018)	<0.050(0.026)	<0.050(0.028)			
總石油碳氫化合物	mg/L	5	10	<0.038(0.029)	0.048	0.04			
氯化物	mg/L	0.25	0.5	ND<0.0022	ND<0.0022	ND<0.0022			
甲基第三丁基醚	mg/L	0.5	1	ND<0.00022	ND<0.00022	ND<0.00022			
甲醛	mg/L	*	*	<0.0286 (0.00373)	<0.0286 (0.00489)	ND<0.00338			
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00021			
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00052	ND<0.00052	ND<0.00052			
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00021	ND<0.00021	ND<0.00021			

註：1. 「*」表示法規尚未規定，“-”表示並無監測

2. 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3. 第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4. 第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 5 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	87 年 第 3 季	87 年 第 4 季	88 年 第 2 季	88 年 第 3 季	88 年 第 4 季	89 年 第 1 季
水溫	℃	*	*	27.9	26.8	24.9	25.8	23.6	22.6
pH 值	-	*	*	7.73	7.91	7.76	7.32	7.89	7.5
濁度	NTU	*	*	43	13	1	15	18	0.2
導電度	μmho/cm	*	*	24400	33500	28300	20600	28700	20100
總溶解固體	mg/L	*	*	21260	28625	19910	12050	18080	12640
總硬度	mg/L	*	*	3100	3500	2150	2150	1550	85
氯鹽	mg/L	*	*	8160	11152	7713	5182	7496	5174
總餘氯	mg/L	*	*	ND	ND	ND	ND	<0.002	<0.2
硫酸鹽	mg/L	*	*	1375	1876	1447	926	1280	260
硫化物	mg/L	*	*	0.08	0.18	0.36	ND	0.19	0.03
氨氮	mg/L	*	*	0.43	ND	ND	0.23	0.43	0.07
亞硝酸鹽氮	mg/L	*	*	ND	0.004	ND	ND	0.001	<0.0003
硝酸鹽氮	mg/L	*	*	0.3	0.33	0.25	0.12	0.2	0.17
無機氮含量	mg/L	*	*	0.73	0.33	0.25	0.35	0.63	0.17
總含氮量	mg/L	*	*	1.35	0.77	0.35	0.82	0.65	0.6
氯鹽	mg/L	*	*	0.58	0.57	0.75	0.67	0.62	0.7
鎘	mg/L	*	*	ND	ND	ND	ND	<0.00572	<0.00572
鉻	mg/L	*	*	ND	ND	ND	ND	<0.00406	<0.00406
銅	mg/L	*	*	0.012	0.0042	ND	0.0056	0.0056	0.0134
鎳	mg/L	*	*	0.0194	ND	0.0115	0.0135	0.0317	0.0023
鉛	mg/L	*	*	ND	0.0018	0.0153	0.0184	0.0082	0.0186
鋅	mg/L	*	*	0.0431	0.0113	0.0011	0.03	0.0499	0.0723
汞	mg/L	*	*	ND	ND	ND	ND	<0.00062	<0.00062
砷	mg/L	*	*	0.00376	0.00364	0.00221	0.00276	0.00006	0.00006
鐵	mg/L	*	*	ND	0.04	0.16	ND	0.23	0.23
錳	mg/L	*	*	1.17	1.73	1.41	0.98	1.5	0.06
油脂	mg/L	*	*	ND	ND	ND	ND	2.5	2.5
總有機碳(TOC)	mg/L	*	*	ND	ND	ND	0.58	0.37	0.59
總酚	mg/L	*	*	ND	ND	ND	ND	<0.007	<0.007
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—
苯	mg/L	*	*	ND	ND	ND	ND	<0.002	<0.002
甲苯	mg/L	*	*	ND	ND	ND	ND	<0.0006	<0.0006
二甲苯	mg/L	*	*	ND	ND	ND	ND	<0.0006	<0.0006
乙苯	mg/L	*	*	ND	ND	ND	ND	<0.0006	<0.0006
氯苯	mg/L	*	*	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	*	—	—	—	—	—	—
萘	mg/L	*	*	—	—	—	—	—	—
氯甲烷	mg/L	*	*	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—
氯仿	mg/L	*	*	—	—	—	—	—	—
1,1-二氯乙烷	mg/L	*	*	—	—	—	—	—	—
1,2-二氯乙烷	mg/L	*	*	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—
氯乙烯	mg/L	*	*	ND	ND	ND	ND	<0.004	<0.004
1,1-二氯乙烯	mg/L	*	*	—	—	—	—	—	—
順-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—
三氯乙烯	mg/L	*	*	—	—	—	—	—	—
四氯乙烯	mg/L	*	*	—	—	—	—	—	—
四氯化碳	mg/L	*	*	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—
氟化物	mg/L	*	*	—	—	ND	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，「—」表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

環評井 5 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	89 年 第 2 季	89 年 第 3 季	89 年 第 4 季	90 年 第 1 季	90 年 第 2 季	90 年 第 3 季	90 年 第 4 季
水溫	℃	*	*	26	27	26.2	27.2	27.1	26.2	26.6
pH 值	-	*	*	8.16	7.54	7.68	7.57	7.6	7.71	8.09
濁度	NTU	*	*	2.9	1.7	1.7	2.1	2.4	1.7	1.7
導電度	μmho/cm	*	*	13400	28400	28800	26700	29000	23500	28100
總溶解固體	mg/L	*	*	9246	19340	21750	18590	21980	20160	26740
總硬度	mg/L	*	*	215	3050	2850	3300	3200	2540	1520
氯鹽	mg/L	*	*	2880	8199	8701	7195	8199	7650	6275
總餘氯	mg/L	*	*	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
硫酸鹽	mg/L	*	*	280	3489	2608	1498	1323	1305	1876
硫化物	mg/L	*	*	0.04	0.01	0.01	0.01	0.69	0.07	0.01
氨氮	mg/L	*	*	0.09	0.87	1.07	0.85	0.86	0.83	0.71
亞硝酸鹽氮	mg/L	*	*	0.004	0.001	ND	<0.003	<0.003	<0.01	<0.001
硝酸鹽氮	mg/L	*	*	0.26	0.31	0.22	0.21	0.24	2.92	0.34
無機氮含量	mg/L	*	*	0.35	1.18	1.29	1.06	1.1	4.56	1.05
總含氮量	mg/L	*	*	0.43	1.45	1.4	1.34	1.41	4.86	3.89
氯鹽	mg/L	*	*	1.6	0.92	1.19	1.23	1.08	0.76	1.18
鎘	mg/L	*	*	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572
鉻	mg/L	*	*	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406
銅	mg/L	*	*	0.0132	0.0164	0.0058	0.0017	0.0139	0.0019	0.0063
鎳	mg/L	*	*	0.0156	0.0116	0.00236	<0.00154	<0.00154	<0.00154	0.00368
鉛	mg/L	*	*	0.035	0.0059	<0.00343	0.0177	<0.00343	<0.00343	<0.00343
鋅	mg/L	*	*	0.0875	0.0145	ND	0.0074	0.0208	0.025	0.045
汞	mg/L	*	*	<0.00062	0.00174	<0.00062	<0.00062	0.00098	<0.00003	<0.0006
砷	mg/L	*	*	0.00245	0.00424	0.00346	0.00418	0.00538	0.00171	0.00358
鐵	mg/L	*	*	0.29	0.14	0.34	0.04	0.29	0.14	0.34
錳	mg/L	*	*	0.03	2.38	2.12	2.13	2.55	2.25	2.05
油脂	mg/L	*	*	2.5	2.5	2.5	2.5	2.5	2.5	2.5
總有機碳(TOC)	mg/L	*	*	3.77	0.55	0.55	0.55	0.55	1.42	0.55
總酚	mg/L	*	*	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—
苯	mg/L	*	*	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
甲苯	mg/L	*	*	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
二甲苯	mg/L	*	*	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
乙苯	mg/L	*	*	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
氯苯	mg/L	*	*	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	*	—	—	—	—	—	—	—
苯	mg/L	*	*	—	—	—	—	—	—	—
氯甲烷	mg/L	*	*	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—
氯仿	mg/L	*	*	—	—	—	—	—	—	—
1,1-二氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
1,2-二氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
氯乙烯	mg/L	*	*	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
1,1-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
順-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
四氯化碳	mg/L	*	*	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—
氯化物	mg/L	*	*	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—

註：1. 「*」表示法規尚未規定，“—”表示並無監測

2. 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

環評井5 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	91 年 第 2 季	91 年 第 3 季	91 年 第 4 季	92 年 第 1 季	92 年 第 2 季	92 年 第 3 季	92 年 第 4 季	93 年 第 1 季
水溫	℃	*	*	26.8	27.1	26.8	27	27	27.5	27.1	26.5
pH 值	-	*	*	7.56	7.59	7.58	7.56	7	7.45	7.24	7.82
濁度	NTU	*	*	3.4	2.1	1.4	1.5	1.8	1.4	1.9	2.1
導電度	μmho/cm	*	*	25600	27800	25100	22700	23440	24000	26740	24680
總溶解固體	mg/L	1250	*	14100	12400	12560	11410	10800	12140	13480	12380
總硬度	mg/L	750	*	2400	2950	2250	2150	2200	2050	1700	2250
氯鹽	mg/L	625	*	7143	9057	7536	6842	6813	6209	4190	4098
總餘氯	mg/L	*	*	ND	ND	ND	<0.2	<0.2	<0.2	<0.2	<0.2
硫酸鹽	mg/L	625	*	1128	1432	1000	1197	1049	1273	1077	1462
硫化物	mg/L	*	*	0.02	0.06	ND	0.01	0.01	0.01	0.01	0.01
氨氮	mg/L	0.25	*	0.82	0.8	0.78	0.69	0.64	0.95	0.53	6.41
亞硝酸鹽氮	mg/L	*	10	0.002	0.004	ND	<0.001	0.001	0.002	<0.001	0.003
硝酸鹽氮	mg/L	25	100	0.08	0.38	0.11	0.36	0.2	0.63	0.41	0.26
無機氮含量	mg/L	*	*	0.9	1.18	0.89	1.05	0.84	1.58	0.94	6.67
總含氮量	mg/L	*	*	1.13	2.31	1.62	2.34	2.22	5.05	2.47	8.27
氯鹽	mg/L	*	*	1.38	1.3	1.33	1.01	1.8	1.32	1.56	0.54
鎘	mg/L	0.025	0.05	ND	ND	ND	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572
鉻	mg/L	0.25	0.5	ND	ND	ND	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406
銅	mg/L	5	10	ND	0.00211	ND	0.00149	0.00319	0.00423	0.00383	0.0058
鎳	mg/L	*	1	ND	0.0026	ND	<0.00154	0.0068	0.00314	<0.00154	<0.00154
鉛	mg/L	0.25	0.5	ND	ND	ND	0.0039	0.00613	<0.00343	<0.00343	<0.00343
鋅	mg/L	25	50	0.07872	0.0792	0.0257	0.0331	0.0267	0.0004	0.01291	0.01911
汞	mg/L	*	0.02	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
砷	mg/L	0.25	0.5	0.00615	0.00308	0.00411	0.0054	0.00938	0.01011	0.00786	0.00884
鐵	mg/L	1.5	*	0.04	ND	0.11	<0.04	0.12	0.13	0.29	0.12
錳	mg/L	0.25	*	1.64	1.59	1.52	1.24	1.32	1.65	1.6	1.86
油脂	mg/L	*	*	ND	ND	ND	2.5	2.5	2.5	2.5	2.5
總有機碳(TOC)	mg/L	10	*	1.56	ND	2.15	0.55	2.56	0.69	0.58	1.4
總酚	mg/L	*	0.14	ND	ND	ND	<0.007	<0.007	<0.007	<0.007	<0.007
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	<0.002	<0.002	<0.002	<0.002	<0.002
甲苯	mg/L	*	10	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
二甲苯	mg/L	*	*	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
乙苯	mg/L	*	*	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
氯苯	mg/L	*	1	—	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	—	—	—	—
苯	mg/L	*	0.4	—	—	—	—	—	—	—	—
氯甲烷	mg/L	*	0.3	—	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—
氯仿	mg/L	*	1	—	—	—	—	—	—	—	—
1,1-二氯乙烷	mg/L	*	8.5	—	—	—	—	—	—	—	—
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—
氯乙烯	mg/L	*	0.02	ND	ND	ND	<0.004	<0.004	<0.004	<0.004	<0.004
1,1-二氯乙烯	mg/L	*	0.07	—	—	—	—	—	—	—	—
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—
四氯化碳	mg/L	*	0.05	—	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—
氰化物	mg/L	*	*	—	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：90.11.21 環署水字第 0073680 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井5 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	93 年 第 2 季	93 年 第 3 季	93 年 第 4 季	94 年 第 1 季	94 年 第 2 季	94 年 第 3 季	94 年 第 4 季	95 年 第 1 季	95 年 第 2 季	95 年 第 3 季
水溫	℃	*	*	27	26.7	29.1	20.2	20.3	26.9	25.2	19.8	32.7	25.3
pH 值	-	*	*	7.6	7.6	7.7	7.6	7.8	7.6	7.9	8	7.7	7.2
濁度	NTU	*	*	2.1	2	19	6.3	28	28	15	5.2	17	23.8
導電度	μmho/cm	*	*	21400	2860	4190	1430	893	5620	5503	12000	6080	3330
總溶解固體	mg/L	1250	*	10760	5130	23400	2370	5440	3580	4320	2660	3680	3860
總硬度	mg/L	750	*	1800	2460	3300	477	1240	792	846	474	802	900
氯鹽	mg/L	625	*	5262	2300	11800	990	2280	1670	1960	1370	1770	1690
總餘氯	mg/L	*	*	<0.2	<0.2	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036
硫酸鹽	mg/L	625	*	1247	488	1850	119	363	235	259	284	286	294
硫化物	mg/L	*	*	0.01	0.005	0.005	0.01	0.02	0.01	0.01	0.01	0.02	ND
氨氮	mg/L	0.25	*	0.35	1.52	1.78	0.32	5.99	8.47	1.87	2.67	3.13	2.05
亞硝酸鹽氮	mg/L	*	10	<0.001	0.04	0.01	0.01	0.27	1.28	0.004	0.04	0.019	0.034
硝酸鹽氮	mg/L	25	100	0.8	0.25	0.96	0.14	7.32	0.16	0.06	0.5	0.21	1.51
無機氮含量	mg/L	*	*	1.15	1.81	2.74	0.46	13.58	9.91	1.934	3.21	3.36	3.59
總含氮量	mg/L	*	*	2.41	5.44	3.06	0.74	14.6	2.27	2.25	4.32	2.9	4.24
氯鹽	mg/L	*	*	1.16	0.36	0.62	0.27	0.36	0.22	1.08	1.93	0.73	0.45
鎘	mg/L	0.025	0.05	<0.00572	<0.031	<0.031	<0.031	0.003	<0.002	<0.002	0.003	0.003	0.003
鎘	mg/L	0.25	0.5	<0.00406	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	ND
銅	mg/L	5	10	0.00392	<0.00149	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042	<0.0042
鎳	mg/L	*	1	0.0058	<0.041	<0.041	<0.041	<0.041	0.033	0.157	<0.041	<0.041	<0.018
鉛	mg/L	0.25	0.5	<0.00343	<0.041	<0.041	<0.041	<0.041	<0.019	<0.019	<0.019	<0.019	ND
鋅	mg/L	25	50	0.00756	<0.045	<0.045	<0.045	<0.045	<0.032	<0.032	0.046	0.022	<0.032
汞	mg/L	*	0.02	<0.0006	<0.001	0.0031	<0.001	<0.001	0.0023	0.0046	0.001	0.007	0.0006
砷	mg/L	0.25	0.5	0.00723	0.0103	0.0026	0.0199	0.016	0.0189	0.0275	0.0204	0.0341	0.0083
鐵	mg/L	1.5	*	<0.04	2.35	0.9	0.598	0.041	1.63	2.21	1.01	1.57	0.855
錳	mg/L	0.25	*	1.56	0.748	1.19	0.248	0.357	0.49	0.993	0.776	1.3	0.795
油脂	mg/L	*	*	2.5	0.7	0.7	4.2	4.5	0.2	1.3	0.6	3.3	1.2
總有機碳(TOC)	mg/L	10	*	3.71	5.71	2.24	4.24	1.54	6.51	36.8	1.47	1.71	2.34
總酚	mg/L	*	0.14	<0.007	<0.0006	<0.0006	0.037	0.0014	0.0021	0.0023	<0.001	0.0036	0.0033
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
苯	mg/L	*	0.05	<0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
甲苯	mg/L	*	10	<0.0006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
二甲苯	mg/L	*	*	<0.0006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
乙苯	mg/L	*	*	<0.0006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
氯苯	mg/L	*	1	—	—	—	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	—	—	—	—	—	—
萘	mg/L	*	0.4	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
氯甲烷	mg/L	*	0.3	—	—	—	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
氯仿	mg/L	*	1	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
1,1-二氯乙烷	mg/L	*	8.5	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
氯乙烯	mg/L	*	0.02	<0.004	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
1,1-二氯乙烯	mg/L	*	0.07	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
四氯化碳	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
氯化物	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，「—」表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：90.11.21 環署水字第 0073680 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井5 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	95 年 第 4 季	96 年 第 1 季	96 年 第 2 季	96 年 第 3 季	96 年 第 4 季	97 年 第 1 季	97 年 第 2 季	97 年 第 3 季	97 年 第 4 季
水溫	℃	*	*	22.5	23.3	26	23.9	24.2	23.8	24.3	24.3	27.8
pH 值	-	*	*	7.4	7.4	7.4	7.2	7.2	7.6	7.3	7.3	7.6
濁度	NTU	*	*	4.8	19.7	14.7	2.1	15	1.4	1.4	1.4	19
導電度	μmho/cm	*	*	5860	6250	5930	1390	1520	2340	2080	2080	1170
總溶解固體	mg/L	1250	*	1490	1970	2760	918	4770	1190	1100	1100	684
總硬度	mg/L	750	*	424	596	658	519	1010	331	457	457	312
氯鹽	mg/L	625	*	466	744	1480	163	2830	273	236	236	127
總餘氯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	ND
硫酸鹽	mg/L	625	*	250	171	179	180	214	104	174	174	103
硫化物	mg/L	*	*	0.01	0.02	0.01	0.02	0.02	0.03	0.02	0.02	ND
氨氮	mg/L	0.25	*	0.04	1.02	2	0.08	0.09	0.03	0.07	0.07	0.24
亞硝酸鹽氮	mg/L	*	10	0.026	0.013	0.011	0.072	1.36	ND	<0.001	<0.001	<0.001
硝酸鹽氮	mg/L	25	100	1.75	1.08	0.5	1.5	0.36	0.54	1.17	1.17	2.17
無機氮含量	mg/L	*	*	1.82	2.11	2.51	1.65	1.81	0.57	1.25	1.25	2.41
總含氮量	mg/L	*	*	2.06	2.33	3.18	2.08	2.11	0.91	1.98	1.98	4.93
氯鹽	mg/L	*	*	1.51	0.27	0.34	0.37	0.75	1.34	0.25	0.25	0.49
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	<0.007	<0.007	<0.007	ND	<0.007	<0.007	ND
銅	mg/L	5	10	<0.018	ND	ND	<0.01	ND	<0.015	<0.015	<0.015	ND
鎳	mg/L	*	1	0.022	ND	ND	ND	ND	0.0087	0.01	0.01	ND
鉛	mg/L	0.25	0.5	ND	ND	<0.01	ND	<0.0127	ND	ND	ND	ND
鋅	mg/L	25	50	ND	0.066	0.013	0.02	0.029	0.013	0.024	0.024	ND
汞	mg/L	*	0.02	0.0009	ND	<0.00045	<0.0009	<0.0009	<0.0009	<0.0009	<0.0009	ND
砷	mg/L	0.25	0.5	0.0233	0.017	0.0075	0.002	0.0132	0.0047	0.0094	0.0094	0.0072
鐵	mg/L	1.5	*	0.466	1.37	1.53	0.501	1.67	0.045	0.337	0.337	0.048
錳	mg/L	0.25	*	0.518	0.667	0.409	0.344	0.49	0.045	0.258	0.258	0.549
油脂	mg/L	*	*	0.1	0.1	0.1	0.9	0.9	0.9	0.8	0.8	<1.0
總有機碳(TOC)	mg/L	10	*	1.53	1.98	2.5	1.5	1.35	1.32	1.41	1.41	2
總酚	mg/L	*	0.14	0.0031	ND	ND	0.008	0.011	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	ND
乙苯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	—	—	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	—	—	—	—	—
萘	mg/L	*	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	—	—	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯仿	mg/L	*	1	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
四氯化碳	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯化物	mg/L	*	*	—	—	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—	—	ND
甲醛	mg/L	*	*	—	—	—	—	—	—	—	—	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，「—」表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：90.11.21 環署水字第 0073680 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 5 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	98 年 第 1 季	98 年 第 2 季	98 年 第 3 季	98 年 第 4 季	99 年 第 1 季	99 年 第 2 季
水溫	℃	*	*	27.1	24.9	27.7	27	26.9	27.9
pH 值	-	*	*	7.5	7.7	7.8	8	8	8
濁度	NTU	*	*	0.3	17	26	20	5.8	5.4
導電度	μmho/cm	*	*	1990	1990	1960	2040	1970	2130
總溶解固體	mg/L	1250	*	1170	1140	1190	1040	1150	982
總硬度	mg/L	750	*	424	370	274	368	245	287
氯鹽	mg/L	625	*	202	243	233	251	244	269
總餘氯	mg/L	*	*	ND	<0.02	0.03	0.05	0.03	0.06
硫酸鹽	mg/L	625	*	202	202	212	246	210	259
硫化物	mg/L	*	*	ND	ND	ND	ND	ND<0.01	ND<0.01
氨氮	mg/L	0.25	*	0.24	0.24	0.4	0.4	0.35	0.31
亞硝酸鹽氮	mg/L	*	10	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01
硝酸鹽氮	mg/L	25	100	ND	0.03	0.04	ND	0.01	ND
無機氮含量	mg/L	*	*	0.24	0.23	0.44	0.4	0.36	0.31
總含氮量	mg/L	*	*	2.97	1.03	0.62	0.52	0.681	0.93
氯鹽	mg/L	*	*	1.18	0.9	1.42	1.55	1.35	1.69
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	0.005	ND	ND	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND	ND	ND
鎳	mg/L	*	1	ND	ND	ND	ND	ND	ND
鉛	mg/L	0.25	0.5	ND	ND	ND	ND	ND	ND
鋅	mg/L	25	50	0.012	0.016	0.026	<0.020(0.008)	<0.020(0.017)	ND
汞	mg/L	*	0.02	ND	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0116	0.008	0.0319	0.0105	0.0106	0.0116
鐵	mg/L	1.5	*	0.046	0.031	0.106	<0.100(0.025)	<0.100(0.060)	0.203
錳	mg/L	0.25	*	0.594	0.594	0.195	0.198	0.169	0.173
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	1.7	4.6	1.7	0.9	0.7	1.1
總酚	mg/L	*	0.14	ND	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	—	—	—	—	ND	ND
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	—	—	—	—	ND	ND
二氯甲烷	mg/L	*	0.05	—	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	—	—	—	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	ND	ND
三氯乙烯	mg/L	*	0.05	—	—	—	—	ND	ND
四氯乙烯	mg/L	*	0.05	—	—	—	—	ND	ND
四氯化碳	mg/L	*	0.05	—	—	—	—	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—
氯化物	mg/L	*	0.5	—	—	—	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	ND	0.001	ND	ND	ND
甲醛	mg/L	*	*	ND<3.0	ND	ND	ND	ND	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	—	<0.5	<0.50	<0.50	<0.50	<0.50

註：1. 「*」表示法規尚未規定，“—”表示並無監測

2. 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3. 第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4. 第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 5 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	99 年 第 3 季	99 年 第 4 季	100 年 第 1 季	100 年 第 2 季	100 年 第 3 季
水溫	℃	*	*	27.6	26.5	26.4	27.2	27.6
pH 值	-	*	*	7.9	8	7.9	8	8
濁度	NTU	*	*	9.6	11	22	12	7.7
導電度	μmho/cm	*	*	2630	2560	2690	2380	2810
總溶解固體	mg/L	1250	*	1740	1570	1620	1350	1640
總硬度	mg/L	750	*	612	406	491	267	315
氯鹽	mg/L	625	*	368	321	372	320	446
總餘氯	mg/L	*	*	0.04	0.04	0.05	0.03	0.06
硫酸鹽	mg/L	625	*	338	317	340	281	333
硫化物	mg/L	*	*	ND<0.01	0.02	0.01	<0.04(0.01)	<0.04(0.03)
氨氮	mg/L	0.25	*	0.39	0.34	0.46	0.25	0.33
亞硝酸鹽氮	mg/L	*	10	0	ND	<0.01(0.002)	ND	ND
硝酸鹽氮	mg/L	25	100	0.02	0.01	ND	<0.05(0.02)	0.06
無機氮含量	mg/L	*	*	0.41	0.35	0.46	0.27	0.39
總含氮量	mg/L	*	*	0.55	0.541	0.72	0.57	0.5
氯鹽	mg/L	*	*	1.27	1.48	1.52	1.77	1.71
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	<0.020(0.003)	ND
銅	mg/L	5	10	ND	ND	ND	<0.020(0.004)	ND
鎳	mg/L	*	1	ND	ND	ND	ND	<0.020(0.005)
鉛	mg/L	0.25	0.5	ND	ND	ND	ND	ND
鋅	mg/L	25	50	ND	ND	<0.02(0.013)	<0.020(0.011)	<0.020(0.018)
汞	mg/L	*	0.02	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0104	0.0135	0.0138	0.0141	0.0141
鐵	mg/L	1.5	*	<0.100(0.086)	0.053	<0.1(0.099)	<0.100(0.056)	<0.100(0.029)
錳	mg/L	0.25	*	0.307	0.222	0.284	0.167	0.176
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	1	1	0.9	1.2	1.2
總酚	mg/L	*	0.14	0.0052	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	0.00161
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—
氰化物	mg/L	*	0.5	ND	ND	ND	ND	<0.01(0.005)
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	ND	ND	ND	ND	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.50	<0.5	<0.50	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 5 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	100 年 第 4 季	101 年 第 1 季	101 年 第 2 季	101 年 第 3 季	101 年 第 4 季
水溫	℃	*	*	26.4	26.1	26.6	28.3	27.5
pH 值	-	*	*	7.8	7.8	7.8	7.7	7.9
濁度	NTU	*	*	6.7	13	2.8	1.3	1.7
導電度	μmho/cm	*	*	4230	4750	4480	3260	3270
總溶解固體	mg/L	1250	*	2700	2860	2780	2140	2090
總硬度	mg/L	750	*	721	718	540	506	287
氯鹽	mg/L	625	*	892	926	846	517	557
總餘氯	mg/L	*	*	0.03	0.04	0.09	0.06	0.03
硫酸鹽	mg/L	625	*	502	514	451	470	305
硫化物	mg/L	*	*	<0.04(0.01)	ND	ND	ND	<0.04(0.01)
氨氮	mg/L	0.25	*	2.23	1.77	2.37	20.8	13.5
亞硝酸鹽氮	mg/L	*	10	ND	ND	ND	<0.01(0.004)	ND
硝酸鹽氮	mg/L	25	100	ND	ND	0.07	ND	<0.05(0.01)
無機氯含量	mg/L	*	*	2.23	1.77	2.44	20.8	13.5
總含氮量	mg/L	*	*	2.28	2.14	2.54	22.5	14.1
氯鹽	mg/L	*	*	1.32	1.14	1.31	1.07	1.61
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND<0.003	ND	ND
銅	mg/L	5	10	ND	ND	ND	<0.020(0.004)	ND
鎳	mg/L	*	1	<0.020(0.005)	ND	ND	<0.020(0.004)	ND
鉛	mg/L	0.25	0.5	ND	ND	ND	<0.020(0.007)	ND
鋅	mg/L	25	50	<0.020(0.010)	<0.020(0.013)	ND	<0.020(0.019)	ND
汞	mg/L	*	0.02	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.013	0.0126	0.0165	0.0074	0.0154
鐵	mg/L	1.5	*	<0.100(0.052)	<0.100(0.070)	<0.100(0.027)	<0.100(0.047)	<0.100(0.043)
錳	mg/L	0.25	*	0.354	0.335	0.237	0.233	0.152
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	0.9	1.7	1.7	1.3	1.1
總酚	mg/L	*	0.14	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—
氯化物	mg/L	*	0.5	ND	ND	ND	ND	<0.01(0.002)
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	ND	<1.00	<1.00	<1.00	<1.00
1,2-二氯苯	mg/L	*	*	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.500	<0.500	<0.500	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 5 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	102 年 第 1 季	102 年 第 2 季	102 年 第 3 季	102 年 第 4 季
水溫	℃	*	*	26.9	25.1	27.8	30.5
pH 值	-	*	*	8	7.5	7.5	7.8
濁度	NTU	*	*	2.5	3	1.7	1.7
導電度	μmho/cm	*	*	3370	3580	3150	3790
總溶解固體	mg/L	1250	*	2040	2180	1640	2420
總硬度	mg/L	750	*	337	618	390	547
氯鹽	mg/L	625	*	616	485	518	651
總餘氯	mg/L	*	*	<0.02	0.11	0.07	0.04
硫酸鹽	mg/L	625	*	308	674	439	558
硫酸物	mg/L	*	*	0.04	<0.04(0.01)	ND	<0.04(0.01)
氨氮	mg/L	0.25	*	10.9	7.59	5.67	2.33
亞硝酸鹽氮	mg/L	*	10	0.01	<0.01(0.004)	<0.01(0.003)	ND
硝酸鹽氮	mg/L	25	100	0.72	0.08	ND	<0.05(0.04)
無機氯含量	mg/L	*	*	11.6	7.67	5.68	2.37
總含氮量	mg/L	*	*	11.6	7.69	5.74	2.47
氯鹽	mg/L	*	*	1.48	1.21	1.45	1.47
鎘	mg/L	0.025	0.05	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	ND
銅	mg/L	5	10	ND	<0.020(0.003)	ND	ND
鎳	mg/L	*	1	ND	<0.020(0.005)	ND	ND
鉛	mg/L	0.25	0.5	ND	ND	ND	ND
鋅	mg/L	25	50	<0.020(0.012)	<0.020(0.008)	<0.020(0.010)	ND
汞	mg/L	*	0.02	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0181	0.0171	0.0103	0.0059
鐵	mg/L	1.5	*	<0.100(0.094)	<0.100(0.088)	<0.100(0.059)	<0.100(0.031)
錳	mg/L	0.25	*	0.166	0.344	0.213	0.244
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	1.1	1.1	1.1	0.9
總酚	mg/L	*	0.14	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND
苯	mg/L	*	0.4	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND
氯仿	mg/L	*	1	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—
氯化物	mg/L	*	0.5	ND	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND
甲醛	mg/L	*	*	<1.00	<1.00	<1.00	<1.00
1,2-二氯苯	mg/L	*	*	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.500	<0.500	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 5 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	103 年 第 1 季	103 年 第 2 季	103 年 第 3 季	103 年 第 4 季	104 年 第 1 季	104 年 第 2 季	104 年 第 3 季
水溫	℃	*	*	28.3	26.4	29.1	31.3	24.7	29.6	28.3
pH 值	-	*	*	7.8	7.8	7.7	7.7	8.1	7.6	7.4
濁度	NTU	*	*	3	0.3	2	1.7	1.7	0.8	6.8
導電度	μmho/cm	*	*	4570	4920	4780	5690	5130	5640	5980
總溶解固體	mg/L	1250	*	2500	2830	3900	3480	3540	3620	3930
總硬度	mg/L	750	*	524	530	749	1550	849	227	1020
氯鹽	mg/L	625	*	981	1060	1000	1470	1280	1360	1110
總餘氯	mg/L	*	*	0.09	0.1	0.12	ND	ND	ND	0.07
硫酸鹽	mg/L	625	*	593	374	536	559	666	644	958
硫化物	mg/L	*	*	<0.04(0.01)	ND	ND	ND	ND	0.04	ND
氨氮	mg/L	0.25	*	4.33	3.35	2.4	1.29	2.12	2.63	6.94
亞硝酸鹽氮	mg/L	5	10	ND	<0.01(0.001)	ND	0.5	ND	2.62	0.01
硝酸鹽氮	mg/L	50	100	0.22	<0.05(0.03)	0.05	3.25	0.01	1.94	ND
無機氮含量	mg/L	*	*	4.55	3.38	2.45	5.04	2.13	7.19	6.95
總含氮量	mg/L	*	*	4.79	3.49	2.52	5.49	2.4	6.84	6.87
氯鹽	mg/L	4	8	1.23	1.37	1.34	1.33	1.26	1.19	1.12
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	0.022	ND	ND	ND
銅	mg/L	5	10	<0.020(0.003)	<0.020(0.003)	ND	ND	ND	ND	ND
鎳	mg/L	0.5	1	<0.020(0.004)	<0.020(0.004)	<0.020(0.003)	0.004	0.006	0.004	0.005
鉛	mg/L	0.05	0.1	ND	ND	ND	ND	ND	ND	0.007
鋅	mg/L	25	50	<0.020(0.011)	<0.020(0.017)	0.061	0.022	0.005	ND	0.005
汞	mg/L	0.01	0.02	ND	ND	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0112	0.0147	0.0103	0.0144	0.0077	0.0146	0.0147
鐵	mg/L	1.5	*	<0.100(0.043)	<0.100(0.035)	<0.100(0.045)	0.04	0.054	0.338	0.314
錳	mg/L	0.25	*	0.245	0.259	0.343	0.359	0.474	0.551	0.509
油脂	mg/L	*	*	2.8	<1.0	<1.0	2.4	2.2	4.1	0.3
總有機碳(TOC)	mg/L	10	*	0.7	0.8	1	4.8	5.6	4	6
總酚	mg/L	0.14	*	ND	ND	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	1.85	3.7	—	—	—	ND	ND	ND	ND
2,4,6-三氯酚	mg/L	0.05	0.1	—	—	—	ND	ND	ND	ND
五氯酚	mg/L	0.04	0.08	—	—	—	ND	ND	ND	ND
苯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
甲苯	mg/L	5	10	ND	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	50	100	ND	ND	ND	ND	ND	ND	ND
乙苯	mg/L	3.5	7	ND	ND	ND	ND	ND	ND	ND
氯苯	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
1,4-二氯苯	mg/L	0.375	0.75	ND	ND	ND	ND	ND	ND	ND
萘	mg/L	0.2	0.4	ND	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	0.15	0.3	ND	ND	ND	ND	ND	ND	ND
二氯甲烷	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
氯仿	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烷	mg/L	4.25	8.5	ND	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	3	6	ND	ND	ND	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
氯乙烯	mg/L	0.01	0.02	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	0.035	0.07	ND	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND	ND	ND	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
三氯乙烯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
四氯乙烯	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
四氯化碳	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND
總石油碳氫化合物	mg/L	5	10	—	<0.500	<0.500	ND	ND	ND	ND
氟化物	mg/L	0.25	0.5	ND	ND	ND	ND	ND	ND	ND
甲基第三丁基醚	mg/L	0.5	1	ND	ND	ND	ND	ND	ND	ND
甲醛	mg/L	*	*	<1.00	<1.00	<1.00	0.00116	0.00135	ND	ND
1,2-二氯苯	mg/L	0.025	0.05	—	ND	ND	ND	ND	ND	ND
3,3'-二氯聯苯胺	mg/L	0.05	0.1	—	—	—	ND	ND	ND	ND
1,1,1-三氯乙烷	mg/L	1	2	—	—	—	ND	ND	ND	ND
柴油總碳氫化合物	mg/L	*	*	<0.500	<0.500	<0.500	ND	ND	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 5 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	104 年第 4 季	105 年第 1 季	105 年第 2 季	105 年第 3 季	105 年第 4 季	106 年第 1 季	106 年第 2 季
水溫	℃	*	*	28.8	26.3	30.2	29.8	29.3	26.7	26.4
pH 值	-	*	*	7.3	7.4	7.6	7.7	7.5	7.6	7.6
濁度	NTU	*	*	6.2	3.7	4.8	3	4.6	3.3	3.1
導電度	μmho/cm	*	*	5610	6130	5240	6770	6410	6410	7330
總溶解固體	mg/L	1250	*	3910	3700	3980	4070	3550	4110	4470
總硬度	mg/L	750	*	1370	998	1020	1060	975	234	772
氯鹽	mg/L	625	*	858	1380	1270	1410	949	1320	1670
總餘氯	mg/L	*	*	0.1	0.13	0.44	0.3	0.66	0.06	ND<0.04
硫酸鹽	mg/L	625	*	583	690	1270	998	883	1070	879
硫化物	mg/L	*	*	0.03	ND<0.01	ND<0.01	ND<0.01	ND<0.007	ND<0.01	ND<0.015
氨氮	mg/L	0.25	*	11.5	7.63	4.6	4.05	3.54	3.29	3.89
亞硝酸鹽氮	mg/L	5	10	ND<0.001	ND<0.001	ND<0.001	1.4	0.01	ND<0.001	0.01
硝酸鹽氮	mg/L	50	100	ND<0.004	ND<0.004	0.04	0.04	ND<0.01	0.01	ND<0.004
無機氯含量	mg/L	*	*	11.5	7.63	4.64	5.49	3.55	3.3	3.9
總含氯量	mg/L	*	*	12.2	7.99	4.97	6.33	3.54	4.47	4.04
氯鹽	mg/L	4	8	0.96	0.96	1.05	1.13	1.23	1.23	1.14
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.0003	ND<0.002	ND<0.002
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.0027	ND<0.002	ND<0.002
銅	mg/L	5	10	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.0024	ND<0.005	ND<0.005
鎳	mg/L	0.5	1	0.009	0.007	0.007	ND<0.003	0.009	0.004	0.006
鉛	mg/L	0.05	0.1	ND<0.006	ND<0.006	ND<0.005	ND<0.005	ND<0.0024	0.009	ND<0.006
鋅	mg/L	25	50	0.04	0.017	0.013	0.007	0.015	0.004	0.007
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.0003	0.0005	ND<0.0003	ND<0.0002	ND<0.0003	ND<0.0003
砷	mg/L	0.25	0.5	0.009	0.008	0.0099	0.0104	0.0116	0.0151	0.018
鐵	mg/L	1.5	*	0.368	0.381	0.152	0.075	0.153	0.478	0.417
錳	mg/L	0.25	*	0.615	0.48	0.475	0.393	0.447	0.442	0.229
油脂	mg/L	*	*	0.3	0.6	0.6	0.5	0.5	0.4	0.5
總有機碳(TOC)	mg/L	10	*	5.5	4.4	4	4.2	4.7	6.6	4.7
總酚	mg/L	0.14	*	0.0035	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0016	ND<0.0021	0.0028
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00168	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00145	ND<0.00198
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00169	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00135	ND<0.00191
五氯酚	mg/L	0.04	0.08	ND<0.00187	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00144	ND<0.00173
苯	mg/L	0.025	0.05	ND<0.0016	ND<0.00160	ND<0.00037	ND<0.00037	ND<0.00050	ND<0.00050	ND<0.00014
甲苯	mg/L	5	10	ND<0.00141	ND<0.00141	ND<0.00017	ND<0.00017	ND<0.00014	ND<0.00014	ND<0.00014
二甲苯	mg/L	50	100	ND<0.002	ND<0.00200	ND<0.001	ND<0.001	ND<0.00082	ND<0.00082	ND<0.00051
乙苯	mg/L	3.5	7	ND<0.00144	ND<0.00144	ND<0.00017	ND<0.00017	ND<0.00014	ND<0.00014	ND<0.00016
氯苯	mg/L	0.5	1	ND<0.00153	ND<0.001513	ND<0.00155	ND<0.00155	ND<0.00161	ND<0.00161	ND<0.00036
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00152	ND<0.00152	ND<0.00036	ND<0.00036	ND<0.00055	ND<0.00055	ND<0.00036
萘	mg/L	0.2	0.4	ND<0.00153	ND<0.00153	ND<0.00018	ND<0.00018	ND<0.00014	ND<0.00014	ND<0.00033
氯甲烷	mg/L	0.15	0.3	ND<0.00155	ND<0.00155	ND<0.00167	ND<0.00167	ND<0.00182	ND<0.00182	ND<0.00149
二氯甲烷	mg/L	0.025	0.05	ND<0.00169	ND<0.00169	ND<0.00037	ND<0.00037	ND<0.00065	ND<0.00065	ND<0.00044
氯仿	mg/L	0.5	1	ND<0.00153	ND<0.00153	ND<0.00039	ND<0.00039	ND<0.00063	ND<0.00063	ND<0.00040
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00152	ND<0.00152	ND<0.0004	ND<0.0004	ND<0.00062	ND<0.00062	ND<0.00036
1,2-二氯乙烷	mg/L	3	6	ND<0.00157	ND<0.00157	ND<0.00037	ND<0.00037	ND<0.00054	ND<0.00054	ND<0.00037
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00159	ND<0.00159	ND<0.00168	ND<0.00168	ND<0.00159	ND<0.00159	ND<0.00035
氯乙烯	mg/L	0.01	0.02	ND<0.00171	ND<0.00171	ND<0.00169	ND<0.00169	ND<0.00197	ND<0.00197	ND<0.00164
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00166	ND<0.00166	ND<0.00161	ND<0.00161	ND<0.00196	ND<0.00196	ND<0.00153
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00174	ND<0.00174	ND<0.00167	ND<0.00167	ND<0.00161	ND<0.00161	ND<0.00035
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00171	ND<0.00171	ND<0.00037	ND<0.00037	ND<0.00065	ND<0.00065	ND<0.00169
三氯乙烯	mg/L	0.025	0.05	ND<0.00147	ND<0.00147	ND<0.00036	ND<0.00036	ND<0.00059	ND<0.00059	ND<0.00175
四氯乙烯	mg/L	0.025	0.05	ND<0.00158	ND<0.00158	ND<0.00163	ND<0.00163	ND<0.00173	ND<0.00173	ND<0.00039
四氯化碳	mg/L	0.025	0.05	ND<0.00169	ND<0.00169	ND<0.00039	ND<0.00039	ND<0.00017	ND<0.00017	ND<0.00158
總石油碳氫化合物	mg/L	5	10	ND<0.171	ND<0.171	ND<0.186	ND<0.152	ND<0.186	0.191	0.192
氟化物	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	0.004	ND<0.002	ND<0.002	ND<0.002
甲基第三丁基醚	mg/L	0.5	1	ND<0.00142	ND<0.00142	ND<0.0004	0.00541	0.00925	0.00909	0.0362
甲醛	mg/L	*	*	ND<0.00294	ND<0.00294	ND<0.00296	ND<0.00296	0.00695	0.00615	0.00317
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00165	ND<0.00165	ND<0.00017	ND<0.00017	ND<0.00016	ND<0.00016	ND<0.00035
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00213	ND<0.0014	ND<0.0014	ND<0.0014	ND<0.00140	ND<0.00140	ND<0.00137
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00147	ND<0.00147	ND<0.00037	ND<0.00037	ND<0.00020	ND<0.00020	ND<0.00161
柴油總碳氫化合物	mg/L	*	*	—	ND<0.142	ND<0.156	ND<0.122	ND<0.156	ND<0.122	ND<0.122

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 5 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	106 年第 3 季	106 年第 4 季	107 年第 1 季	107 年第 2 季	107 年第 3 季	107 年第 4 季	108 年第 1 季
水溫	℃	*	*	29.4	25.7	27.4	28.4	28.4	28.8	25.7
pH 值	-	*	*	7.6	7.6	7.8	7.8	7.7	7.5	7.6
濁度	NTU	*	*	4.2	12	5.3	4.4	2.1	4.1	3.4
導電度	μmho/cm	*	*	4430	4040	3540	7780	8190	7370	7660
總溶解固體	mg/L	1250	*	3710	4140	3970	4490	4650	4350	4740
總硬度	mg/L	750	*	1420	932	1340	776	749	832	721
氯鹽	mg/L	625	*	926	1870	1470	1600	1500	1720	2060
總餘氯	mg/L	*	*	ND<0.04	ND<0.04	ND<0.04	ND<0.04	0.07	ND<0.04	ND<0.04
硫酸鹽	mg/L	625	*	1070	617	44.3	667	888	510	1030
硫化物	mg/L	*	*	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01
氯氣	mg/L	0.25	*	0.94	3.43	0.98	3.32	3.66	4.73	7.76
亞硝酸鹽氮	mg/L	5	10	0.01	0.02	0.01	ND<0.001	ND<0.001	ND<0.001	ND<0.001
硝酸鹽氮	mg/L	50	100	0.04	0.01	0.09	0.04	0.07	0.09	0.01
無機氮含量	mg/L	*	*	0.99	3.46	1.08	3.36	3.73	4.82	7.77
總含氮量	mg/L	*	*	3.97	3.66	2.01	3.13	4.37	5.33	8.43
氯鹽	mg/L	4	8	1.1	1.18	1.14	1.18	0.81	1.14	1.21
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
鉻	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
銅	mg/L	5	10	ND<0.005	1.33	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005
鎳	mg/L	0.5	1	0.005	0.004	0.005	0.006	0.004	0.005	0.005
鉛	mg/L	0.05	0.1	0.007	ND<0.006	0.008	ND<0.006	ND<0.006	ND<0.006	ND<0.006
鋅	mg/L	25	50	0.01	ND<0.003	0.016	0.007	0.006	0.005	0.01
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003	ND<0.0003
砷	mg/L	0.25	0.5	0.0065	0.0152	0.0058	0.0165	0.0166	0.0152	0.0157
鐵	mg/L	1.5	*	0.144	0.456	0.334	0.456	0.242	0.386	0.202
錳	mg/L	0.25	*	0.564	0.281	0.375	0.227	0.211	0.283	0.241
油脂	mg/L	*	*	0.2	1.3	1.1	0.8	0.2	0.8	1.1
總有機碳(TOC)	mg/L	10	*	4.3	3	3.8	2.6	2.7	2.8	2.1
總酚	mg/L	0.14	*	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021	ND<0.0021
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00198	ND<0.00198	ND<0.00198	ND<0.00150	ND<0.00150	ND<0.00150	ND<0.00150
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00191	ND<0.00191	ND<0.00191	ND<0.00156	ND<0.00156	ND<0.00156	ND<0.00156
五氯酚	mg/L	0.04	0.08	ND<0.00173	ND<0.00173	ND<0.00173	ND<0.00162	ND<0.00162	ND<0.00162	ND<0.00162
苯	mg/L	0.025	0.05	ND<0.00055	ND<0.00055	ND<0.00014	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00052
甲苯	mg/L	5	10	ND<0.00014	ND<0.00014	ND<0.00014	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00015
二甲苯	mg/L	50	100	ND<0.00082	ND<0.00082	ND<0.00051	ND<0.00049	ND<0.00049	ND<0.00049	ND<0.00081
乙苯	mg/L	3.5	7	ND<0.00013	ND<0.00013	ND<0.00016	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00014
氯苯	mg/L	0.5	1	ND<0.00135	ND<0.00135	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00140
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00049	ND<0.00049	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
萘	mg/L	0.2	0.4	ND<0.00019	ND<0.00019	ND<0.00033	ND<0.00035	ND<0.00035	ND<0.00035	ND<0.00018
氯甲烷	mg/L	0.15	0.3	ND<0.00152	ND<0.00152	ND<0.00149	ND<0.00134	ND<0.00134	ND<0.00134	ND<0.00157
二氯甲烷	mg/L	0.025	0.05	ND<0.00065	ND<0.00065	ND<0.00044	ND<0.00049	ND<0.00049	ND<0.00049	ND<0.00052
氯仿	mg/L	0.5	1	ND<0.00063	ND<0.00063	ND<0.00040	ND<0.00039	ND<0.00039	ND<0.00039	ND<0.00046
1,1,2-二氯乙烷	mg/L	4.25	8.5	ND<0.00059	ND<0.00059	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00042
1,2-二氯乙烷	mg/L	3	6	ND<0.00015	ND<0.00015	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.00016
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00144	ND<0.00144	ND<0.00035	ND<0.00034	ND<0.00034	ND<0.00034	ND<0.00165
氯乙烯	mg/L	0.01	0.02	ND<0.00157	ND<0.00157	ND<0.00164	ND<0.00130	ND<0.00130	ND<0.00130	ND<0.00155
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00169	ND<0.00169	ND<0.00153	ND<0.00130	ND<0.00130	ND<0.00130	ND<0.00138
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00135	ND<0.00135	ND<0.00035	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00156
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00065	ND<0.00065	ND<0.00169	ND<0.00130	ND<0.00130	ND<0.00130	ND<0.00046
三氯乙烷	mg/L	0.025	0.05	ND<0.00055	ND<0.00055	ND<0.00175	ND<0.00172	ND<0.00172	ND<0.00172	ND<0.00037
四氯乙烷	mg/L	0.025	0.05	ND<0.00139	ND<0.00139	ND<0.00039	ND<0.00040	ND<0.00040	ND<0.00040	ND<0.00164
四氯化碳	mg/L	0.025	0.05	ND<0.00015	ND<0.00015	ND<0.00158	ND<0.00118	ND<0.00118	ND<0.00118	ND<0.00016
柴油總碳氫化合物	mg/L	*	*	ND<0.122	ND<0.132	ND<0.132	ND<0.132	ND<0.132	ND<0.132	ND<0.132
總石油碳氫化合物	mg/L	5	10	ND<0.184	0.194	ND<0.184	0.21	0.223	ND<0.198	ND<0.198
氯化物	mg/L	0.25	0.5	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002
甲基第三丁基醚	mg/L	0.5	1	ND<0.00049	0.0234	ND<0.00134	0.0164	ND<0.00087	ND<0.00087	ND<0.00036
甲醛	mg/L	*	*	0.00284	0.00548	0.0122	0.0198	ND<0.00484	0.0093	ND<0.00484
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00051	ND<0.00051	ND<0.00035	ND<0.00036	ND<0.00036	ND<0.00036	ND<0.00045
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00137	ND<0.00137	ND<0.00137	ND<0.00158	ND<0.00158	ND<0.00158	ND<0.00158
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00017	ND<0.00017	ND<0.00161	ND<0.00127	ND<0.00127	ND<0.00127	ND<0.00015

註：1.「*」表示法規尚未規定，“-”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 5 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	108 年第 2 季	108 年第 3 季	108 年第 4 季	109 年第 1 季	109 年第 2 季	109 年第 3 季	109 年第 4 季
水溫	℃	*	*	28.5	28.8	29.6	28.3	28.2	29.3	29.2
pH 值	-	*	*	7.7	7.9	7.9	7.6	7.9	7.6	7.6
濁度	NTU	*	*	2.6	4.8	3	4.1	1.2	7.5	2.7
導電度	umho/cm	*	*	8360	5680	5680	7510	7210	6530	8700
總溶解固體	mg/L	1250	*	1010	3680	4240	4400	5200	4900	5220
總硬度	mg/L	750	*	783	1100	849	871	855	1170	785
氯鹽	mg/L	625	*	2180	1040	1070	1740	1780	1440	1830
總餘氯	mg/L	*	*	ND<0.04	ND<0.019	ND<0.019	ND<0.019	ND<0.019	0.05	0.05
硫酸鹽	mg/L	625	*	1100	1050	964	833	714	863	767
硫化物	mg/L	*	*	ND<0.01	<0.02(0.005)	<0.02(0.01)	ND<0.0048	<0.02(0.02)	0.03	<0.02(0.02)
氨氣	mg/L	0.25	*	8.69	2.76	5.38	11.2	8	9.53	<0.02(0.0178)
亞硝酸鹽氮	mg/L	5	10	ND<0.001	<0.01(0.002)	0.15	<0.01(0.002)	0.02	0.04	<0.01(0.007)
硝酸鹽氮	mg/L	50	100	0.02	2.84	0.68	0.28	3.94	0.09	0.03
無機氮含量	mg/L	*	*	8.71	5.6	6.21	11.5	12	9.66	0.05
總含氮量	mg/L	*	*	8.95	6.03	6.64	12.1	12.2	11.5	0.92
氯鹽	mg/L	4	8	1.25	0.89	0.85	1.08	1.1	0.94	1.33
鎘	mg/L	0.025	0.05	ND<0.002	ND<0.00041	ND<0.00041	ND<0.00041	ND<0.00019	ND<0.00019	ND<0.00019
鉻	mg/L	0.25	0.5	ND<0.002	<0.005(0.001)	ND<0.00048	ND<0.00048	ND<0.00037	ND<0.00037	<0.0025 (0.0004)
銅	mg/L	5	10	ND<0.005	ND<0.00090	ND<0.00090	ND<0.0009	ND<0.00053	ND<0.00053	ND<0.00053
鎳	mg/L	0.5	1	<0.009(0.005)	0.01	0.01	0.012	0.009	0.008	0.009
鉛	mg/L	0.05	0.1	ND<0.006	ND<0.0030	ND<0.0030	<0.01(0.003)	ND<0.0024	ND<0.0024	ND<0.0024
鋅	mg/L	25	50	<0.009(0.006)	<0.005(0.004)	0.006	<0.005(0.002)	0.004	0.017	0.006
汞	mg/L	0.01	0.02	ND<0.0003	ND<0.000081	<0.0004 (0.0001)	ND<0.000081	ND<0.000084	<0.0004 (0.0001)	ND<0.000084
砷	mg/L	0.25	0.5	0.0155	0.0105	0.0088	0.0168	0.02	0.0208	0.0201
鐵	mg/L	1.5	*	0.258	0.018	0.284	0.1	0.148	1.03	0.231
錳	mg/L	0.25	*	0.205	0.147	0.461	0.342	0.189	0.405	0.24
油脂	mg/L	*	*	2.8	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	2.5	2.6	4	4.3	4.6	3.9	1.8
總酚	mg/L	0.14	*	ND<0.0021	<0.03(0.0044)	ND<0.0042	ND<0.0042	<0.03(0.0154)	<0.03(0.0081)	0.0311
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00197	ND<0.00039	ND<0.00039	ND<0.00039	ND<0.00051	ND<0.00051	ND<0.00051
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00205	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
五氯酚	mg/L	0.04	0.08	ND<0.00152	ND<0.00042	ND<0.00042	ND<0.00042	ND<0.00073	ND<0.00073	ND<0.00073
苯	mg/L	0.025	0.05	ND<0.00044	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00028	ND<0.00028	ND<0.00028
甲苯	mg/L	5	10	ND<0.00015	ND<0.00022	<0.001 (0.00062)	ND<0.00022	<0.001 (0.00047)	ND<0.00031	ND<0.00031
二甲苯	mg/L	50	100	ND<0.00107	ND<0.00016	ND<0.00016	ND<0.00016	ND<0.00038	ND<0.00038	ND<0.00038
乙苯	mg/L	3.5	7	ND<0.00015	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
氯苯	mg/L	0.5	1	ND<0.00177	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.00025	ND<0.00025	ND<0.00025
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00034	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
萘	mg/L	0.2	0.4	ND<0.00014	ND<0.00020	ND<0.00020	ND<0.00020	ND<0.00027	ND<0.00027	ND<0.00027
氯甲烷	mg/L	0.15	0.3	ND<0.00184	ND<0.000080	ND<0.000080	ND<0.000080	ND<0.00038	ND<0.00038	ND<0.00038
二氯甲烷	mg/L	0.025	0.05	ND<0.00044	<0.0005 (0.00038)	ND<0.00015	<0.001 (0.00043)	ND<0.00041	ND<0.00041	ND<0.00041
氯仿	mg/L	0.5	1	ND<0.00041	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00025	ND<0.00025	ND<0.00025
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00037	ND<0.000070	ND<0.000070	ND<0.000070	ND<0.00027	ND<0.00027	ND<0.00027
1,2-二氯乙烷	mg/L	3	6	ND<0.00019	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00027	ND<0.00027	ND<0.00027
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00196	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00025	ND<0.00025	ND<0.00025
氯乙烯	mg/L	0.01	0.02	ND<0.00201	ND<0.000078	ND<0.000078	ND<0.000078	ND<0.00029	ND<0.00029	ND<0.00029
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00192	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00029	ND<0.00029	ND<0.00029
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00218	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00027	ND<0.00027	ND<0.00027
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00035	ND<0.00011	ND<0.00011	ND<0.00011	ND<0.00025	ND<0.00025	ND<0.00025
三氯乙烯	mg/L	0.025	0.05	ND<0.00036	ND<0.00010	ND<0.00010	ND<0.00010	ND<0.00026	ND<0.00026	ND<0.00026
四氯乙烯	mg/L	0.025	0.05	ND<0.00202	ND<0.00013	ND<0.00013	ND<0.00013	ND<0.00027	ND<0.00027	ND<0.00027
四氯化碳	mg/L	0.025	0.05	ND<0.00016	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00025	ND<0.00025	ND<0.00025
柴油總碳氫化合物	mg/L	*	*	ND<0.149	<0.050(0.029)	<0.050(0.016)	<0.050(0.049)	0.061	<0.050(0.019)	<0.050(0.017)
總石油碳氫化合物	mg/L	5	10	0.241	<0.055(0.046)	<0.055(0.040)	0.099	<0.099(0.092)	<0.055(0.037)	<0.034(0.027)
氯化物	mg/L	0.25	0.5	ND<0.002	ND<0.00045	ND<0.00045	<0.004 (0.0017)	<0.004 (0.0007)	<0.004 (0.0015)	ND<0.00048
甲基第三丁基醚	mg/L	0.5	1	0.0306	0.0053	0.0108	0.0278	0.0194	0.0089	ND<0.0003
甲醛	mg/L	*	*	ND<0.00414	<0.0286 (0.0117)	ND<0.00782	ND<0.00782	<0.0286 (0.0100)	<0.0286 (0.0136)	<0.0286 (0.00743)
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00039	ND<0.00014	ND<0.00014	ND<0.00014	ND<0.00027	ND<0.00027	ND<0.00027
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00196	ND<0.00290	ND<0.00290	ND<0.00290	ND<0.00053	ND<0.00053	ND<0.00053
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00017	ND<0.00012	ND<0.00012	ND<0.00012	ND<0.00025	ND<0.00025	ND<0.00025

註：1.「*」表示法規尚未規定，“”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 5 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	110 年第 1 季	110 年第 2 季	110 年第 3 季	110 年第 4 季	111 年第 1 季	111 年第 2 季	111 年第 3 季
水溫	℃	*	*	24.9	28	30.5	29.8	28.1	27.9	28.8
pH 值	-	*	*	8	7.7	7.5	7.6	7.7	7.9	7.7
濁度	NTU	*	*	1.1	1.8	2.5	3.5	3.7	2.9	5.2
導電度	umho/cm	*	*	579	5640	506	6320	4880	6470	8650
總溶解固體	mg/L	1250	*	358	2520	317	3030	4520	5180	5430
總硬度	mg/L	750	*	254	473	218	483	661	871	604
氯鹽	mg/L	625	*	3.76	950	1.74	1160	1540	1460	1830
總餘氯	mg/L	*	*	0.26	0.6	ND<0.018	0.5	ND<0.018	ND<0.020	ND<0.020
硫酸鹽	mg/L	625	*	124	304	121	420	727	912	864
硫化物	mg/L	*	*	ND<0.0036	<0.02(0.02)	0.04	0.16	0.15	0.12	0.04
氨氮	mg/L	0.25	*	<0.02(0.0042)	3.92	0.06	16.5	19.6	22.5	31.3
亞硝酸鹽氮	mg/L	5	10	0.02	<0.01(0.004)	0.02	<0.01(0.001)	<0.01(0.010)	0.41	<0.01(0.007)
硝酸鹽氮	mg/L	50	100	0.53	0.12	0.4	ND<0.0017	0.34	2.56	0.66
無機氮含量	mg/L	*	*	0.55	10.8	0.48	16.5	20	25.5	32
總含氮量	mg/L	*	*	0.55	11	1.05	16.6	20.2	25.6	32.6
氯鹽	mg/L	4	8	0.23	0.51	0.13	0.56	0.92	1.12	1.5
鎘	mg/L	0.025	0.05	ND<0.00019	ND<0.00037	ND<0.00037	ND<0.00037	ND<0.0009	ND<0.00037	ND<0.00037
鉻	mg/L	0.25	0.5	<0.0025 (0.001)	ND<0.00054	ND<0.00054	ND<0.00054	ND<0.00054	<0.005(0.001)	ND<0.00056
銅	mg/L	5	10	<0.0025 (0.001)	<0.0025 (0.001)	0.006	ND<0.0011	<0.005 (0.0015)	<0.005(0.003)	ND<0.0011
鎳	mg/L	0.5	1	<0.005(0.003)	0.006	<0.01	<0.01	<0.01(0.0095)	0.011	<0.01(0.009)
鉛	mg/L	0.05	0.1	ND<0.0024	<0.005(0.004)	ND<0.0032	ND<0.0032	ND<0.0032	ND<0.0031	ND<0.0031
鋅	mg/L	25	50	0.016	0.014	0.042	<0.005	0.023	0.02	<0.005(0.002)
汞	mg/L	0.01	0.02	<0.0004 (0.0003)	ND<0.000094	ND<0.000094	ND<0.000094	ND<0.000094	<0.0004(0.0002)	ND<0.00011
砷	mg/L	0.25	0.5	0.0024	0.0096	0.0023	0.0052	0.0056	0.0084	0.0111
鐵	mg/L	1.5	*	0.055	0.205	0.014	0.049	0.092	0.336	0.023
錳	mg/L	0.25	*	0.011	0.128	0.016	0.142	0.063	0.351	0.243
油脂	mg/L	*	*	ND<2.0	ND<2.0	2.1	ND<2.0	ND<2.0	ND<2.0	ND<2.0
總有機碳(TOC)	mg/L	10	*	1.8	4.4	2.9	6.7	5.3	1.6	3.1
總酚	mg/L	0.14	*	ND<0.0038	<0.02(0.0098)	<0.02(0.0188)	ND<0.0029	ND<0.0029	ND<0.0021	ND<0.0035
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00051	ND<0.00037	ND<0.00037
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00038	ND<0.00056	ND<0.00056	ND<0.00056	ND<0.00056	ND<0.00057	ND<0.00057
五氯酚	mg/L	0.04	0.08	ND<0.00073	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00041	ND<0.00041
苯	mg/L	0.025	0.05	ND<0.00028	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00023	ND<0.00023
甲苯	mg/L	5	10	<0.001 (0.00032)	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	<0.001 (0.00048)	<0.001 (0.00051)
二甲苯	mg/L	50	100	ND<0.00038	ND<0.00043	ND<0.00043	<0.00128 (0.00058)	ND<0.00043	ND<0.00036	ND<0.00036
乙苯	mg/L	3.5	7	ND<0.00027	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00023	ND<0.00023
氯苯	mg/L	0.5	1	ND<0.00025	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00027	ND<0.00027
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00027	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00041	ND<0.00041
萘	mg/L	0.2	0.4	<0.001 (0.00046)	<0.001 (0.0008)	ND<0.00037	0.00394	<0.001 (0.00043)	ND<0.00039	ND<0.00039
氯甲烷	mg/L	0.15	0.3	ND<0.00038	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00027	ND<0.00027
二氯甲烷	mg/L	0.025	0.05	ND<0.00041	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038
氯仿	mg/L	0.5	1	ND<0.00025	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00025	ND<0.00025
1,1-二氯乙烷	mg/L	4.25	8.5	ND<0.00027	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00028	ND<0.00022	ND<0.00022
1,2-二氯乙烷	mg/L	3	6	ND<0.00027	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00027	ND<0.00027
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00025	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033
氯乙烯	mg/L	0.01	0.02	ND<0.00029	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00022	ND<0.00022
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00029	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00021	ND<0.00021
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00027	ND<0.00026	ND<0.00026	ND<0.00026	ND<0.00026	ND<0.00020	ND<0.00020
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00025	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00028	ND<0.00028
三氯乙烯	mg/L	0.025	0.05	ND<0.00026	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021	ND<0.00021
四氯乙烯	mg/L	0.025	0.05	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00020	ND<0.00020
四氯化碳	mg/L	0.025	0.05	ND<0.00025	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00022	ND<0.00022
柴油總碳氫化合物	mg/L	*	*	0.542	0.074	1.38	0.182	0.153	0.126	0.09
總石油碳氫化合物	mg/L	5	10	<0.544(0.532)	<0.111(0.096)	1.47	0.23	0.221	0.179	0.182
氯化物	mg/L	0.25	0.5	<0.004 (0.0011)	ND<0.00053	<0.004 (0.0014)	ND<0.00053	ND<0.00053	ND<0.00052	ND<0.00052
甲基第三丁基醚	mg/L	0.5	1	ND<0.0003	0.0246	ND<0.00024	0.0376	0.0274	0.0243	0.0325
甲醛	mg/L	*	*	<0.0286 (0.0112)	<0.0286 (0.00707)	<0.0286 (0.0148)	<0.0286 (0.00967)	<0.0286 (0.00730)	<0.0286 (0.00631)	<0.0286 (0.00697)
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00027	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00043	ND<0.00046	ND<0.00046
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00053	ND<0.00055	ND<0.00055	ND<0.00055	ND<0.00055	ND<0.00060	ND<0.00060
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00021	ND<0.00021

註：1. 「*」表示法規尚未規定，“-”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。
- 4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 5 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	111 年第 4 季	112 年第 1 季	112 年第 2 季	112 年第 3 季	112 年第 4 季	113 年第 1 季	113 年第 2 季
水溫	℃	*	*	29.6	26.4	28.5	30.1	29.7	28.5	28.5
pH 值	-	*	*	7.1	7.9	7.8	7.8	7.9	7.4	7.8
濁度	NTU	*	*	15.3	1.5	6.2	5.1	6.1	5.6	14.9
導電度	umho/cm	*	*	7700	8050	9020	9080	8680	8420	9050
總溶解固體	mg/L	1250	*	5270	5460	5400	5600	4850	5100	5410
總硬度	mg/L	750	*	710	623	545	470	636	535	513
氯鹽	mg/L	625	*	25.5	2200	1980	1710	1680	1730	1660
總餘氯	mg/L	*	*	0.24	0.04	ND<0.023	ND<0.023	ND<0.023	ND<0.023	0.25
硫酸鹽	mg/L	625	*	204	805	774	710	791	751	436
硫化物	mg/L	*	*	0.04	0.11	<0.02(0.016)	0.03	<0.02(0.012)	ND<0.0038	0.05
氨氮	mg/L	0.25	*	27.3	32.5	26.4	47.6	48.2	64.2	63.9
亞硝酸鹽氮	mg/L	5	10	0.06	<0.01(0.001)	0.04	0.02	<0.01(0.006)	<0.01(0.010)	ND<0.0020
硝酸鹽氮	mg/L	50	100	0.08	0.05	0.08	0.02	0.03	0.1	ND<0.0144
無機氮含量	mg/L	*	*	27.4	32.6	48.9	47.6	48.2	64.3	64
總含氮量	mg/L	*	*	55.7	34.1	49.1	49.7	48.8	86.7	128
氯鹽	mg/L	4	8	2.27	1.39	1.65	1.86	1.51	1.66	1.65
鎘	mg/L	0.025	0.05	ND<0.0022	ND<0.00037	ND<0.00024	ND<0.00053	ND<0.00053	ND<0.00024	ND<0.0035
鉻	mg/L	0.25	0.5	ND<0.0031	ND<0.00056	ND<0.00028	ND<0.00048	<0.002 (0.00035)	ND<0.00028	ND<0.0045
銅	mg/L	5	10	ND<0.0037	ND<0.0011	ND<0.00039	ND<0.00069	<0.002(0.001)	<0.002 (0.001)	<0.010 (0.0036)
鎳	mg/L	0.5	1	<0.010 (0.0085)	0.012	0.012	0.012	0.01	0.014	0.012
鉛	mg/L	0.05	0.1	ND<0.0020	ND<0.0031	ND<0.0027	ND<0.0025	ND<0.0025	ND<0.0027	ND<0.0041
鋅	mg/L	25	50	<0.010 (0.0096)	ND<0.0018	<0.005(0.004)	<0.005(0.003)	0.004	0.008	0.015
汞	mg/L	0.01	0.02	ND<0.0001	ND<0.00011	<0.0004 (0.0001)	ND<0.00013	ND<0.00013	ND<0.00013	<0.0002 (0.00019)
砷	mg/L	0.25	0.5	0.0088	0.0111	0.0073	0.0073	0.0083	0.0092	0.0109
鐵	mg/L	1.5	*	0.495	0.08	0.012	0.016	0.036	0.12	0.086
錳	mg/L	0.25	*	0.193	0.198	0.183	0.188	0.188	0.166	0.118
油脂	mg/L	*	*	ND<0.5	ND(<2.0)	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<0.5
總有機碳(TOC)	mg/L	10	*	6.4	5.6	7.7	5.5	19.5	13.3	17.8
總酚	mg/L	0.14	*	ND<0.0046	<0.100 (0.0136)	<0.1000 (0.0342)	ND<0.0048	ND<0.0048	ND<0.0046	ND<0.0040
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00072	ND<0.00037	ND<0.00079	ND<0.00065	ND<0.00065	ND<0.00079	ND<0.00060
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00063	ND<0.00057	ND<0.00075	ND<0.00053	ND<0.00053	ND<0.00075	ND<0.00048
五氯酚	mg/L	0.04	0.08	ND<0.00038	ND<0.00041	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00036	ND<0.00039
苯	mg/L	0.025	0.05	ND<0.00019	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00029
甲苯	mg/L	5	10	ND<0.00022	ND<0.00025	ND<0.00022	ND<0.00022	<0.00100 (0.00048)	<0.00100 (0.00083)	ND<0.00028
二甲苯	mg/L	50	100	0.0035	ND<0.00036	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00038	ND<0.00077
乙苯	mg/L	3.5	7	ND<0.00015	ND<0.00023	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00027
氯苯	mg/L	0.5	1	ND<0.00018	ND<0.00027	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00030
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00017	ND<0.00041	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00024
苯	mg/L	0.2	0.4	ND<0.00019	ND<0.00039	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00029	ND<0.00015
氯甲烷	mg/L	0.15	0.3	ND<0.00022	ND<0.00027	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00030	ND<0.00029
二氯甲烷	mg/L	0.025	0.05	ND<0.00036	ND<0.00038	ND<0.00045	ND<0.00045	ND<0.00045	ND<0.00045	ND<0.00029
氯仿	mg/L	0.5	1	ND<0.00018	ND<0.00025	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00029
1,1,2-二氯乙烷	mg/L	4.25	8.5	ND<0.00018	ND<0.00022	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00024	ND<0.00029
1,2-二氯乙烷	mg/L	3	6	ND<0.00030	ND<0.00027	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00029
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00013	ND<0.00033	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00031
氯乙烯	mg/L	0.01	0.02	ND<0.00018	ND<0.00022	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00033	ND<0.00032
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00018	ND<0.00021	ND<0.00022	ND<0.00022	ND<0.00022	ND<0.00022	ND<0.00032
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00021	ND<0.00020	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00025	ND<0.00031
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00025	ND<0.00028	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00032
三氯乙烯	mg/L	0.025	0.05	ND<0.00016	ND<0.00021	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00023	ND<0.00030
四氯乙烯	mg/L	0.025	0.05	ND<0.00017	ND<0.00020	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00021	ND<0.00031
四氯化碳	mg/L	0.025	0.05	ND<0.00020	ND<0.00022	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00034
柴油總碳氫化合物	mg/L	*	*	ND<0.0380	0.175	1.09	0.619	0.119	0.503	ND<0.0389
總石油碳氫化合物	mg/L	5	10	ND<0.065	<0.244(0.227)	1.09	0.691	0.158	0.587	ND<0.0724
氰化物	mg/L	0.25	0.5	ND<0.0017	ND<0.00052	ND<0.00048	ND<0.00048	<0.004 (0.0006)	ND<0.00048	ND<0.0030
甲基第三丁基醚	mg/L	0.5	1	0.0234	0.0244	0.0615	0.0461	0.0447	0.0387	0.05
甲醛	mg/L	*	*	ND<0.0119	ND<0.00628	<0.0286 (0.00865)	<0.0286 (0.00732)	<0.0286 (0.00554)	<0.0286 (0.00448)	ND<0.0119
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00018	ND<0.00046	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00025
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00053	ND<0.00060	ND<0.00082	ND<0.00057	ND<0.00057	ND<0.00082	ND<0.00056
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00015	ND<0.00021	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00027	ND<0.00032

註：1.「*」表示法規尚未規定，「-」表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號令發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號令發布。

環評井 5 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	113 年第 3 季	113 年第 4 季	114 年第 1 季			
水溫	℃	*	*	30.1	31	25.3			
pH 值	-	*	*	7.5	7.6	7.8			
濁度	NTU	*	*	5.2	7.30	6.20			
導電度	μmho/cm	*	*	8380	7620	8100			
總溶解固體	mg/L	1250	*	4950	4780	4850			
總硬度	mg/L	750	*	522	637	498			
氯鹽	mg/L	625	*	1820	1510	1600			
總餘氯	mg/L	*	*	ND<0.024	ND<0.024	0.07			
硫酸鹽	mg/L	625	*	693	825	687			
硫化物	mg/L	*	*	ND<0.0056	ND<0.0056	ND<0.0056			
氯氣	mg/L	0.25	*	39.8	64.7	55.5			
亞硝酸鹽氮	mg/L	5	10	0.04	<0.01(0.005)	<0.01(0.004)			
硝酸鹽氮	mg/L	50	100	0.56	0.09	<0.01(0.01)			
無機氮含量	mg/L	*	*	40.4	64.8	55.5			
總含氮量	mg/L	*	*	43.6	81	107			
氯鹽	mg/L	4	8	1.65	1.46	1.78			
鎘	mg/L	0.025	0.05	ND<0.00026	ND<0.00026	ND<0.00026			
鉻	mg/L	0.25	0.5	<0.002 (0.0004)	ND<0.00039	ND<0.00039			
銅	mg/L	5	10	0.01	ND<0.00044	ND<0.00044			
鎳	mg/L	0.5	1	0.016	0.013	0.011			
鉛	mg/L	0.05	0.1	ND<0.0030	ND<0.0030	ND<0.0030			
鋅	mg/L	25	50	0.02	ND<0.0017	0.003			
汞	mg/L	0.01	0.02	ND<0.000071	ND<0.000071	ND<0.000071			
砷	mg/L	0.25	0.5	0.0089	0.0087	0.0099			
鐵	mg/L	1.5	*	0.066	0.622	0.296			
錳	mg/L	0.25	*	0.168	0.18	0.137			
油脂	mg/L	*	*	ND<2.0	ND<2.0	ND<2.0			
總有機碳(TOC)	mg/L	10	*	3.3	2.6	37.7			
總酚	mg/L	0.14	*	0.0479	ND<0.0068	ND<0.0068			
2,4,5-三氯酚	mg/L	1.85	3.7	ND<0.00059	ND<0.00059	ND<0.00059			
2,4,6-三氯酚	mg/L	0.05	0.1	ND<0.00057	ND<0.00057	ND<0.00057			
五氯酚	mg/L	0.04	0.08	ND<0.00043	ND<0.00043	ND<0.00043			
苯	mg/L	0.025	0.05	ND<0.00022	ND<0.00022	ND<0.00022			
甲苯	mg/L	5	10	ND<0.00020	ND<0.00020	ND<0.00020			
二甲苯	mg/L	50	100	ND<0.00032	ND<0.00032	ND<0.00032			
乙苯	mg/L	3.5	7	ND<0.00022	ND<0.00022	ND<0.00022			
氯苯	mg/L	0.5	1	ND<0.00022	ND<0.00022	ND<0.00022			
1,4-二氯苯	mg/L	0.375	0.75	ND<0.00021	ND<0.00021	ND<0.00021			
萘	mg/L	0.2	0.4	ND<0.00023	ND<0.00023	ND<0.00023			
氯甲烷	mg/L	0.15	0.3	ND<0.00025	ND<0.00025	ND<0.00025			
二氯甲烷	mg/L	0.025	0.05	ND<0.00044	ND<0.00044	ND<0.00044			
氯仿	mg/L	0.5	1	ND<0.00030	ND<0.00030	ND<0.00030			
1,1,2-二氯乙烷	mg/L	4.25	8.5	ND<0.00022	ND<0.00022	ND<0.00022			
1,2-二氯乙烷	mg/L	3	6	ND<0.00025	ND<0.00025	ND<0.00025			
1,1,2-三氯乙烷	mg/L	0.025	0.05	ND<0.00023	ND<0.00023	ND<0.00023			
氯乙烯	mg/L	0.01	0.02	ND<0.00028	ND<0.00028	ND<0.00028			
1,1-二氯乙烯	mg/L	0.035	0.07	ND<0.00025	ND<0.00025	ND<0.00025			
順-1,2-二氯乙烯	mg/L	0.35	0.7	ND<0.00022	ND<0.00022	ND<0.00022			
反-1,2-二氯乙烯	mg/L	0.5	1	ND<0.00020	ND<0.00020	ND<0.00020			
三氯乙烯	mg/L	0.025	0.05	ND<0.00020	ND<0.00020	ND<0.00020			
四氯乙烯	mg/L	0.025	0.05	ND<0.00018	ND<0.00018	ND<0.00018			
四氯化碳	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00021			
柴油總碳氫化合物	mg/L	*	*	1.3	0.458	0.689			
總石油碳氫化合物	mg/L	5	10	1.46	<0.508(0.496)	0.794			
氯化物	mg/L	0.25	0.5	ND<0.0022	ND<0.0022	ND<0.0022			
甲基第三丁基醚	mg/L	0.5	1	0.0482	0.0282	0.0511			
甲醛	mg/L	*	*	<0.0286 (0.00432)	<0.0286 (0.00546)	<0.0286 (0.00345)			
1,2-二氯苯	mg/L	0.025	0.05	ND<0.00021	ND<0.00021	ND<0.00021			
3,3'-二氯聯苯胺	mg/L	0.05	0.1	ND<0.00052	ND<0.00052	ND<0.00052			
1,1,1-三氯乙烷	mg/L	1	2	ND<0.00021	ND<0.00021	ND<0.00021			

註：1. 「*」表示法規尚未規定，“-”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：102.12.18 環署土字第 1020109478 號今發布。

4.第二類地下水污染監測標準法源：102.12.18 環署土字第 1020109443 號今發布。

環評井 6 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	87 年 第 3 季	87 年 第 4 季	88 年 第 2 季	88 年 第 3 季	88 年 第 4 季	89 年 第 1 季
水溫	°C	*	*	28.5	26.3	27.6	29.4	21.5	21.4
pH 值	-	*	*	8.21	7.91	8	7.94	8.16	7.8
濁度	NTU	*	*	5.6	7.9	1	1.2	32	22
導電度	µmho/cm	*	*	882	2140	1011	578	865	1210
總溶解固體	mg/L	*	*	617	1495	711	457	546	704
總硬度	mg/L	*	*	154	300	385	222	319	365
氯鹽	mg/L	*	*	105	496	65	72	35	68
總餘氯	mg/L	*	*	ND	ND	ND	ND	<0.002	<0.2
硫酸鹽	mg/L	*	*	128	123	267	101	307	361
硫化物	mg/L	*	*	0.07	0.33	0.09	0.07	0.17	0.03
氨氮	mg/L	*	*	3.61	1.05	0.26	0.18	0.33	0.07
亞硝酸鹽氮	mg/L	*	*	0.031	0.009	0.012	0.005	0.006	0.011
硝酸鹽氮	mg/L	*	*	0.21	0.42	1.06	0.27	0.33	1.77
無機氮含量	mg/L	*	*	3.85	1.48	1.34	0.46	0.67	1.78
總含氮量	mg/L	*	*	4.38	3.18	1.76	0.95	0.69	2.27
氯鹽	mg/L	*	*	0.73	0.53	0.3	0.28	0.26	0.2
鎘	mg/L	*	*	ND	ND	ND	ND	<0.00572	<0.00572
鉻	mg/L	*	*	ND	ND	ND	ND	<0.00406	<0.00406
銅	mg/L	*	*	0.0049	0.0066	ND	0.0062	0.0062	0.0343
鎳	mg/L	*	*	0.0086	ND	0.0043	0.0092	0.0601	0.0127
鉛	mg/L	*	*	ND	0.0035	ND	0.0136	0.0549	0.0364
鋅	mg/L	*	*	0.0249	0.0214	0.0378	0.0641	0.1606	0.0795
汞	mg/L	*	*	ND	ND	0.00071	ND	<0.00062	<0.00062
砷	mg/L	*	*	0.00092	0.00312	0.00126	0.00237	0.00733	0.00006
鐵	mg/L	*	*	ND	0.04	ND	ND	0.18	0.09
錳	mg/L	*	*	0.09	0.14	0.18	0.05	0.34	0.39
油脂	mg/L	*	*	ND	ND	ND	ND	2.5	2.5
總有機碳(TOC)	mg/L	*	*	1.14	4.02	0.83	0.98	5.32	0.93
總酚	mg/L	*	*	ND	ND	ND	ND	<0.007	<0.007
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—
苯	mg/L	*	*	ND	ND	ND	ND	<0.002	<0.002
甲苯	mg/L	*	*	ND	ND	ND	ND	<0.0006	<0.0006
二甲苯	mg/L	*	*	ND	ND	ND	ND	<0.0006	<0.0006
乙苯	mg/L	*	*	ND	ND	ND	ND	<0.0006	<0.0006
氯苯	mg/L	*	*	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	*	—	—	—	—	—	—
萘	mg/L	*	*	—	—	—	—	—	—
氯甲烷	mg/L	*	*	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—
氯仿	mg/L	*	*	—	—	—	—	—	—
1,1-二氯乙烷	mg/L	*	*	—	—	—	—	—	—
1,2-二氯乙烷	mg/L	*	*	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—
氯乙烯	mg/L	*	*	ND	ND	ND	ND	<0.004	<0.004
1,1-二氯乙烯	mg/L	*	*	—	—	—	—	—	—
順-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—
三氯乙烯	mg/L	*	*	—	—	—	—	—	—
四氯乙烯	mg/L	*	*	—	—	—	—	—	—
四氯化碳	mg/L	*	*	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—
氟化物	mg/L	*	*	—	—	0.09	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—

註：1. 「*」表示法規尚未規定，「—」表示並無監測

2. 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以「<檢測報告最低位數單位值」表示

環評井 6 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測標準	管制標準	89 年 第 2 季	89 年 第 3 季	89 年 第 4 季	90 年 第 1 季	90 年 第 2 季	90 年 第 3 季	90 年 第 4 季
水溫	℃	*	*	26.3	29.3	26.7	25.8	27.3	26.8	25.7
pH 值	-	*	*	7.61	7.58	7.94	7.79	7.11	7.53	7.93
濁度	NTU	*	*	3.5	23	2.6	1.6	1.7	2.4	2.1
導電度	μmho/cm	*	*	976	1285	2200	1580	2270	1024	2170
總溶解固體	mg/L	*	*	688	927	1388	1005	1448	980	1523
總硬度	mg/L	*	*	251	770	870	500	1100	920	1120
氯鹽	mg/L	*	*	210	107	225	193	139	128	321
總餘氯	mg/L	*	*	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
硫酸鹽	mg/L	*	*	142	577	533	367	282	274	908
硫化物	mg/L	*	*	0.05	0.15	0.01	0.01	0.19	0.03	0.01
氨氮	mg/L	*	*	0.07	0.22	0.36	0.65	0	0.17	0.35
亞硝酸鹽氮	mg/L	*	*	0.003	0.018	0.009	0.014	0.01	0.024	0.03
硝酸鹽氮	mg/L	*	*	0.84	1.68	1.52	0.13	2.65	1.08	1.7
無機氮含量	mg/L	*	*	0.6	1.92	1.89	0.79	2.66	5.44	2.08
總含氮量	mg/L	*	*	0.4	2.29	2.23	1.11	3.07	6.64	2.5
氯鹽	mg/L	*	*	0.35	0.32	0.49	1.14	0	0.89	0.66
鎘	mg/L	*	*	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572
鉻	mg/L	*	*	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406
銅	mg/L	*	*	0.0145	0.0095	0.0086	0.0101	0.0035	0.0076	0.0021
鎳	mg/L	*	*	0.0178	0.00154	0.02013	<0.00154	<0.00154	<0.00154	0.0204
鉛	mg/L	*	*	0.0284	<0.00343	0.0381	0.0215	<0.00343	<0.00343	<0.00343
鋅	mg/L	*	*	0.0776	0.0356	0.0384	0.0475	0.0356	0.0207	0.01661
汞	mg/L	*	*	<0.00062	<0.00062	<0.00062	<0.00062	<0.00062	<0.00062	<0.00062
砷	mg/L	*	*	0.0006	0.00347	0.00409	0.00633	0.00462	0.00316	0.01591
鐵	mg/L	*	*	0.22	0.23	4.47	ND	0.22	0.23	4.47
錳	mg/L	*	*	0.03	0.03	0.25	0.18	0.13	0.11	3.33
油脂	mg/L	*	*	2.5	2.5	2.5	2.5	2.5	2.5	2.5
總有機碳(TOC)	mg/L	*	*	1.27	0.67	1.16	1.34	0.99	1.62	5.69
總酚	mg/L	*	*	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007	<0.007
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—
苯	mg/L	*	*	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
甲苯	mg/L	*	*	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
二甲苯	mg/L	*	*	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
乙苯	mg/L	*	*	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
氯苯	mg/L	*	*	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	*	—	—	—	—	—	—	—
苯	mg/L	*	*	—	—	—	—	—	—	—
氯甲烷	mg/L	*	*	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—
氯仿	mg/L	*	*	—	—	—	—	—	—	—
1,1-二氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
1,2-二氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
氯乙烯	mg/L	*	*	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004	<0.004
1,1-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
順-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	*	—	—	—	—	—	—	—
四氯化碳	mg/L	*	*	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—
氯化物	mg/L	*	*	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

環評井 6 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	91 年 第 2 季	91 年 第 3 季	91 年 第 4 季	92 年 第 1 季	92 年 第 2 季	92 年 第 3 季	92 年 第 4 季	93 年 第 1 季
水溫	℃	*	*	26.1	28.8	28.2	25.9	26.3	28	27.6	25.5
pH 值	-	*	*	7.56	7.63	7.63	7.46	7.03	7.55	7.96	7.6
濁度	NTU	*	*	3.5	3.5	4.1	9.5	4.2	3.5	3.1	2.3
導電度	μmho/cm	*	*	2220	1295	1857	15130	3970	2550	1180	2520
總溶解固體	mg/L	1250	*	1650	578	933	7610	1820	1300	513	1260
總硬度	mg/L	750	*	980	560	720	1540	780	480	320	500
氯鹽	mg/L	625	*	173	96	190	3771	606	227	293	328
總餘氯	mg/L	*	*	ND	ND	ND	<0.2	<0.2	<0.2	<0.2	<0.2
硫酸鹽	mg/L	625	*	896	768	453	970	1055	463	206	362
硫化物	mg/L	*	*	ND	0.07	0.1	0.1	0.1	0.03	0.03	0.01
氫氣	mg/L	0.25	*	0.21	0.12	0.34	0.11	0.07	0.18	0.12	0.24
亞硝酸鹽氮	mg/L	*	10	0.023	0.015	0.001	0.038	0.025	0.028	<0.001	0.006
硝酸鹽氮	mg/L	25	100	0.48	0.67	1.4	1.54	0.85	1.73	0.96	1.18
無機氮含量	mg/L	*	*	0.71	0.81	1.74	1.69	0.88	1.94	1.08	1.42
總含氮量	mg/L	*	*	1.09	2.41	2.11	2.29	1.88	3.08	1.98	1.77
氯鹽	mg/L	*	*	0.57	0.78	1.1	1.02	1.1	0.89	1.1	0.2
鎘	mg/L	0.025	0.05	ND	ND	ND	<0.00572	<0.00572	<0.00572	<0.00572	<0.00572
鉻	mg/L	0.25	0.5	ND	ND	ND	<0.00406	<0.00406	<0.00406	<0.00406	<0.00406
銅	mg/L	5	10	0.00261	0.0011	ND	0.00149	0.00811	0.01328	0.00818	0.00615
鎳	mg/L	*	1	0.00185	ND	ND	<0.00154	0.0032	0.0251	<0.00154	<0.00154
鉛	mg/L	0.25	0.5	ND	ND	0.0097	0.0053	0.0061	<0.00343	<0.00343	<0.00343
鋅	mg/L	25	50	0.03825	ND	0.10944	0.0887	0.021	0.006	0.01166	0.02284
汞	mg/L	*	0.02	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
砷	mg/L	0.25	0.5	0.00099	0.00095	0.00419	0.00344	0.00875	0.00428	0.00468	0.00568
鐵	mg/L	1.5	*	ND	ND	ND	0.11	0.04	0.17	0.12	<0.04
錳	mg/L	0.25	*	0.22	ND	0.26	0.27	0.25	0.06	0.03	0.19
油脂	mg/L	*	*	ND	ND	ND	2.5	2.5	2.5	2.5	2.5
總有機碳(TOC)	mg/L	10	*	5.49	1.55	3.22	3.06	2.19	2.43	1.4	2.49
總酚	mg/L	*	0.14	ND	ND	ND	<0.007	<0.007	<0.007	<0.007	<0.007
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	<0.002	<0.002	<0.002	<0.002	<0.002
甲苯	mg/L	*	10	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
二甲苯	mg/L	*	*	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
乙苯	mg/L	*	*	ND	ND	ND	<0.0006	<0.0006	<0.0006	<0.0006	<0.0006
氯苯	mg/L	*	1	—	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	—	—	—	—
苯	mg/L	*	0.4	—	—	—	—	—	—	—	—
氯甲烷	mg/L	*	0.3	—	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—
氯仿	mg/L	*	1	—	—	—	—	—	—	—	—
1,1-二氯乙烷	mg/L	*	8.5	—	—	—	—	—	—	—	—
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—
氯乙烯	mg/L	*	0.02	ND	ND	ND	<0.004	<0.004	<0.004	<0.004	<0.004
1,1-二氯乙烯	mg/L	*	0.07	—	—	—	—	—	—	—	—
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—
四氯化碳	mg/L	*	0.05	—	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—
氰化物	mg/L	*	*	—	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：90.11.21 環署水字第 0073680 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 6 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	93 年 第 2 季	93 年 第 3 季	93 年 第 4 季	94 年 第 1 季	94 年 第 2 季	94 年 第 3 季	94 年 第 4 季	95 年 第 1 季	95 年 第 2 季	95 年 第 3 季
水溫	℃	*	*	26.5	26.4	28.3	20.2	20.1	26.7	25.2	20.2	32.1	24.3
pH 值	-	*	*	7.33	7.5	7.4	7.6	7.8	7.6	7.6	7.6	7.2	7.3
濁度	NTU	*	*	16.3	3.6	5.9	15	24	11	18	16	5.1	6.6
導電度	μmho/cm	*	*	3472	2970	3240	1550	826	6200	5574	16600	970	1360
總溶解固體	mg/L	1250	*	1740	5240	10700	3020	4560	3750	4260	4280	714	1590
總硬度	mg/L	750	*	600	3510	792	461	1240	942	970	816	490	520
氯鹽	mg/L	625	*	168	2380	5260	1360	2550	1690	1790	2250	66.7	65.2
總餘氯	mg/L	*	*	<0.2	<0.2	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036	<0.036
硫酸鹽	mg/L	625	*	1247	350	626	115	391	267	235	303	160	218
硫化物	mg/L	*	*	0.01	0.005	0.005	0.01	0.02	0	0.01	0.01	0.01	ND
氨氮	mg/L	0.25	*	0.27	1.62	2.4	0.01	6.25	1.77	1.15	2.57	0.14	0.24
亞硝酸鹽氮	mg/L	*	10	<0.001	0.06	0.01	0.01	0.21	1.28	0.048	0.04	0.042	0.024
硝酸鹽氮	mg/L	25	100	1.96	0.63	0.47	0.16	6.88	1.29	0.07	0.14	2.93	0.78
無機氮含量	mg/L	*	*	2.23	2.31	2.87	0.16	13.34	4.34	1.268	2.75	3.11	1.04
總含氮量	mg/L	*	*	2.35	3.94	3.65	0.37	13.1	4.7	2.27	3.32	3.63	1.39
氯鹽	mg/L	*	*	0.47	0.46	0.44	0.3	0.38	0.27	0.5	0.86	0.48	0.67
鎘	mg/L	0.025	0.05	<0.00572	<0.031	<0.031	<0.031	<0.002	<0.002	0.006	<0.002	<0.002	<0.002
鉻	mg/L	0.25	0.5	<0.00406	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	ND
銅	mg/L	5	10	0.00886	0.00636	<0.0042	<0.0042	<0.0042	<0.0042	<0.03	0.001	<0.019	0.031
鎳	mg/L	*	1	0.01842	0.044	<0.041	<0.041	<0.041	<0.041	0.057	<0.041	<0.041	<0.018
鉛	mg/L	0.25	0.5	<0.00343	<0.041	<0.041	<0.041	<0.041	<0.019	<0.019	<0.019	<0.019	ND
鋅	mg/L	25	50	0.01025	<0.045	<0.045	<0.045	<0.045	<0.032	0.034	<0.032	<0.032	0.026
汞	mg/L	*	0.02	<0.0006	0.0014	0.016	<0.001	<0.001	0.0021	0.0045	0.001	0.0012	0.0014
砷	mg/L	0.25	0.5	0.00512	0.0241	0.0214	0.0236	0.0115	0.0188	0.0261	0.0171	0.0087	0.0046
鐵	mg/L	1.5	*	0.15	2.42	2.32	1.34	0.041	1.62	1.95	2.9	0.629	0.466
錳	mg/L	0.25	*	0.03	0.598	1.11	0.373	0.302	0.562	0.614	3.96	0.839	0.38
油脂	mg/L	*	*	2.5	0.8	0.3	2.5	2.7	0.1	2.2	0.4	4.8	0.2
總有機碳(TOC)	mg/L	10	*	3.42	7.07	2.73	7.56	1.71	6.12	45.4	1.61	1.69	2.36
總酚	mg/L	*	0.14	<0.007	<0.0006	<0.0006	0.0287	0.0047	0.0023	0.0043	0.002	0.006	0.001
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
苯	mg/L	*	0.05	<0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
甲苯	mg/L	*	10	<0.0006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
二甲苯	mg/L	*	*	<0.0006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
乙苯	mg/L	*	*	<0.0006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
氯苯	mg/L	*	1	—	—	—	—	—	—	—	—	-	—
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	—	—	—	—	-	—
萘	mg/L	*	0.4	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
氯甲烷	mg/L	*	0.3	—	—	—	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
氯仿	mg/L	*	1	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
1,1-二氯乙烷	mg/L	*	8.5	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
氯乙烯	mg/L	*	0.02	<0.004	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
1,1-二氯乙烯	mg/L	*	0.07	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
四氯化碳	mg/L	*	0.05	—	—	—	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
氯化物	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
甲醛	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，「—」表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：90.11.21 環署水字第 0073680 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 6 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	95 年 第 4 季	96 年 第 1 季	96 年 第 2 季	96 年 第 3 季	96 年 第 4 季	97 年 第 1 季	97 年 第 2 季	97 年 第 3 季	97 年 第 4 季
水溫	℃	*	*	24.1	23.5	26.6	24.9	24.6	23.9	25	25	27.8
pH 值	-	*	*	7.5	7.5	7.2	7.2	7.4	7.2	7.2	7.2	7.2
濁度	NTU	*	*	5.1	21.9	7.1	3.3	1.1	11	3.7	3.7	18
導電度	μmho/cm	*	*	1150	1430	1140	1330	2120	1720	1410	1410	2220
總溶解固體	mg/L	1250	*	858	3930	1240	1070	1010	707	670	670	1170
總硬度	mg/L	750	*	419	805	391	319	248	409	371	371	690
氯鹽	mg/L	625	*	176	1850	372	277	216	134	73.7	73.7	122
總餘氯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	ND
硫酸鹽	mg/L	625	*	178	184	156	159	88.5	66.7	143	143	531
硫化物	mg/L	*	*	0.01	0.02	0.02	0.02	0.04	0.3	0.11	0.11	ND
氨氮	mg/L	0.25	*	0.26	1.71	0.09	0.11	0.04	0.11	0.1	0.1	0.03
亞硝酸鹽氮	mg/L	*	10	ND	<0.001	0.018	0.02	0.002	0.02	<0.001	<0.001	0.02
硝酸鹽氮	mg/L	25	100	0.98	0.01	2.22	1.56	0.7	2.99	1.05	1.05	4.72
無機氮含量	mg/L	*	*	1.24	1.72	2.33	1.69	0.74	3.12	1.16	1.16	4.74
總含氮量	mg/L	*	*	1.3	2.23	2.52	2.02	0.98	3.22	1.75	1.75	5.68
氯鹽	mg/L	*	*	0.7	0.27	1.5	1.41	1.5	0.25	0.11	0.11	0.75
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	<0.007	<0.007	ND	ND	<0.007	<0.007	ND
銅	mg/L	5	10	<0.018	ND	ND	<0.01	ND	ND	ND	ND	ND
鎳	mg/L	*	1	0.02	ND	0.009	0.0087	0.041	0.0087	ND	ND	ND
鉛	mg/L	0.25	0.5	ND	ND	<0.01	0.014	<0.0127	<0.0127	ND	ND	ND
鋅	mg/L	25	50	0.021	ND	0.014	0.016	0.027	0.012	0.007	0.007	0.149
汞	mg/L	*	0.02	0.0035	ND	<0.00045	<0.0009	<0.0009	0.001	ND	ND	ND
砷	mg/L	0.25	0.5	0.0044	0.058	0.0097	0.0064	0.0042	0.0022	0.0108	0.0108	0.0213
鐵	mg/L	1.5	*	0.123	1.97	0.583	0.624	0.043	0.291	0.577	0.577	0.025
錳	mg/L	0.25	*	0.281	0.406	0.58	0.447	0.007	0.762	0.328	0.328	0.02
油脂	mg/L	*	*	0.1	0.1	0.1	0.9	0.5	0.5	0.7	0.7	<1.0
總有機碳(TOC)	mg/L	10	*	1.62	1.9	1.93	1.43	1.27	1.55	1.45	1.45	5.4
總酚	mg/L	*	0.14	0.0031	ND	0.008	0.008	0.0124	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
二甲苯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	ND
乙苯	mg/L	*	*	ND	ND	ND	ND	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	—	—	—	—	—	—	—	—	—
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	—	—	—	—	—
萘	mg/L	*	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	—	—	—	—	—	—	—	—	—
二氯甲烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯仿	mg/L	*	1	ND	ND	ND	ND	ND	ND	ND	ND	0.0572
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
1,1,2-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	—	—	—	—	—
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	—	—	—	—	—
三氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
四氯乙烯	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
四氯化碳	mg/L	*	0.05	—	—	—	—	—	—	—	—	—
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—
氯化物	mg/L	*	*	—	—	—	—	—	—	—	—	—
甲基第三丁基醚	mg/L	*	*	—	—	—	—	—	—	—	—	ND
甲醛	mg/L	*	*	—	—	—	—	—	—	—	—	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	*	—	—	—	—	—	—	—	—	—

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：90.11.21 環署水字第 0073680 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 6 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	98 年 第 1 季	98 年 第 2 季	98 年 第 3 季	98 年 第 4 季	99 年 第 1 季	99 年 第 2 季
水溫	°C	*	*	23.6	25.6	29.7	24.6	25.6	27.3
pH 值	-	*	*	7.3	7.5	7.1	7.4	7.6	7.6
濁度	NTU	*	*	14.3	16	14	45	45	200
導電度	µmho/cm	*	*	3050	2200	3330	3290	2660	1970
總溶解固體	mg/L	1250	*	998	1720	2420	2440	2040	1590
總硬度	mg/L	750	*	700	740	721	1930	1300	887
氯鹽	mg/L	625	*	223	143	184	180	153	108
總餘氯	mg/L	*	*	ND	<0.02	0.02	0.02	0.18	0.15
硫酸鹽	mg/L	625	*	25.4	460	573	1770	1240	952
硫化物	mg/L	*	*	ND	ND	ND	ND	ND	ND
氨氮	mg/L	0.25	*	0.15	0.05	0.04	0.32	0.28	0.17
亞硝酸鹽氮	mg/L	*	10	0.05	0.04	ND	0.06	<0.01	0.01
硝酸鹽氮	mg/L	25	100	3.23	3.29	4.3	3.32	1.5	1.04
無機氮含量	mg/L	*	*	3.43	3.38	4.34	3.7	1.78	1.22
總含氮量	mg/L	*	*	4.11	4.37	5.41	4.22	2.85	2.09
氯鹽	mg/L	*	*	0.57	0.72	0.7	0.86	0.69	1.01
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	ND	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND	ND	ND
鎳	mg/L	*	1	ND	ND	0.005	<0.020(0.005)	ND	ND
鉛	mg/L	0.25	0.5	ND	0.007	ND	ND	ND	ND
鋅	mg/L	25	50	0.116	ND	0.498	0.423	0.115	0.067
汞	mg/L	*	0.02	ND	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0123	0.021	0.0199	0.0091	0.0106	0.0101
鐵	mg/L	1.5	*	0.131	0.032	0.044	<0.100(0.054)	<0.100(0.077)	0.147
錳	mg/L	0.25	*	0.02	0.013	0.009	0.401	0.566	0.421
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	5.2	7.9	8.4	5.1	5.9	1.1
總酚	mg/L	*	0.14	ND	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND	ND	0.00105
二甲苯	mg/L	*	100	ND	ND	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND	ND	ND
氯苯	mg/L	*	1	—	—	—	—	ND	ND
1,4-二氯苯	mg/L	*	0.75	—	—	—	—	ND	ND
萘	mg/L	*	0.4	ND	ND	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	—	—	—	—	ND	ND
二氯甲烷	mg/L	*	0.05	—	ND	ND	ND	ND	ND
氯仿	mg/L	*	1	0.0869	0.0546	0.0584	0.023	0.0242	0.0193
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	—	—	—	—	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	—	—	—	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	—	—	—	—	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	—	—	—	—	ND	ND
三氯乙烯	mg/L	*	0.05	—	—	—	—	ND	ND
四氯乙烯	mg/L	*	0.05	—	—	—	—	ND	ND
四氯化碳	mg/L	*	0.05	—	—	—	—	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—	—
氯化物	mg/L	*	0.5	—	—	—	ND	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	ND	0.001	ND	ND	ND
甲醛	mg/L	*	*	ND<3.0	ND	ND	ND	ND	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	—	<0.5	<0.50	<0.50	<0.50	<0.50

註：1. 「*」表示法規尚未規定，“—”表示並無監測

2. 若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3. 第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4. 第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 6 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	99 年 第 3 季	99 年 第 4 季	100 年 第 1 季	100 年 第 2 季	100 年 第 3 季
水溫	°C	*	*	29.7	23.2	22.9	25.1	29.6
pH 值	-	*	*	7.6	7.7	7.4	6.8	7.3
濁度	NTU	*	*	120	30	150	100	39
導電度	μmho/cm	*	*	1120	507	702	4410	1890
總溶解固體	mg/L	1250	*	853	370	478	4200	1460
總硬度	mg/L	750	*	448	259	319	1920	1170
氯鹽	mg/L	625	*	43.3	2.14	7.43	424	35
總餘氯	mg/L	*	*	0.9	0.05	0.13	0.03	0.06
硫酸鹽	mg/L	625	*	395	129	177	1880	1020
硫化物	mg/L	*	*	ND	ND	0.04	<0.04(0.02)	<0.04(0.02)
氨氮	mg/L	0.25	*	0.06	0.06	<0.05(0.03)	0.22	<0.05(0.02)
亞硝酸鹽氮	mg/L	*	10	0.01	0.01	0.01	0.01	<0.01(0.005)
硝酸鹽氮	mg/L	25	100	0.97	0.55	0.52	0.28	0.72
無機氮含量	mg/L	*	*	1.04	0.62	0.53	0.51	0.72
總含氮量	mg/L	*	*	1.41	0.8	0.71	0.83	0.92
氯鹽	mg/L	*	*	0.96	0.18	0.35	0.58	0.95
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	<0.020(0.004)	ND
銅	mg/L	5	10	ND	ND	ND	ND	<0.020(0.003)
鎳	mg/L	*	1	ND	ND	ND	<0.020(0.019)	<0.020(0.007)
鉛	mg/L	0.25	0.5	ND	ND	ND	<0.020(0.005)	ND
鋅	mg/L	25	50	0.046	0.017	0.033	0.284	0.059
汞	mg/L	*	0.02	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	0.0132	ND	0.0006	0.0005	<0.0020(0.0010)
鐵	mg/L	1.5	*	<0.100(0.052)	0.053	<0.1(0.058)	0.947	<0.100(0.027)
錳	mg/L	0.25	*	0.199	0.039	0.075	6.27	0.417
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	2.8	1	1.5	2.1	1.4
總酚	mg/L	*	0.14	0.0081	0.048	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	<0.0100	ND
甲苯	mg/L	*	10	ND	ND	ND	<0.0100	ND
二甲苯	mg/L	*	100	ND	ND	ND	<0.0300	ND
乙苯	mg/L	*	7	ND	ND	ND	<0.0100	ND
氯苯	mg/L	*	1	ND	ND	ND	<0.0100	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	<0.0100	ND
萘	mg/L	*	0.4	ND	ND	ND	<0.0100	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	<0.0100	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	<0.0100	ND
氯仿	mg/L	*	1	0.0129	0.00108	0.00243	0.0142	0.0239
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	<0.0100	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	<0.0100	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	<0.0100	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	<0.0100	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	<0.0100	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	<0.0100	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	<0.0100	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	<0.0100	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	<0.0100	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	<0.0100	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—
氰化物	mg/L	*	0.5	ND	ND	ND	<0.01(0.002)	<0.01(0.001)
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	<0.0100	ND
甲醛	mg/L	*	*	ND	ND	ND	ND	ND
1,2-二氯苯	mg/L	*	*	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.50	<0.5	<0.50	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示

3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。

4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 6 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	100 年 第 4 季	101 年 第 1 季	101 年 第 2 季	101 年 第 3 季	101 年 第 4 季
水溫	°C	*	*	26.1	24.3	24.6	30.1	28
pH 值	-	*	*	7.2	7	6.8	6.8	6.7
濁度	NTU	*	*	27	50	0.35	1.6	0.3
導電度	μmho/cm	*	*	1830	2590	2760	1690	2690
總溶解固體	mg/L	1250	*	1460	2010	2500	1470	2180
總硬度	mg/L	750	*	1020	1620	1390	822	1370
氯鹽	mg/L	625	*	50.4	67	92.9	64.3	147
總餘氯	mg/L	*	*	0.07	0.19	0.03	0.43	0.09
硫酸鹽	mg/L	625	*	1060	1360	1400	813	1220
硫化物	mg/L	*	*	<0.04(0.02)	ND	ND	ND	ND
氨氮	mg/L	0.25	*	<0.05(0.04)	0.09	ND	ND	0.15
亞硝酸鹽氮	mg/L	*	10	0.02	<0.01(0.003)	0.02	0.02	0.07
硝酸鹽氮	mg/L	25	100	0.96	0.64	4.79	4.76	8.22
無機氯含量	mg/L	*	*	0.98	0.73	4.87	4.7	8.44
總含氮量	mg/L	*	*	1.21	0.88	5.08	5.19	8.45
氯鹽	mg/L	*	*	0.83	0.74	0.71	0.35	0.31
鎘	mg/L	0.025	0.05	ND	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND<0.003	ND	ND
銅	mg/L	5	10	ND	ND	ND	ND	ND
鎳	mg/L	*	1	<0.020(0.005)	<0.020(0.010)	<0.020(0.006)	ND	<0.020(0.005)
鉛	mg/L	0.25	0.5	ND	ND	ND	ND	ND
鋅	mg/L	25	50	0.04	0.304	0.308	0.18	0.278
汞	mg/L	*	0.02	ND	ND	ND	ND	ND
砷	mg/L	0.25	0.5	<0.0020 (0.0006)	ND	<0.0020 (0.0009)	0.002	<0.0020 (0.0019)
鐵	mg/L	1.5	*	<0.100(0.029)	<0.100(0.031)	<0.100(0.028)	<0.100(0.030)	<0.100(0.028)
錳	mg/L	0.25	*	0.368	1.64	0.676	0.021	0.284
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	0.9	1.9	0.9	1.4	1.5
總酚	mg/L	*	0.14	ND	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND	<0.0100
甲苯	mg/L	*	10	ND	ND	ND	ND	<0.0100
二甲苯	mg/L	*	100	ND	ND	ND	ND	<0.0300
乙苯	mg/L	*	7	ND	ND	ND	ND	<0.0100
氯苯	mg/L	*	1	ND	ND	ND	ND	<0.0100
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND	<0.0100
萘	mg/L	*	0.4	ND	ND	ND	ND	<0.0100
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND	<0.0100
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND	<0.0100
氯仿	mg/L	*	1	0.0149	0.00301	0.00824	0.0083	0.348
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND	<0.0100
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	<0.0100
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND	<0.0100
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND	<0.0100
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND	<0.0100
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND	<0.0100
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND	<0.0100
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	<0.0100
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND	<0.0100
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND	<0.0100
總石油碳氫化合物	mg/L	*	*	—	—	—	—	—
氯化物	mg/L	*	0.5	<0.01(0.001)	ND	ND	<0.01(0.001)	<0.01(0.002)
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND	<0.0100
甲醛	mg/L	*	*	ND	<1.00	<1.00	<1.00	<1.00
1,2-二氯苯	mg/L	*	*	—	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.500	<0.500	<0.500	<0.500	<0.500

註：1. 「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。

環評井 6 歷年之地下水水質與監測標準及管制標準比較

分析項目	單位	監測基準	管制標準	102 年 第 1 季	102 年 第 2 季	102 年 第 3 季	102 年 第 4 季
水溫	℃	*	*	23.9	24.6	29.7	28.7
pH 值	-	*	*	7.2	6.9	7.3	6.8
濁度	NTU	*	*	0.45	2.5	0.3	0.95
導電度	μmho/cm	*	*	1870	801	608	2480
總溶解固體	mg/L	1250	*	1390	646	465	2260
總硬度	mg/L	750	*	932	359	244	1180
氯鹽	mg/L	625	*	75.4	43.7	15.9	120
總餘氯	mg/L	*	*	0.02	<0.02	0.14	0.06
硫酸鹽	mg/L	625	*	843	320	209	1340
硫化物	mg/L	*	*	ND	<0.04(0.02)	<0.04(0.01)	<0.04(0.02)
氨氮	mg/L	0.25	*	0.1	<0.05(0.04)	ND	ND
亞硝酸鹽氮	mg/L	*	10	0.06	0.01	0.04	0.01
硝酸鹽氮	mg/L	25	100	2.59	2.13	1.21	8.04
無機氯含量	mg/L	*	*	2.75	2.18	1.26	0.09
總含氮量	mg/L	*	*	2.83	2.43	1.32	8.39
氯鹽	mg/L	*	*	0.46	1.08	0.51	0.43
鎘	mg/L	0.025	0.05	ND	ND	ND	ND
鉻	mg/L	0.25	0.5	ND	ND	ND	ND
銅	mg/L	5	10	ND	<0.020(0.003)	ND	ND
鎳	mg/L	*	1	ND	ND	ND	<0.020(0.004)
鉛	mg/L	0.25	0.5	ND	ND	ND	ND
鋅	mg/L	25	50	0.053	0.038	0.034	0.492
汞	mg/L	*	0.02	ND	ND	ND	ND
砷	mg/L	0.25	0.5	<0.0020(0.0016)	0.0023	0.0036	0.0047
鐵	mg/L	1.5	*	<0.100(0.021)	<0.100(0.046)	<0.100(0.045)	<0.100(0.023)
錳	mg/L	0.25	*	0.35	0.029	0.034	0.03
油脂	mg/L	*	*	<1.0	<1.0	<1.0	<1.0
總有機碳(TOC)	mg/L	10	*	1	1.1	0.8	2.4
總酚	mg/L	*	0.14	ND	ND	ND	ND
2,4,5-三氯酚	mg/L	*	*	—	—	—	—
2,4,6-三氯酚	mg/L	*	*	—	—	—	—
五氯酚	mg/L	*	*	—	—	—	—
苯	mg/L	*	0.05	ND	ND	ND	ND
甲苯	mg/L	*	10	ND	ND	ND	ND
二甲苯	mg/L	*	100	ND	ND	ND	ND
乙苯	mg/L	*	7	ND	ND	ND	ND
氯苯	mg/L	*	1	ND	ND	ND	ND
1,4-二氯苯	mg/L	*	0.75	ND	ND	ND	ND
苯	mg/L	*	0.4	ND	ND	ND	ND
氯甲烷	mg/L	*	0.3	ND	ND	ND	ND
二氯甲烷	mg/L	*	0.05	ND	ND	ND	ND
氯仿	mg/L	*	1	0.0294	0.0154	0.011	ND
1,1-二氯乙烷	mg/L	*	8.5	ND	ND	ND	ND
1,2-二氯乙烷	mg/L	*	0.05	ND	ND	ND	ND
1,1,2-三氯乙烷	mg/L	*	0.05	ND	ND	ND	ND
氯乙烯	mg/L	*	0.02	ND	ND	ND	ND
1,1-二氯乙烯	mg/L	*	0.07	ND	ND	ND	ND
順-1,2-二氯乙烯	mg/L	*	0.7	ND	ND	ND	ND
反-1,2-二氯乙烯	mg/L	*	1	ND	ND	ND	ND
三氯乙烯	mg/L	*	0.05	ND	ND	ND	ND
四氯乙烯	mg/L	*	0.05	ND	ND	ND	ND
四氯化碳	mg/L	*	0.05	ND	ND	ND	ND
總石油碳氫化合物	mg/L	*	*	—	—	—	—
氯化物	mg/L	*	0.5	<0.01(0.002)	0.01	ND	ND
甲基第三丁基醚	mg/L	*	*	ND	ND	ND	ND
甲醛	mg/L	*	*	<1.00	<1.00	<1.00	<1.00
1,2-二氯苯	mg/L	*	*	—	—	—	—
3,3'-二氯聯苯胺	mg/L	*	*	—	—	—	—
1,1,1-三氯乙烷	mg/L	*	*	—	—	—	—
柴油總碳氫化合物	mg/L	*	10	<0.500	<0.500	<0.500	<0.500

註：1.「*」表示法規尚未規定，“—”表示並無監測

- 2.若低於方法偵測極限之測定值以「ND」表示，若高於方法偵測極限(MDL)但低於檢量線最低點濃度時，以『<檢測報告最低位數單位值』表示
- 3.第二類地下水污染管制標準法源：98.1.15 環署土字第 0980003647 號令發布。
- 4.第二類地下水污染監測標準法源：90.11.21 環署水字第 0073671 號令發布。